4985

L XXVI.12



S.T.C 16775

15.F.15 28 F/18

This is the fourth issue (edition) of the First Pharmacopeia of the Royal College of Physicians; which was first published 1618, also again in the same year; and again in 1627. All these issues are extremely rare and this is the only copy of any of them which I have known to occur for sale. They are in the Library of the Coll. Phys: — see Munk's Roll Coll. Phys. III. 371. J.F.P.

The engraved title is from the original of the first [illegible] with date altered and nearly [illegible] of the [illegible]



Pharmacopœia Londinenſis,

IN QVA MEDICAMENTA ANTIQVA ET NOVA vſitatiſſima, ſeduſo collecta, accuratiſſime examinata, quotidianâ experientia confirmata deſcribuntur.

Diligenter reuiſa, denuo recuſa, emendatior, auctior.
Quarta Editio.

Opera Medicorum Collegij LONDINENSIS.

Ex *Sereniſsimi* REGIS *mandato*
Cum R.M. Priuilegio.

LONDON
Printed for IOHN MARRIOTT and are to be ſould at his ſhop in Fleetſtreete in S. Dunſtons Churchyarde. 1632.

WELLCOME LIBRARY INSTITUTE
28868

SERENISSIMO

PRINCIPI IACOBO
MAGNAE BRITANNIAE,
FRANCIÆ, HIBERNIÆ, &c.

REGI, Collegium Medicorum
LONDINENSIVM

ὑγιαίνειν, καὶ εὐπράττειν.

NVMINIS cum hominibus commercium, facilemque ad ſuperos aditum denotatura antiquitas; (licet ſub obſcura incertæ noctis nebula titubans, non inſagaci tamen acumine) Deorum ſimulachra ſub humana ſpecie variis inſignita titulis templis intulit: mutiſque ſtatuis diuinos decreuit honores, & aſsignauit ſacrificia quibus vel pacarentur, vel conciliarentur ſuperi, inferi, medioxymi. Principum plurimos cœlitibus aſsidere voluit, eorum memoriam venerata, & nihil minus quàm ſummum in ſublunaria impe-

rium attribuens illorum æternitati, quos vt potentiæ ſuæ vicarios dum vitali fruerentur aurâ Iupiter conſtituerat, ſic res in publicum bonum præclarè geſtæ, atque in ſubditos paternæ curæ iuncta liberalis comitas; dignos præſtiterant, qui Deorum immortalium ſocij haberentur. Nos qui reducto velo & diſcuſſa caligine certiora nunc veri numinis beneficio figimus veſtigia, vt cœlum juſtis precibus peruium, & *D. O. M.* ad pia vota facilem experimur: ſic te Principem noſtrum, (Rex Serenissime) Reipublicæ Chriſtianæ, Regnorum inprimis tuorum bono terris datum, erga pios proboſque omnes flexibilem ac benignum, in tuos tenero & plus quàm paterno affectu propenſum cernimus, agnoſcimus, atque omnibus obſequij, officiorum, ſeruitij ritibus, quos omnipotens Regibus huiuſce mundi Diis aſsignauit, purè ſanctéque colendum pronunciamus. Tam aptus natus es ad bona, ad iuſta, ad auguſta, vt ab hac deflectere ſemita nec fas tibi ſit, nec ſi velles datum; tantus eſt naturæ tuæ candor, quæ virtutibus regiis ab incunabulis imbuta, nec nouo chromate tingi, nec veterem formam poteſt deponere! Sic Arcton aſpicit magnetico ſpiritu mobile redditum ferrum, & quantumvis detorqueas ad punctum redit. Quid attulerit compendij toti Chriſtiano orbi inſigne illud pacis ſtudium, quo in mutuam perniciem ruentes principum potentiſsimorum animos blando amicitiæ glutine fœliciter ferruminaſti: Quid tuis populis æquitas, quæ in cæteris tui ſimilibus mediocris, in te ſumma, tanquam in ſuæ actiuitatis ſphæra, triumphat; Quid

Quid veræ Eccleſiæ paſtoralis ille amor quo gregem Saluatoris proſequutus, ſchiſmata tollere citra ambitioſum faſtum quotidie ſtudes, alij loquantur quorum penna nomen tuum poſteritati non fucato ſtylo tradere audacter ſatagit, materiæ vbertate diffluens, colorum quibus obumbrari ſi non deturpari ſolet memoria principum non indiga. Nos quibus MAIESTATI tuæ deuincti nodis viuamus explicemus libere, & viuenti Domino ea perſoluamus vota, quæ Ioui noſtro (juuans quippe tu nobis pater) debentur. Vniuerſalis ille recti bonique amor efficit, vt dum næuos Rempublicam fœdantes ſedulis perluſtras oculis, Regiam aciem in Medicinæ caſtra deflexeris. Quot abs te iſtic conſpectæ Lacunæ, quot hiatus? quot à via regia, quam veri Hygieias antiſtites calcant, aberrantia diuerticula monentibus primariis noſtrum benigniter notare dignatus es? Exinde factum, vt eodem momento cum errorum notitia, tot defectuum reſarciendorum irrequieta cupido animum tuum inceſſerit. *In actione conſiſtit virtus*, quæ dum in motu eſt viget, ſitu obſita quiete elangueſcit: in te Domine motu indeſinenti, veluti primum mobile, ad ſe omnes animi tui facultates æternum rapit. *Rectum norma eſt ſui & obliqui.* Propterea juſſiſti (REX OPTIME) vt ab iis quos cæteris prælucere in Medicina facienda æquum eſt, ſumerentur faciendorum exordia. Collegium noſtrum Medicum ab *Henrico Octauo, &c.* immunitatibus & priuilegiis donatum, tu Muſarum omnium parens authoritate cumulare voluiſti, ne quid deeſſet ad honoris culmen, ne-ue

 relin-

relinqueretur lapis aliquis offendiculi. Ita poteſtate abs te conceſſa inſigniti Medicinæ proceres, in repurgando Augiæ ſtabulo, atque admittendis veris Aſclepiadis, eliminandis iis qui Laruati ſaltem perſonam Medicorum induunt, toti ſunt. Immortales tibi ſint gratiæ (SERENISSIME PRINCEPS) quod vel querelis noſtris, vel petitionibus, faciles quotidie aures accommodes, nec à nobis exoptatum quidquam hactenus, vnde ſchola noſtra paſſa ſit repulſam. Sui ſemper ſimilis virtus cubico ſitu mutationum neſcia ſubſiſtit. Hac freti fiducia, dum tua capeſsimus juſſa, atque in replendis lacunis & reparando vallo verſamur, id Senatui noſtro viſum eſt, artifici cuique ad ſcitum perfectumque opus producendum, neceſſaria eſſe idonea inſtrumenta, quæ urgente neceſsitate ex penu, vt tela ex armamentario, depromantur. Siqua in re anceps fluctuatio, ea certe in re medica eſt admodum periculoſa, in cuius praxi, quantum homini datum eſt, ſtatuenda ſunt certa remedia, quæ (*Deorum manus* à veteribus dicta) languentibus ægris tutò ab artis peritis adminiſtrentur. Quilibet Medicus in antiquorum ſcriptis vulgatas habet remediorum formulas; ſed eas ab inuicem vt plurimùm diſcrepantes: ita vt in hac varietate tyronum mentes dubiæ (veluti in triuio) conſilij inopes conſiſtant, Pharmacopœiorum opera incertitudine parum fida (ipſis etiam inuitis) reddatur. Placuit itaq; Medicorum Collegio *Londinenſi* (cujus tu REX munificentiſsime tutelaris Deus es) tam antiqua quàm noua pharmaca neceſſaria in vnum conſarcinare volumen, atque donum hoc leuidenſe tuis

imponere

imponere aris; vel potiùs te non ſinente tantum, ſed etiam jubente, Auguſtæ Maieſtati tuæ offerre ſupellectilem, quâ ſubditorum tuorum corpora in poſterum à peſtifera morborum lue ſarta tectaque præſeruentur. Fœtus iſti gneſij, ſi propitiam exporrigas frontem, Solis tui perferent radios, qui ſpurios occæcare ſolent. Fac igitur, vt pro tibi innato more ſalutarem fauoris tui auram opus hoc ſentiat, cui (ſupplices petimus) vt liberum per regnorum tuorum limites indicas & neceſſarium commeatum. Vt veritas vna eſt, ſic certa ſit eius notitia. Vitæ ſubditorum tuorum intereſt, vt Medici quid præſcripturi ſint, Pharmacopœi quid in vſum paratum habituri, compertum habeant. Vacillationis pœna non minoris quam ipſius vitæ jactura conſtat. Tu qui iuris legumque fautor es, capitis tuorum tutor eſſe velis. Edicto cautum ſit, ne alia vtantur ij (quorum non minus fœliciter quam juſtè habenas regis) Pharmacopœiâ, quæ non *Londinenſis* ſolùm, ſed ex vſu (ſi placet) Anglica in poſterum indigitetur. Sic fiet, vt à tritico ſecernantur paleæ, & agyrtæ, atque circulatores (quibus æquitas tua te reddit infenſiſsimum) à genuinis dignoſcantur. Sic tu Iupiter eris Liberator: Sic acceptam tibi feret ſanitatem tua Reſpublica: Sic denique dum ſummi inter humanas res boni Promotor & Conſeruator eris, eius, cuius in terris locum obtines, imitatorem te prodes verum, & quamdiù durabit Vniuerſi machina, memoriæ hominum heroicæ tuæ virtutes obuerſabuntur, ſicut tui pars melior viuet, tandem aliquando tradita æternitati: Quod vt ſerò contingat, imo

vt nulli noſtrum id videre contingat; ſed vt diutiſſime Mundo, patriæ, tuis, ſubditis, ſingulis noſtrum te incolumem ſeruet *D. O. M.* ex animo optant & precantur

Maieſtatis tuæ

Humillimi Clientes & fideliſſimi Subditi *Socij Collegij Medicorum* Londinensis.

Candido

Candido Lectori.

PLurimum te ſaluere iubet, quæ maximè ſaluum te fecit Medicina; & quo meliùs adhuc ſaluti tuæ conſulat, nouam conſtruxit officinam pharmaceuticam, quam non inſtruxit modò locupletiſsima remediorum ſalubrium ſupellectile, verùm & curam ſuſcepit, vt illa ſine fraude fideliùs, ſine errore tutiùs in ſalutem tuam componantur. Sed, opus inquis, quo non eſt opus. Cum præter veteres recentioréſque plurimos vix aliqua ſit tranſmarina Ciuitas aut Academia, celebrior, quæ iſtam non abundè Spartam ornauerit. Verum id forſan. At cedò, ſi tot iſti veteribus non acquieuerint Meſue, Myrepſo, Alexandrino, & aliis; ſed ſuum voluerint ſinguli Antidotârium; Romani ſuum, ſuum Veneti, Florentini ſuum, ſuum Bergomenſes, Auguſtani ſuum, & quos tacemus reliqui; quidni & Londinenſes ſuum? velut veſtem propriam, cuius non tanta laus eſt, quòd ſit ſplendida, quam quòd propria, non tam ſi è biſſo ſit aut purpura, ſed ſi Anglis corporibus adaptata: præterea nos tanta varietate non inſtrui, ſed diſtrahi magis cōtingit; iſta inopes nos Copia fecit; & morbus ille, cui modò occurrimus, totus eſt ex plenitudine. Quo vaſta magis eſt ſilua, pluréſque ſemitæ, facilius per inuia, deuia dum vagantur, aberrant viatores. Quo mare ſpacioſius, eo magis eſt opus Cynoſura: qua deſtituti diù apud nos Pharmacopæi variis fluctibus iactari, & mille modis diſtrahi videbantur, dum vnus iſto, iſte alio medicandi tramite incederet, vnus ad Cordum, alius ad Fernelium, ad Auguſtanos alius, ad ſuum forſan alius ſpeculum ſe componeret; idemque remedium tot haberet Ideas, quot officinas: quod malum cum indies magis graſſaretur, non ſine ſummo tam Medicorum, quam ægrorum diſpendio, volumus hoc opuſculo, velut iacta Anchora, ſic fluctuantem Pharmaceiam ſtabilire, eamque certis limitibus, & Cancellis coercere, dum vnam, & vnicam componendi legem & methodum non docemus modò, ſed imponimus & imperamus, à qua non liceat, vel latum (vt aiunt) vnguem aberrare, vt vno velut filo ducti, tum Medici, tum Pharmacopæi, iſti in præſcribendo certiùs, hi in componendo rectiùs progrediantur & vnanimes conueniant.

Necnon alia adhuc grauior eſt peſtis, ad quam opus Antidotario; aliorum videlicet ſumma fraus & impoſtura, qui lucelli gratia, & ſordido aucupio fæces quaſdam viliſsimas, & ſpurciſsimas ſordes ſub Pharmacorum nomine & titulo venditant; imò quæ

nobis

nobis in pretio ſunt maximo, Theriacam, Mithridatium, & Alkermes, aliaq; plurima adulterant; vt remedia non deueniãt, ſed venena, nec in ſolatium ægris, ſed perniciem. Qui ſceleratiſſimi homicidæ, etſi flagello potius aut furca, quàm Cenſura hac noſtrâ coerceri debuerint; erunt tamen forſan (pro more Anglo) ſaluãdi beneficio libelli, *& cũ ipſis miſelli ægri, quorum vitæ & ſanitati (iſto velut ſacro codice) conſuluimus. Fœlix cõſilium & ſalutare; cuius tamen gloriam & laudem nobis ipſis non arripimus; ſed (vt fateamur quod res eſt) eius caput altius, eius diuinior origo;* A Ioue principium; *à noſtro inquam Auguſtiſsimo & (quod rarius) literatiſsimo, & (quod gratius) ſalutis publicæ vigilantiſsimo* REGE IACOBO, *qui vt pacem in orbe Chriſtiano, vnionem in orbe Britanno, cõformitatem in orbe Eccleſiaſtico ſtuduit ſemper & feliciter ſtabiliuit; ità noſtrũ Orbem Apollinarem ſphæramq; medicam dignatus eſt luſtrare ſuo lumine, legeſq; ſalutares nobis condere pro cõcordia medica certaq; medendi ſymphonia, vt ſicut anteà animarum, ſic & corporum ſaluti; anteà ſubditorum dignitati, modo illorum vitæ & ſanitati conſuleret: vt de illo verum ſit, quod de Sole Regius vates cecinit,* nihil eſt ſecretum à calore eius; *nihil ab eius cura ſecluſum aut immune; & inſculptũ videatur diuinâ manu idem pectori ipſius, quod nummo,* Salus populi ſuprema Lex. *Cum enim Pharmacopœis Londinenſib. novas libertates & priuilegia nova indulſerit literis ſuis (vt appellantur) patentibus, hoc vnum inſeri, & exprimi inprimis voluit, vt cum Antidotarium iſtud prodiret in lucem, ad illud velut ſacrũ canonem religioſè ſe aſtringerent: Legibúſque ferendis à Senatu medico obtemperarent. Cui verè Regio mandato æquum nobis erat morem gerere; fecimúſq; tãdem vt in lucem prodeat Pharmacopœia Londinenſis, apparatu nec ſordido nec ſuperbo, nec remediorum paupertate indiga, nec eorum mole aut tumens aut ambitioſa. In qua etſi doctam Antiquorum canitiem veneramur, eorundémq; remedia prima velut acie collocauimus, non tamen recentioris Chymiæ noua ſubſidia reiicimus aut aſpernamur, ſed illis locũ & angulum à tergo conceſsimus, vt famulentur dogmaticæ Medicinæ; & velut manus auxiliares inſeruiant. Neq; verò tam ſuperſtitioſè inceſsimus Antiquorum veſtigiis, vt nihil ex noſtro penu novum apportemus; non enim quæ hic deſcripta, tranſcripta ſunt omnia, aut mercibus ſolis tranſmarinis, & exoticis officinam noſtram inſtruximus, ſed quædam adiecimus nova & noſtra, quæ crebro vſu probata nunc primum in lucem prodeunt publicam; quædam etiam in antiquis formulis immutauimus, ſaluo tamen authoris ſenſu & nomine, non tam nouitatis ſtudio quàm neceſsitate coacti, præſertim vbi non occurrunt, quæ præſcribuntur ſimplicia, in quorũ locum alia ſuffecimus, quæ facultatum cognatione ſimillima videbantur: Paritérque fecimus in modo pilulas componendi, quæ ſi antiquo more cum ſuccis aut aquis in maſſam redigantur, citò ſiccitatẽ nimiam vel ſitũ contrahãt, ideoq; Syrupis accommodatis pro diuturniori cuſtodia vtendam voluimus. Cùm verò in plurimis authoribus quædam penitus relinqui ſoleant artificum iudicio, potiſsimũ in mellis & ſacchari menſura, ſub duabus litterulis* q. ſ. *vel voculis* quantum ſatis; *vndè eiuſdem pharmaci non eadem apud omnes conſiſtentia, nec facultas eadem; nos de libero artificum arbitrio poteſtatem omnem in poſterum ademimus, & in eandẽ rem quoſdam è Pharmacopœis ipſis in hoc artificio verſatiſsimis adhibuimus in conciliũ, quorúm ope & opera de certo cõponendi modo, certaq; menſura conuenimus, & doſin deſignauimus cui nec addant illi, nec adimant. Deniq; cum in pleriſque Antidotariis, tum priſcis tũ recentioribus, vſus & facultas cuiuſq; remedij exprimatur, vndè tam inſcij, quam impij Circumforanei & agyrtæ, ex hac pharetra ſeipſos muniant ad praxin medicinæ, noſtroſq; gladios inſani homunciones in Reipublicæ perniciem arripiãt, ideò de remedij viribus nihil adiecimus: ſolis enim doctis hæc ſcribimus & Apollinis alumnis, ad vulgi*

non

non intellectum, ſed ſalutem. De ordine quo omnia diſpoſuimus, rationem non opus eſt reddere; ſimplicia compoſitis; interna, externis; liquida ſolidioribus præmiſimus; in ſuas claſſes ſingula digeſsimus, vnde nullo negotio depromi, in vſumq; & praxin referri poſsint. Habes (Amice Lector) quid fecerimus, & cur fecerimus; Opus quale in fabulis Pandora; in illam Dij omnes; in hoc Collegæ omnes ſua ſymbola contulerunt, ſub auſpiciis digniſsimi Præſidis, quo non modò Conſule aut Præſide, ſed cuius conſilio & auxilio & indefeſſo ſtudio, tectum modò & faſtigium huic tanto operi imponitur, quod ante annos aliquot inceptum condi, ſed inceptum, cuius non cœptæ ſurgebant turres, *vt Poeta luſit. Quale iam aut quantulumcumque ſit, Amice Lector, tuo bono & publico fore commodum ſperamus & vouemus; quod ſi & palato tuo arrideat, vtere, & Vale.*

à Collegio Londinenſi ſeptimo die Decembr. anno 1618.

Abriefe of his MAIESTIES Royall Proclamation *Commanding all Apothecaries of this Realme to follow* this PHARMACOPOEIA lately compiled by the Colledge of Phyſitians of LONDON.

WHereas by our eſpeciall commandement there hath beene of late compiled in the Latine tongue by the Colledge of Phyſitians of London a booke entituled *Pharmacopœia Londinenſis, &c.* And whereas through the great care and induſtrie of the ſaid Colledge, the foreſaid *Pharmacopœia Londin.* is now perfected, and is a work greatly tending to the publique good of our Subiects, and wee minding that all falſhood, differences, varieties, and incertainties in making or compoſing of Medicines, and diſtilling of Oiles, or Waters, hereafter be vtterly taken away and aboliſhed: And that in the time to come the manner and forme præſcribed by the ſaid booke ſhould be generally and ſolely practiſed by Apothecaries in their compoſitions of Medicines, and diſtillation of waters for al ſuch things as are therein named and præſcribed: Wee therefore deſirous in all things to prouide for the common good of our Subiects, and intending to ſettle and eſtabliſh the generall vſe of the ſaid booke in this Realme of ENGLAND, doe hereby ſignifie and declare our Royal will and pleaſure to be, & hereby ſtraightly require, charge, and command all and ſingular Apothecaries, within this our Realme of ENGLAND, or the Dominions thereof, that they and euery of them, immediately after the ſaid *Pharmacopœia Londin.* ſhall be printed and publiſhed, doe not compound, or make any Medicine, or medicinable receipt, or præſcription; or diſtill any Oile, or Waters, or other extractions that are or ſhal be in the ſaid *Pharmacopœia Londin.* mentioned and named after the waies or meanes præſcribed or directed, by any other bookes or Diſpenſatories whatſoeuer, but after the onely manner and forme that hereby is, or ſhall be directed, præſcribed, and ſet downe by the ſaid booke, and according to the weights and meaſures that are or ſhall be therein limited, and not otherwiſe, &c: vpon paine of our high diſpleaſure, & to incurre ſuch penalties and puniſhment as may be inflicted vpon offenders herein for their contempt or neglect of this our Royall commandement. Willing and commanding alſo hereby all Maiors, Sheriffes, Iuſtices of peace, Conſtables, &c. to be aiding and aſſiſting. Giuen at our Palace of Whitehall 26. Aprill in the 16. yeere of our raigne of England, France, and Ireland, and of Scotland the 51. 1618.

THe Kings moſt excellent Maieſty hath not only commanded the publiſhing of this booke, but hath farther beene graciouſly pleaſed to grant ful & ſole priuiledge vnto Iohn Marriot of London Stationer (and Printer of this worke) his Executors, Adminiſtrators, Deputies, and Aſſignes for 21. yeeres next enſuing, to imprint, or cauſe to be imprinted, and to ſell, aſſigne, and diſpoſe, to his and their beſt benefit and auaile, this booke, and bookes, as well in the Latine as Engliſh tongue, as alſo in any other language or tongue whatſoeuer; Straightly prohibiting any other during the ſaid time, to imprint or cauſe to be imprinted, to import, vtter, or ſell, or cauſe to be imported from any the parts beyond the ſeas, vttered, or ſold, the ſaid booke or bookes, or any part thereof within any of his Maieſties Realmes and Dominions (without the ſpeciall licence and conſent of the ſaid Iohn Marriot, his Executors, Adminiſtrators, Deputies, and Aſſignes, firſt had and obtained in that behalfe) vpon paine of his Maieſties high diſpleaſure, and to forfeit fiue pounds of lawfull Engliſh mony for euery ſuch booke or bookes, or any part or parts thereof imprinted, imported, vttered, or ſold contrary to the true meaning of this priuiledge, beſide the forfaicture of every ſuch booke or bookes, &c. as more at large appeareth by his Maieſties letters patents dated the twentieth of March in the fifteenth yeere of his Maieſties reigne of ENGLAND, France, and Ireland, and of SCOTLAND the fifthieth. 1618.

Nomina

NOMINA D. D. COLLEGARVM SOCIETATIS MEDICORVM LONDINENSIVM HODIE VIVENTIVM.

HENRICVS ATKINS Doct. Med. Regius Medicus Ordinarius, & Collegij Medicorum Londinenſium Præſidens.

THEODORVS DE MAYERNE Medicinæ Doctor, Regiarum Majeſtatum Medicus-primarius.

IOHANNES CRAIG. } Regij Medici Ordinarij.
GVLIELMVS PADDY Eques. } Regij Medici Ordinarij.
THOMAS FREAR.
THOMAS MOVNDEFORDE.
MARCVS RIDLEY.
EDWARDVS LISTER.
RICHARDVS PALMER.
(The seven names above, from Craig to Palmer: 7. ex 8. Electis.)

IOHANNES CRAIG iunior, Principi Carolo Archiater.
IOHANNES ARGENT.
EDWARDVS IORDEN.
IOHANNES GIFFORD.
FRANCISCVS HERRING.
MATTHAEVS GWYNN, Regius Med. ad Turrim.

Matthaevs Lister.

Gvlielmvs Harvey, Med. Reg. iuratus.

Gvlielmvs Clement.

Simeon Fox.

Leonardvs Poe, Med. Regius ad familiam.

Robertvs Flvdd.

Richardvs Andrewes.

Thomas Pattison.

Theodorvs Govlston.

Iohannes Collins.

Simon Baskervile.

Thomas Wineston.

Edmvndvs Wilson.

Georgivs Rogers.

Iohannes Raven, Med. Regineus iuratus.

Pavlvs de Lavne.

Eleazar Hobson.

Ottvellvs Meverell.

Alexander Ramsey.

Pondera.

PONDERA.

GRanum intelligimus ſignatum illud noſtrorum nummariorum, quorũ viginti ſcrupulum conſtituunt.
Scrupuli tres drachmam.
Drachmæ octo vnciam.
Vnciæ duodecim libram.

Granum cuius ſignum gr.j.
Scrupulus cuius ſignum ℈.
Drachma cuius ſignum ʒ.
Vncia cuius ſignum ℥.
Libra cuius ſignum. lib.

MENSVRÆ.

MEnſuras apud nos vſitatiſſimas hic paucis ſubiecimus: reliquas minus vſitatas ideoque magis inutiles conſultò omiſimus.

Cochlearium noſtrum in Syrupis continet vnciam dimidiam, in aquis diſtillatis drachmas tres.
Cyathus vnciam vnam ſemis.
Hemina (quam Cotylam appellant) vncias nouem.
Libra vncias duodecim.
Sextarius vncias octodecim.
Congius Sextarios ſex.

CATALOGVS SIMPLICIVM AD PHARMACOPOEIAN CONDVCENTIVM.

RADICES.

A

Acanthi, Brancæ Vrſinæ.

Acori, { Veri, peregrini, Calami odorati offic. Vulgaris, Pſeudoacori, Gladioli lutei. Liliorum paluſtrium.

Allij, Scorodi.

Alcannæ, Liguſtri.

Althææ, Ibiſci, Biſmaluæ.

Angelicæ, Sancti Spiritus.

Anchuſæ, Bugloſſi rubri,

Anthoræ, Antithoræ, Napellis Moſis, Aconiti ſalutiferi.

Apij, { Satiui, Petroſelini. Vulgaris, Eleoſelini.

Ariſtolochiæ { Longæ, Rotundæ. Clematis, tenuis, ſarmentitæ.

Artianæ, Cyclamanis, Panis porcini, Rapi vel vmbilici terræ, Teſtidunariæ.

Arthanitæ.

Arundinis { Vallatoriæ. Saccharinæ.

Ari, Serpentariæ, Barbæ Aaronis, Pedis vituli.

Aſclepiadis, vincetoxici, hyrūdinariæ.

Aſari, Baccharis, Nardi Ruſticæ.

Aſparagi, hortenſis, ſylueſtris, Currudæ.

Aſphodeli veri, { Haſtæ Regiæ, i. Aſphod. fœ. Albuci, i. Aſph. maris

B

Bardanæ, Lappæ maioris, Perſonariæ, arcij Diaſc.

Behen { Albi, Polemonij. Rubri, } pro his. { Caryophyllatæ. Tormentillæ.

Bellidis,

Bellidis, Symphyti minimi.
Betæ nigræ, albæ, rubræ.
Biſtortæ, ſerpentariæ maris Britãnicæ.
Borraginis.
Bryoniæ, Vitis albæ.
Bryoniæ nigræ.
Bugloſſi vtriuſque.
Bulbi vomitorij.

C

Calami Aromatici, exotici, i. acori veri.
Capparum.
Caryophyllatæ, Benedictæ, Oculi leporis.
Caulium.
Centaurij Maioris, falſo Rhapontici.
Cepæ, Crommij.
Chamæleontis
- Albi, Carlinæ, Cardopatij.
- Nigri,
- Pancarpi.

Chelidonij
- Maioris — Hirundiniæ maioris,
- Minoris — Ficariæ, Scrophulariæ.

Cinæ, Chinæ.
Cichorij.
Colchici, Bulbi agreſtis.
Conſolidæ.
- Maioris,
- Minoris,

Coſti vtriuſque.
Cucumeris agreſtis; Aſinini, Erratici.
Cynaræ, Scolymi, Cardui altilis.
Cynogloſſæ, Lycopſeos, Linguæ caninæ.
Cucumæ, terræ meritæ, cyperi ſudici.
Cyperi vtriuſque,
- longi, Romani
- rotundi.

D

Dauci.
Dentariæ maior: Squamariæ, Orobandis rad. dentata.
Dictamni vulgaris, Polemonij, Fraxinellæ.
Doronici,
Dracontij veri, Dracunculi.

E

Ebuli, Chamæactes.
Echij
Ellebori, Veratri
- albi, Campanicæ, Cõſiliginis vulgaris, Melãpodij, Ectomi,
- nigri, Entani.

Enulæ Campanæ, Helenij.
Endiuiæ hortenſis, Intybi, Scariolæ.
Eringij, Centum capitum.
Eſulæ
- maioris, Characiæ.
- minoris, Tithymali Capariſſiæ, cupreſſinæ.

F

Filicis, Pterios, Bletri.
Filipendulæ, Oenanthes.
Fœniculi, Marathri.
Fraxini.

G

Galangæ
- maioris
- minoris
— Exoticæ, Cyperi Babylo.

Gentianæ, Aloes Gallicæ.
Glycyrrhizæ, Liquiritiæ. Rad. Dulcis.
Graminis, i. Graminis Canini.

H

Hermodactyli veri,
Hyacynthi.

I

Iridis
- noſtræ ſeu vulgaris, cæruleæ, Lilij cœleſtis.
- Florentinæ, Illyricæ,

Imperatoriæ, Magiſtrantiæ, Laſerpitij Gallici. Aſtrantiæ.
Iſatidis, Glaſti.

L

Labri veneris, Dipſaci.
Lactucæ.
Lauri.
Lapathij acuti, Oxylapathi.
Leuiſtici, Sirnij Dioſc.
Lilij albi, Roſæ Iunonis, Crinanthemi.

M

Maluæ.
Mandragoræ, Anthropomorphi.

Mechoa-

Mechoachanæ, Bryoniæ Peruuianæ.
Mei, Vrſini, Tortuoſi.
Mezerei, Piperis montani, Chamelææ.
Mororum Celſi, arboris ſapientis.
Morſus Diaboli, Succiſæ, Præmorſæ. Pycnocomi Dioſ.

N

Nardi Spicæ { Indicæ. Celticæ, Saliuncæ Plinij.
Nenupharis, Nymphææ.

O

Ononidis, Arreſtæ Bouis, Acutellæ, Remoræ aratri.
Oſtrutij, magiſtrantiæ, Struthij quorund.

P

Paſtinacæ ſatiuæ & ſylueſtris.
Pentaphylli, Quinquefolij.
Petaſitæ, Galeritæ.
Peucedani, fœniculi Porcini, Sulphuratæ, Caudæ Porcinæ.
Pœoniæ maris, Fœmellæ.
Phu, Valerianæ { maioris. minoris.
Pimpinellæ, Sanguiſorbæ.
Plantaginis.
Polypodij, Filiculæ.
Polygonati, Sigilli Solomonis, Scalæ cœli, Genichellæ.
Porri.
Prunellorum ſylueſtrium.
Pyrethri, Saliuaris, Artimonij ex Antid. Bononi: in ſubſtitutis.
Squamariæ, Dentariæ, { maior. Matth.

R

Rhapontici.
Rhabarbari ſeu Rauedſeni.
Rhaphani { domeſticæ, Obſoniorum. ſylueſtris.
Rhodiæ, rad.
Rhabarbari monachorum.
Rubiæ tinctorum, Erythrodani.
Ruſci, Bruſci, myrſines ſylueſtris.

S

Sambuci.
Sarzæ Parigliæ, Smilacis aſperæ.
Satyrij vtriuſque.
Saxifragiæ albæ.
Sanguiſorbæ, Pimpinellæ Italicæ.
Scabioſæ.
Scordij.
Scillæ, Squillæ, Cæpæ marinæ.
Scrophulariæ, Galeopſidis, millemorbiæ.
Scorzoneræ.
Seſeleos Æthiopici.
Siſari, Secacul, Siſeris.
Sigilli B. Mariæ, Bryoniæ nigræ.
Solidaginis.
Sonchi.
Spinæ albæ, Bedeguar.
Spatulæ fœtidæ.

T

Tamariſci, myricæ hymilis.
Tanaceti,
Thapſiæ exoticæ, Ferulaginis, Turpeti cineritij.
Tormentillæ, Heptaphylli.
Trifolij.
Tribuli aquatici.
Trachellij, Ceruicariæ.
Trinitatis herbæ, violę tricoloris.
Tunicis.
Tripolij vulg.
Turbith exotici.
Tuberum ſeu Boletorum.

V

Victorialis, Allij Alpini.
Vincetoxici, Hyrundinariæ, Aſclepiadis.
Virgę paſtoris.
Vlmariæ, Barbę capri, Reginę prati.
Vrticæ.

Z

Zedoariæ, longæ, coſti, Syriaci.
Zingiberis.
Zurumbet, i. Zedoarię rotundæ, Anthoræ Auic.

CORTICES.

A

Apij. Rad.
Auellanarum.
Aurantiorum.

B

Berber, Oxyacanthæ.

C

Caſiæ ligneæ, Syringis, Xylocaſiæ.
Capparis, rad.
Caſtanearum,
Cinnamomi, Canellæ.
Citri, mali medici.

E

Ebuli rad.
Enulæ.
Eſulæ rad. Tithymali.

F

Fabarum.
Fœniculi rad.
Fraxini rad.

G

Granatorum, Malicoriũ.
Guaiaci lign. Ind. Sancti.

I

Iuglandium virid.

L

Lauri.
Limonnm.

M

Mandragoræ rad.
Myrobalanorum,
Macis, qui Cortex Moſchatæ nucis
Maceris, qui ligni cuiuſdam cortex craſſus, flaueſcens, valde amarus & aſtringens.

P

Petroſelini rad.
Prunellis ſylueſtris.
Pinearum Putamina.

Q

Quercus arboris.

R

Raphani.

S

Suberis.
Rad. Sambucij, & caudicis
Cort. medius Tamaricis.

T

Tilliæ.
Thuris.

V

Vlmi.

LIGNA ET EORVM SCOBES.

A

Agallochus, i. Lignum Aloes,
Aſpalathus.

B

Breſilium.
Buxus.

C

Cypreſſus.

E

Ebenum.

G

Guaiacum, Sanctum Ind.

I

Iuniperinum.

N

Nephriticum.

R

Rhodium.

S

Santalum { Album. / Rubrum. / Citrinum, Moſchatellinũ.
Saſſafras.

T

Tamariſci.

X

Xylobalſamum.

HERBÆ ET EARVM FOLIA.

A

Abrotonum { mas, / fœmina.
Abſinthiũ { Pôticũ { latifoliũ, vulgare. / tenuifoliũ { Galẽ / Rom } / Seriphium, marinum. / Santonicum.
Abugiliſſa, i. Anchuſa maior.

Aceto-

Acetoſa ſiue Oxalis.
Acanthus vera.
Adianthum
- album, Ruta muraria, Saluia vitæ.
- nigrum, Polytr. Dioſc. Capill. vener.

Adianthũ aureum, Polytricũ aureum, Muſcus capillaris.
Agrimonia, i. Eupatorium Græcorum.
Ageratum, i. Eupatorium Meſuës.
Agnus Caſtus, Vitex Piper Eunuchorum,
Alleluia ſiue Luiula, Acedula, Acetoſella, trifolium acetoſum, oxys Pl.
Alcea.
Allium.
Althæa, Ibiſcus, Biſmalua, Maluauiſcus.
Alſine, Morſus Gallinæ.
Alchimilla, Pes leonis, Stellaria.
Alcanna, Liguſtrum.
Amaracus, maiorana.
Angelica.
Anagallis
- mas.
- fœmina.

Anethum.
Apium, Herba Leonis.
Aparine.
Aſpergula odorata.
Aquilegia.
Argentina, Potentilla, Anſerina.
Artanita, i. Ciclamen.
Ariſtolochia
- longa, Maſcula.
- rotunda, malum terræ.

Arthemiſia, Mater herbarum.
Aſparagus.
Aſarum, Baccharis, Nardus ruſtica.
Atriplex, Olus aureum.
Auricula muris maior, pulmonaria gallica.
Attractylis hirſuta.

B

Balſamita, mentha corimbifera, Coſtus hortorum.
Barba Iouis, Sedum maius.
Bardana, Lapathum, Perſonatia.
Beta
- alba.
- nigra.
- rubea.

Benedicta Caryophyllata.
Betonica
- vulgaris.
- Pauli eſt Veronica mas.
- Coronaria, Caryophyllus hortenſis, Herba Tunica.

Bellis, herba Margarita.
Blitum.
Borrago.
Bonus Henricus, Tota bona.
Botrys.
Branca vrſina, Acanthus Germanica.
Bryonia,
- Vitis alba.
- Vitis nigra.

Burſa Paſtoris, Sanguinalis.
Bugloſſum.
Bugula.
Buphthalmum, Cotula non fœtida.
Buxus.

C

Calamintha
- Montana.
- Paluſtris.

Calendula, Caltha, Solſequium, Verrucaria.
Callitricum, Adianthon.
Caprifolium.
Carduncellus, Erigeron, Senecio.
Carduus
- B. Mariæ lacteus.
- Benedictus.

Carlina.
Corallina, Muſcus marinus.
Caſſutha ſiue Cuſcuta, podagra lini.
Caryophyllata, Benedicta.
Catuputia minor, Lathyris.
Cattaria, Nepeta.
Cauda equina, Hippuris, Equiſetum.
Caulis, Braſſica
- hortenſis.
- ſylueſtris.

Centaurium
- maius, Rhaponticum.
- minus, Fel terræ, febrifuga.

Centinodium, Corrigiola, Poligonum mas.
Cerefolium
- vulgare.
- Myrrhis.

Cæpæa, Anagallis aquatica, Becabunga.

Ceterach.

Ceterach, i. Scolopendrion, Aſplenon.
Chamæpitys, Ajuga, Iua arthritica, Thus terræ.
Chamædrys, vera, vulgaris, Calamandrina, Quercula, Triſſago, Teucrium cæruleum.
Chamæmelum { ſatiuum. / ſylueſtre.
Chelidonium vtrumque.
Cinara, Carduus Eſculentus, Artichocus.
Cichorium, Intybum Sylueſtre, Chondrilla.
Cicuta.
Clematis Daphnoides, vinca peruinca.
Corona Virginea, Viola mortuorũ.
Conſolida { Major, i. Symphytũ majus. / Media, i. Bugula. / Minima, i. Bellis. / Rubra, i. Virga aurea. / Regalis, i. Delphinium. / Sarracenica ſolidago.
Coronopus.
Cotonaria, Centunculus, Gnaphalium.
Cruciata.
Craſſula, Faba inuerſa,
Crithamus, Herba S. Petri, Creta Marina. Fœniculum marinum.
Cucumis Aſininus.
Cyanus { maior. / minor.
Cynogloſſum, ſeu lingua Canis.
Cypreſſus, Chamæcypariſſus, Abrotonum. (ton
ſœm.

D

Dictamnus Cretenſis.
Dipſacus, { ſatiu. alb. / ſylu. purpur.

E

Ebulus, Chamæacte, Sambucus, pumila, aruenſis.
Echium, Viperina.
Elatine, veronica fœmina.
Empetron, Calcifraga, perforipetra, Millegranum, Herniaria.
Endiuia, ſatiua intybus.
Enula Campana.
Epithymum, Epithymum Cretenſe.
Eruca.
Eupatorium, { Græc. Agrimonia. / Meſ. Ageratum. / Auicen. Canabium.
Euphragia, Euphroſyne, herba Ophthalmica.

F

Filix fœmina.
Filicula, Polypodium.
Filipendula.
Folium Malabathri.
Fœniculum, Marathrum.
Fragaria.
Fraxinus { Lingua auis, Paſſerina, Bubula. / Sorbus aucuparia. Ornus.
Fumaria, Capnos.

G

Galega, Ruta capraria.
Galion.
Gentiana.
Geniſta, Spartion.
Geranium { Robertinum. / Columbinum. / Acus Moſchata. / Gingidium.
Gramen, Agroſtis.
Gratiola.

H

Haſtula regia, Aſphodelus.
Hepatica, Lichen.
Hedera { Arborea. Corona terræ. / Terreſtris Chamæciſſus.
Herba Camphorata.
Moſchata.
Paralyſis, primula veris.
Paris, Aconitum ſaluciferum, Monococcos.
Roberti, Gratia Dei.
Venti, i. Anemone.
Hermaria, millegranum.
Helxine, Parietaria, perdicium.
Hippogloſſum.
Hippolapathum.

Hippoſelinon olus Atrum.
Horminū ſatiuum, Sylueſtre, Sclarea.
Hydropiper maculoſum.
Hyſſopus, Alhaſſe. Arabum hyſſopus.
Hyoſcyamus, Herba Apollinaris, Altercum, Faba ſuilla.
Hypericon, Perforata, Fuga Dæmonis.
Hypoglottis, Laurus Alexandrina.
Hypogloſſum, Lingua Pagana, Bonifacia, Biſlingua, Vuularia.

I

Iberis Cardamantice, Lepidium Campeſtre.
Inguinalis, Bubonium, Aſter Atticus.
Iris Germanica, Illyrica, Florētina, Luſitanica, Lutea, Cærulea, Sylueſtris.
Iſatis, Glaſtum.
Iua arthetica, Moſchata.
Iuncus odoratus.

L

Labrum, lauacrum Veneris, Dipſacus Fullonum Carduus.
Lactuca, Satiua, Sylueſtris.
Lagopus, Herba leporina.
Lauendula.
Laureola, Daphnoides, Chamælea Germanica.
Lappa minor, Xanthium.
Laurus.
Lentiſcus.
Lens paluſtris.
Lepidium piperiti[illegible]
Leuiſticum, Ligu[illegible]icum.
Libanotis coronaria Roſmarinus.
Linaria, Oſyris.
Linum B. Mariæ.
Lilium Conuallium, Roſa Iunonis.
Lingua Ceruina, Phyllitis.
Limonium.
Lotus vrbana, Trifolium ceruinum.
Lupulus Salictarius.
Lychnitis coronaria.

M

Macis.
Magiſtrantia, Imperatoria, Oſtrucium.
Malua, Satiua, Criſpa.
Majorana, Amaracus, Sampſuchum.
Mandragora.
Marrubium, Praſium { album, nigrum, fœtidum.
Marum verum.
Matricaria, Parthenium.
Matryſylua, Periclymenon, herba Cordialis.
Matturella, i. Valeriana maior, Phu vtrumque.
Melilotus, Corona regia.
Meliſſa, ſiue Meliſſophyllum, Citrago.
Mentha { Satiua, Criſpa, Rubea. Aquatica, Siſymbrium.
Menthaſtrum, Mentha equina.
Mercurialis, mas, fœmina, Linozoſtis.
Mezereon, Chamælæa, Oleaſtellus.
Millefolium, Stratiores.
Muſcus, Vſnea.
Myrtus, Myrtilli.

N

Nardus Indica, Spica Nard. Exotic.
Naſturtium { aquaticum, Cardamine, Siſymbrium. album, Thlaſpi. hortenſe, Creſſio.
Nicotiana, Tobacco, Sana ſancta. Herba Reginæ, Legati, Petum.
Nummularia, Centumorbia.
Nymphæa, Nenuphar.

O

Ocimum, Baſilicon { vulgare. citratum.
Oleæ folia.
Ononis, Aratri remora, Reſta bouis.
Ophiogloſſon, Lingulaca, Lancea Chriſti.
Origanum, Vulgare, Creticum, Onitis, Panaceum.
Oxylapathum, Rumex acutus.

P

Papauer { album, nigrum, rubrum, Rhæas, erraticum.
Parietaria, herba Perdicalis, Vitriola, Vrceolaris.

Paſtinaca

Paſtinaca.
Perſicaria non maculata.
Perfoliata.
Pentaphyllum, quinque folium.
Petroſelinum, Selinon.
Pes Columbinus, Geranium alterum.
Perſicorum folia.
Pimpinella.
Piloſella, Muris auricula.
Pithyuſa.
Plantago, Arnogloſſum, Septineruia, Quinqueneruia.
Polium, Campeſtre, Marinum, Montanum, Creticum.
Polygonum, Sanguinaria, Centumno-
Polytrichum offic. Trichomanes.
Portulaca Satiua, Porcellana.
Porrum.
Primula veris, Bellis minor, herba Sancti Petri aut Pauli.
Prunella, Symphytum minus, herba Anthonij.
Pulegium, Ceruinũ, Regale, Glechon, Apoleium.
Pulmonaria { Impetiginaria, arborea.
Pulmonaria { Symphytũ maculoſum.
Pulicaria, i. Conyza.
Pyrus ſylueſtris.
Pyrola, Pyrifolia, Tintinnabulũ terræ.

Q

Quercus folia.

R

Ranunculus, Batrachiũ, Apium riſus.
Raparum folia.
Roſmarinum coronarium.
Roſa Solis.
Roſa alba, rubra, Damaſcena pallida.
Rumex, Lapathum.
Rubus Idæus, pumilus.
Ruta hortenſis, Rhyte, Sylueſtris Harmel.
Ruta muraria, Saluia vitæ, adiantum album.

S

Sabina, Barathrum.
Saluia maior, Minor, Romana. Sylueſtris, Boſci ſaluia.
Salicis folia.
Sampſucum, maiorana.
Sanicula, Diapenſia, Ferraria minor.
Sarponaria { vulgaris.
Sarponaria { Strutin & radicula Plinij.
Satureia, Cunila, Thymbra ſatiua, Ioſeple.
Saxifragia alba.
Scabioſa, herba Apoſtematica.
Scariola.
Schœnanthos, Iuncus odoratus, Paſtus Cameleorum.
Scordium verum, non Sylueſtre, Scorodotis.
Scrophularia, Caſtrangula, Millemorbia.
Sedum ſeu ſemperuiuum { Maius, { Arboreſcus, Vulgare.
Sedum ſeu ſemperuiuum { Minus, { Vermicularis, Illecebra.
Senna Orientalis, Ægyptia, Alexandrina, Florentina, Italica, Prouincialis, Syriaca.
Serpyllum.
Sigillum Solomonis, Polygonatum.
Smyrnium.
Solanum, Vua lupina, Morella.
Soldauella, Marina Braſſica.
Sonchus. { leuis, aſper { Cicerbita, Lactucella, lacterion.
Sophia Chirurg.
Spinachia, Olus Hiſpanicum.
Spina alba, Arabica, Bedeguar.
Spica Vulgaris, Romana, Celtica, Saliunca Plinij.
Stœbe.
Stæchas { Arabicum,
Stæchas { Citrinum, heliochryſum.
Succiſa ſiue morſus Diaboli.
Suchaha, Spina Ægyptiaca,
Symphytum { Maius, vulgare.
Symphytum { Medium, bugula.
Symphytum { Maculoſũ, pulmonaria.
Symphytum { Petræum, prunella.

T

Tanacetum, Athanaſia.

Taraxacon. i. Dens Leonis, Hieracium minus, Seris vrinaria, Caput Monachi.
Tamariſcus, Tamarix Illyrica.
Telephium.
Thlaſpi mithridaticum.
Thymbra, Satureia ſylueſtris.
Thymum, Thymiama herba.
Thymelæa.
Tithymalus, Eſula, Lactuca Marina.
Tormentilla, Heptaphyllon.
Trinitas, herba Trinitatis, viola tricolor.
Trifolium.
Tuſſilago, Vngula Caballina, Bechion, Farfara.

V

Valeriana, phu Germanicum, herba D. Georgij { maior. / minor.
Verbaſcum, Cãdelaria, Lanaria, Thapſus barbatus.
Verbena, Periſteron, Columbaris, herba Sacra, Sagminalis, Centrũ Galli.
Veronica, { Mas, Betonica Pauli. / Fœmina, Elatine.
Violaria, mater Violarum.
Vitis { Vinifera, Pampini. / alba / nigra } Brionia.
Vincetoxicũ, Aſclepias, Hirundinaria.
Virga paſtoris.
Virga aurea, Conſolida rubra.
Vlmaria, Regina Prati.
Vmbilicus Veneris.
Vrtica, maior, minor, Romana, hortulana.
Vſnea, Lanugo arborum.
Vſne, Cali, Salſicornia.

FLORES.

A

Agni caſti, Viticis,
Amaranthi, Fl. Amoris.
Anethi.
Armerij.
Aurantiorum.

B

Baſilici, Ocimi.
Balauſtiorum, Sylueſtris Punicę.
Betonicæ.
Borraginis.
Bugloſſi.

C

Cariophylli hortenſis.
Calendulæ, Calthę.
Caprifolij, Matriſyluę.
Capparum.
Carthami, Cnici.
Centaurij minoris.
Chamæmeli.
Cheyri, Leucoij lutei, Violæ luteæ.
Cichorij, Intybi ſatiui, latifolij.
Comarum { Abſinthij. / Matricarię.
Croci.
Cyani { maioris, frumenti flores Fil. / Zacharię. / minoris.
Cytrini, ſatiuę Punicæ.
Cynosbati.

E

Echij.
Epithymi.
Ericæ.
Erucæ.
Euphragiæ.

F

Fabarum.
Fumariæ, Fumiterræ.

G

Geniſtę, Spartij, Scopariæ.

H

Hyacinthi.
Hyperici, Perforatę.
Hyſſopi.

I

Iaſmini, Sambucis.

L

Labruſcæ, Vitis ſylueſtris.
Lauri.
Lauendulæ.
Lamij { albi. / rubri.

Liguſtri, Alcannæ,
Lilij albi,
Lilij Conuallium, Verni.
Lupulorum.

M

Maioranæ, Sampſuchi.
Maluæ, vtriuſque Roſæ Hiemalis, Autumnalis.
Meliloti.
Meliſſæ, Meliſſophylli, Citrariæ.

N

Narciſſi, albi, lutei.
Nucum iuglandium, Nucamenta.
Nymphææ vtriuſque, Nenupharis, Claui Veneris, Lilij paluſtris.

O

Origani.
Othonnæ, Caryophylli Indici.

P

Papaueris { nigri. / albi. / rubri. }
Perſicorum.
Periclymemi, Matriſyluæ.
Pæoniæ.
Populi oculi, ſeu gemmæ.
Primulæ veris, Paralyſis, Verbaſculi odorati.
Prunellæ, Agricoccimelææ.
Prunorum ſylueſtrium.

R

Roſæ { albæ. / rubræ. / Damaſcenæ pallidæ. }
Roriſmarini, ſiue Anthos.

S

Saluiæ.
Saliuncæ, Nardi Celticæ.
Sambacis, Iaſmini.
Sambuci.
Scabioſæ.
Schœnanthûs, Iunci odorati.
Siliginis.
Spicæ hortulanæ.
Stœchados, Arabici, Citrini.

T

Tamariſci.
Tanaceti.
Thapſi barbati, Verbaſci.
Tiliæ.
Tunicæ, Caryophylli hortulani.
Tuſſilaginis, Farfaræ.

V

Vetonicæ.
Violæ purpureæ { Purpureæ, Martiæ. / Matronalis. }
Vrticæ mortuæ, Lamij.

FRVCTVS ET GERMINA.

A

Agreſta.
Alkekengi, Halicacabi, Ceraſa Iudæorum, hyemis, terræ.
Amygdala { Amara. / dulcia. }
Amoris poma.
Anacardi.
Arantia, mala aurea.
Auellana, Nux Pontica, Præneſtina.

B

Balanus Myrepſica, Glans Vnguentaria, Been Vtrumque, Serapionis.
Baccæ { Herbæ Paridis. / Iuniperi, Grana Turdorum: / Lauri. }
Berberis, Oxyacanthæ Gal. Baccæ Creſpini. Matth.

C

Cappares majores, minores.
Caricæ, Ficus aridæ, paſſæ.
Caryophyllum.
Carpobalſamũ, fructus, grana Balſami.
Caſſia fiſtularis, Siliqua Ægyptiaca.
Caſtanea, Glans Sardiana.
Ceraſum { Rubrum, dulce. / Nigrum, acidum. }
Citrium malum, Medicum.
Cicer { Rubeum, Venereum. / Candidum, Columbinum. / Nigrum, Arietinum. }
Colocynthis, Cucurbitæ ſylueſtris.
Corna.

Coni

Coni Cupreſſi, galbuli.
Cocci Orientales, Coccoli.
Corinthiacæ Paſſulæ.
Cucumis Aſininus, hortenſis.
Cucubæ, Vuæ Illyricæ.
Cucurbita.
Cydonium, Cotoneum.

D

Dactylus, Palmula.

E

Ebuli grana, Baccæ Chamæactes.

F

Ficus virides, albæ.
Fraga.
Galla immatura, Turcica.
Glandes quercinæ, Dryobalani.
Glandium calyculi.
Granatum malum, Punicum, dulce, auſterum.
Grana tinctoria, Cocci baphicæ, infectoriæ, Kermes, Alchermes.
Groſſularia { Spinoſa, vua criſpa. / Non ſpinoſa, ribes off.

I

Iuglans, nux Regia.
Iuiubæ ſiue Zyzypha, Serica.

L

Limones, Mala lemonia.

M

Mandragoræ pomum.
Mala inſana, Melangena.
Melones.
Meſpilum, Tricoccum.
Mora Celſi, Sycamina.
Bati, Rubi { Canini, Cynosbati. / Idei.
Myrobalani Glandes Ægypt. { Emblicæ. / Chebulæ. / Citrinæ, Flauæ, luteæ. / Indæ, Nigræ. / Bellericæ, rotundæ.
Myrti baccæ, Myrtilli.

N

Nuclei { Ceraſorum. / Mali Armeni. / Mali Perſici.
Nux { Moſchata. / Odorata. / Aromatica.
Nux Indica.
  Vomica.
  Methel, Stramonea.

O

Oculi populi Gemmę.
Oliua, muriâ condita.

P

Papaueris albi nigri Capita.
Pearemaynes vel Pippins.
Perſica.
Phaſeoli, Dolychi.
Pini nucleus in conis.
Piſtacia, Fiſtica.
Poma { dulcia. / acida.
Pruna Damaſcena, Syriaca, Syracuſana, Vngarica, Vulgaria.
Prunella ſylueſtria, Agricoccimela.
Pyra Moſchatelina.
  Aromatica.

Q

Quercus Germina.

R

Ribes, Vuæ Vrſinæ.

S

Sebeſten, Myxa, Pruneola pectoralia, nigra.
Sennæ foliculi.
Siliqua, Panis D. Ioannis, Xylocaracta.
Sorba.
Spinæ albæ, Baccæ.
Strobyli.
Sumach, Rhus Obſoniorum.

T

Tamarindi, Palmule acidæ, Oxyphænicę.
Tribulus aquaticus, Nux aquatica.

V

Vuæ Paſſæ, Paſſulæ.

SEMINA SIVE GRANA.

A

Abſinthij, Seriphi, Santonicum, Cinæ, Barbotina, Contra Lumbricos.
Acetoſæ ſiue Oxalidis.

Acini, Punici ſemina.
Agni caſti, ſiue Viticis, Salicis marinæ.
Althææ, Biſmaluæ.
Ammeos vulgaris, veri Cumini regij Alexandrini.
Amomi veri.
Anethi.
Angelicæ.
Anguriæ.
Aniſi, Cymini dulcis.
Anthoræ, ſemen Roſarum.
Apij ſatiui, criſpi.
Aquilegiæ, Aquilinæ.
Aſparagi, Corrudæ.
Atriplicis, Chryſolachani.
Aurantiorum.
Auenæ.

B

Bardanæ, Perſonatitiæ.
Berberis, Oxyacanthæ.
Bombacis, Xyli.
Bulbi, Cepæ.

C

Cannabis.
Cardui benedicti, & Mariæ.
Cardamomi { majoris. / minoris.
Carpobalſami.
Carthami, Cnici.
Carui, Careos.
Caulis, Braſſicæ.
Ceparum, Crommij.
Ceraſorum.
Cerefolij.
Cicutæ.
Citri.
Citruli.
Coriandri, Corij.
Colocynthidos.
Crithmi.
Cubebæ.
Cuſcutæ.
Cucumeris domeſtici, ſylueſtris.
Cucurbitæ, camerariæ.
Cymini, hort. ſylu.
Cydoniorum, Cotoneorum.

D

Dauci { noſtri. / cretici.

E

Ebuli.
Endiuiæ, Intybi, Cichorij.
Erucæ.
Eryſimi, Irionis.
Erui ſeu Orobi.

F

Fabarum.
Fœniculi.
Fœnugræci, Ægocerotis, Siliculæ, Trifolij Græci.
Fraxini, linguæ auis, Orneogloſſi.
Fumariæ, Capni.

G

Garyophyllatæ.
Geniſtæ.
Granum Gnidium, i. Thymelæa.
Granũ Solis, perperã pro milio Soler.
Granum Paradiſi.

H

Harmel, i. Rutæ ſylueſtris.
Hederæ.
Hippoſelini.
Hordei, eiuſque farina.
Hyoſcyami, Alterci, vtriuſque.
Hyperici, Perforatæ.
Hyſſopi.

L

Lactucę.
Lapathi acuti, Oxylapathi.
Lathyridis, Cataputiæ minoris, Eſulæ vulpinæ.
Laureolæ.
Lentes, Lenticulę.
Leuiſtici, Liguſtici.
Lini.
Lithoſpermi, Milij Solis.
Lolij.
Loti Vrbanæ, ſatiuę.
Lupini.

M

Maluę.
Mandragoræ.
Maioranæ, Amaraci.

Magi.

Magiſtrantiæ, Oſtrutij.
Melonum.
Melopeponum.
Meſpilorum.
Mezerei.
Milij.

N

Napi, Buniadis.
Naſturtij.
Nigellæ, Gith.

O

Ocimi ſeu Baſilici Caryophyllati.
Oleris atri, Petroſelini Alexandrini, hippoſelini.
Oryzæ, Hordei Galatici.
Oſſa Dactylorum.

P

Papaueris { albi. / nigri.
Panici.
Paſtinacæ ſylueſtris, Banciæ, & ſatiuæ, Carotis, Staphylini.
Petroſelini { Vulgaris. / Macedonici.
Perfoliatæ.
Piper { album. / longum. / nigrum.
Pimpinellæ, Bipinellæ, Pampinulæ.
Piſa.
Plantaginis.
Porri capitati.
Portulacæ, Porcellanæ.
Pœoniæ.
Pſyllij, Pulicariæ.

R

Rapi, Gongyles.
Raphani, Radiculæ.
Rhois culinariæ ſine Sumach.
Ricini, Cataputiæ maioris, manus Chriſti, Granum regium.
Roſarum.
Rutæ hortenſis, Pegani.

S

Saxifragiæ.
Scariolæ, Seriolæ.
Semen Sanctum, Santonicnm, contra vermes.
Seſami veri, vulgaris.
Seſeleos, vel Sileris Montani Maſſilienſis.
Sinapeos.
Siliquaſtri, Capſici, Piperis Indici.
Solani ſatiui.
Staphydiſagriȩ, Vuȩ ſylu. Pediculariæ, Piper Marinum.

T

Thlaſpios.
Trifolij bituminoſi, odorati, Aſphaltitis.
Tritici, cuius farina volatilis.

V

Vicia.
Violarum.
Vrticæ vulgaris, Romanæ.
Vuarum acini, gigartæ.

Z

Zeæ, Speltæ.

LACHRYMÆ, LIQVORES, GVMMI, RESINÆ.

A

Abietina oleoſa.
Ammoniacum, Tranſma.
Arabicum, Gummi ex Acacia Ægypti ſpina.
Animæ gummi.
Aſa { fœtida, Stercus Diaboli, recrementum Laſerpitij. / Dulcis, ſiue Benzoin.

B

Bdellium.
Balſamum { è Peru, Indicum. / Iudaicum.

C

Camphora, Caphura.
Caranna.
Cedria Pix, Alkitron.
Ceraſorum.

Elemi, Oleæ Æthiopicæ lachryma.
Euphorbium.

G

Galbanum.
Gum. Amygdalarum.
Iuniperi, Sandaracha Arabum, Vernix.
Hederæ.

L

Laccæ, Cancamum.
Labdanum:
Laſerpitium.
Larignea reſina.
Lentiſcina, Maſtiche.
Lycium, Crocolytos.

M

Maſtiche.
Myrrha, Arboris Arabicæ.

O

Olibanum, Thus maſculum.
Opium, lacryma Papaueris nigri.
Opobalſamum, Balſamum Iudaicum.
Opopanax, Panacis Heraclei liquor.

P

Pini reſina.
Pix liquida, ſicca, naualis, Zopiſſa.
Picebitumen.
Piſſanthum, Liquidæ picis flos.
Prunorum.

R

Reſina Cypria.

S

Sagapenum, Serapinum.
Sarcocolla, Carniglutium.
Sanguis Draconis.
Scammonium & Diacrydium.
Styrax { Calamitis. Ruber, verus, ad ſuffitum, qui cortex eſt. Liquidus, noſter, Myrrha ſtacte, cuius fæces comphitæ. }
Strobilina Reſina.

T

Tacamahacha.
Terebinthina.
Thus, Olibanum.
Thuris Manna, i. puluis, cõcuſſu eliſius.
Tragacanthum.

V

Vitium Lachrymæ.

SVCCI.

A

Abſinthij ſuccus, in veſica inſpiſſatus.
Acacia, vel ſuccus Prunellorum ſylueſtrium.
Acetum.
Acetoſitas Citri.
Agreſta, Omphacium.
Aloe { Hepatica. Soccotrina. }
Amylum.
Amurca.
Apij ſuccus.
Arantiorum.

E

Elaterium, è Cucumere agreſti.
Eupatorij.

F

Fæx vini.
Fæcula Brioniæ.

G

Gerſa ſerpentaria.
Glaucium, ſuccus Papaueris corniculati, flore rubro.
Glycyrrhizæ ſuccus.
Grani tinctorij ſuccus.

H

Hypociſtis.

M

Manna vel Tereniabin, Mel aëreum.
Meconium, Maſlach, opium offic.

O

Oleum { recens. vetus. Omphacinum. }

S

Saccharum vel Zucharum, è canna.
Saccharum candum, Tabarzet.

T

Tartarum.

V

Vinum.
Viſcus Aucupum. Concuſſu Eliſus.

E PLANTIS NATA.

A

Agaricus, Fungus laricis.

B

Bedeguaris, ſpongia quercini generis.

C

Calices glandium, Capulæ glandium.

E

Epithymum.

F

Farina volatilis.
Furfur.

M

Muſcus.

V

Viſcus quercinus.

ANIMALIA.

A

Aſelli, Millepedes.

B

Bombyces.
Buccinæ.

C

Capones.
Cantharides.
Cancri fluuiatiles.
Catuli.
Catus ſenex, emaſculatus.
Cicadæ.
Cygnorum pulli.

E

Erinaceus.

F

Formicæ.

G

Galerita aſſa.

H

Hirundines.
Hirundines, Sanguiſugæ.

L

Limaces terreſtres, Cochleæ.
Lutra.
Lumbrici, ſeu vermes terreſtres, Inteſtina terræ.

M

Meli, Taxi.
Motacillæ.

P

Paſſer, troglodytes.
Purpuræ.

R

Ranæ virides.

S

Scorpiones terreſtres, triti, vſti.

T

Talpæ.
Teſtitudines.
Tincæ, piſcium medici.
Tineæ.

V

Viperæ, Tyri.
Vulpes.

ANIMALIVM PARTES EXCREMENTA, ET EX IIS DESVMPTA.

Caro viperina.
Calcaneus { Ceruii. / Leporis.
Cornu { Cerui, Simplex, Vſtum. / Vnicorni, Monocerotis. / Rhinocerotis, Capre.
Cerebrum { Leporis. / Paſſerum.
Caogulum leporis, &c.
Os è corde Cerui.
Os cruris bouis.
Cranium humanum, in eo os triquetrum.
Os, & teſta Sepiæ.
Ebur, ſiue dens Elephantis, ex quo fit Spodium.
Dens Apri. Fibri.
Blatta Byzãtia, Vnguis odoratus, Con-

chula Indica.
Pulmo Vulpis, Agni, Suis, Vrſi.
Hepar { Anatum. Aprinum. Aſininum. Lupi, eiuſque Inteſtina.

Adeps { Anatis, Ardeæ, Arietis, Cameli, Canis, Caponis, Capri, Caſtoris, Cuniculi, Equi, Anſeris, Gallinæ, Hominis, Leonis, Leporis, Lucij, Muris montani, Pardi, Serpentum, Tauri, Taxi, Timalli, Vrſi.
Axungia Porci.
Pinguedo vituli, Vulturis, Vulpis.
Seuum Hircinum, Caprinum, Ceruinum, Bouinum, Ouinum, Vaccinum, Taxinum.
Medulla bouis, ouis, Agni, cerui, canis, capræ, cruris vaccæ, tauri, vituli.
Fel taurinũ, vaccinum, Accipitris, Milui, Caprinum, Suillum, leporinum.
Caſeus recens, vetus.
Caſtoreum, teſtes fibrorum.
Lapis { ex felle bouis. è capite Carpionis, Percarum.
Mandibula Lucij piſcis.
Mel.
Mel virgineum.
Oui teſta excluſi pulli.
Aqua lactis.
Perna, Coxa Porcina.
Talus ſuillus.
Pili Leporis.
Stercus { Humanũ, lupinum, murium, ouillum, caprinum, columbinum, equinum, gallinaceum, hirundinum, vaccinum, Caninum ſiue album Græcum.
Pelliculæ ſtomach. Gallinæ.
Spolium ſerpentis, Senecta anguium.
Saliua.
Sudor.
Nidus hirundinum.
Propolis, in alueorum foribus, & rimis, cereum.

Butyrũ vaccinum, ſalis expers, ſalſum.
Ichthyocolla, Gluten piſcium.
Lac aſinæ, capreæ, mulieris, ouis, vaccę.
Lapis Bezoar Orientalis, Occidentalis.
Moſchus.
Zibethum.
Mumia ſepulchrorum, Piſſaphaltum.
Ouum gallinaceum, formicarum.
Sanguis { Hircinus, Humanus, Anſerinus, Caninus, Caprinus, Ceruinus, Columbinus, Leporis, Perdicis, Veſpertilionum, Suis, Taxi, tauri, teſtudinis.
Serum lactis.
Sperma { Ranarum. Ceti.
Teſtes { Galli. Equini.
Cera { alba, Citrina, rubea, flaua, } factitia.
Oeſypus, lanæ ſuccidæ pinguitudo.
Oculi Cancri, Lapides Gammarorum.
Sericum crudum. }
Seta è bombice. }
Virga Ceruina, Taurina.
Vngula Alces, Aſini, Capræ, Porci.
Vrina hominis, Apri, Capri, Canis, Tauri.

MARINA.

A

Ambra griſea odorata.
Aqua & arena maris.

B

Bitumen Iudaicum, Aſphaltus.
Buccinarum teſta.

C

Carabe vel Cacabre, i. Succinum, Electrum nig. Gagates, Ambra citrina.
Cancrorum, gammarorum teſta.
Cionia teſta.
Concha venerea.
Corallina.
Cochlearum teſta.
Corallium { album rubrum } frutex ſaxeus.

Dactyli.

D

Dactyli.
Dentalis.

E

Entalis.

F

Flos ſalis, Maris, Sperma Cœti.

H

Halcionium, ſpuma & pila Maris.

L

Lapis ſpongiæ, Spongites.

M

Margarita ſolida, perforata, vnio.
Mater Perlarum.
Mitulorum teſta.
Muria.

N

Naphtha, genus liquidi Bituminis, Petroleum.

P

Pumex.
Purpura.

S

Spongia, fungus maris.
Succinum album, citrinum, nigrum vt prius.

T

Tellina.

V

Vmbilicus marinus.

SALES.

Sal Gemmæ, foſſilis, Cryſtallinus, Indus, Ammoniacus, Armeniacus, Niger, communis, Factitius, Petræ, Marinus, Alkali, &c.
Nitrum, Sal nitri.
Aphronitrum.
Spuma ſalis, è ſpuma Maris.
Borax vel Baurach, Tinear.
Chryſocolla factitia è nitro foſſili.
Terra viridis.

METALLICA MINERALIA, ET LAPIDES.

A

Æs, i. æs Vſtum.
Æris ſquama, batitura decutita.
Æris flos, rubigo æris, ærugo.
Ærugo raſilis, i. vide æris.
Ætites, Lapis Aquilæ.
Alabaſtrites.
Alabaſtrum.
Alana terrea, Tripolis vulgò.
Alectorius, lapis Gallinaceus.
Alumen:
- Natiuum:
  - Liquidum.
  - Rotundum.
  - Sciſſile, plumoſum, capillare.
- Factitium:
  - Vulgare rupeũ, ex lapide cãdido. Alumẽ rochæ.
  - Catinum, ex cineribus Sodæ.
  - Squamoſum, ex lapide ſpeculiari, Scariolæ.
  - Fæcum, ex fæcibus vini.
  - Zucharinum, ex rupeo aqua roſaceâ, ſaccharo & oui albumine.

Amiantus, ſeu Amianthus, linum viuum, amentum, pilus Salamandræ.
Ampelitis terra.
Amethiſtus, violacei coloris gem.
Antimonium, Stibium, Stimmi.
Antimonij vitrum.
Argentum: foliatum. Scobs argenti.
Argentum viuum, hydrargyrus, Mercurius.
Argentum viuum: præcipitatum. Sublimatum.
Armenius lapis, ſeu Armenus.
Arſenicum, Arrhenicum, i. album ſublimatum, cryſtallinum.

Auri-

Auripigmentum,i.Arſenicum luteum.
Argilla.
Aſterius gem.
Aurum foliatum,obrizum.

B

Berillus.
Bolus Armenus, gleba Orientalis.
Bufonis lapis.

C

Cadmia natiua, lapis Calaminaris.
Cadmia fornicaria, botrytis, tutia,offic. ex fauilla calaminaris natiuæ.
Calx,viua,extincta.
Ceruſſa.
Calcanthum, vitriolum,atramentũ ſutoriũ,copparoſa,
- alba.
- viridis.
- cærulea ſiue Rom.

Chalcitis,atramentum rubrum.
Chalybs, ſtomoma ferri.
Chryſolithus.
Chryſopaſius.
Cotes.
Creta
- argentea, alba.
- viridis, cærulea, rubra.

Cryſtallus.
Cinnabaris
- minium natiuum.
- factitia ex ſulphure & argento viuo.

D

Diaphryges,fex æris ſubſidens quod bis toſtum.

F

Ferrum, ferri ſcoria, ſquama, rubigo.

G

Granatus,Carbũculus Charcedonicus.
Gagáthes,obſidianus lapis,carbo petræ
Gypſum.

H

Hæmatites, lapis Sanguinarius.
Hyacinthus.

I

Iaſpis.

L

Lazuli, lapis Cyaneus.
Lapis
- Lyncis, Aſius, Arabicus.
- Belemnites, Lyncirius.
- Iudaicus.

Lythargyrũ colore
- auri, Chryſitis.
- argẽti, Argyrites.

M

Magnes, Sideritis, Herculeus lapis.
Marchaſita, Pyrites, Zeg nigrum Arabum.
Marmor.
Melanteria.
Miniũ
- natiuum, cinnabaris naturalis.
- factitiũ
  - ex ceruſſa, Sandix.
  - ex plumbo calcinato,
  - minium vulgare.

Myſi, attramentum luteum.

N

Nephriticus lapis.

O

Ochra lutea, lutum Montanum.
Ophites, marmor Serpentinum.
Onix, lapis Onychinus.
Opalus.

P

Plumbum
- albũ, argentariũ, ſtannum.
- nigrum, vulgare.

Plumbago,Molybdæna,Galena,Lapis Plumbarius.
Pompholyx ſiue Tutia Arabum,Nihili album.

R

Rubinus lapis, Pyropus, Carbunculus.
Rubrica fabrilis, ſynopica.
Realgar. Arſenicum rubrum.

S

Sapphyrus, Cyanos.
Stannum.
Sardinus lapis, Sarda,Corneolus.
Smaragdus.
Selenites, Specularis lapis.
Spodium, Nil griſeum.
Sulphur
- natiuum, viuum.
- factitium, vulg.

Flores ſulph.
Sory, Atramentum metallicum, griſeum.
Smyris, Smeryllus.

T

Terra
- Sigillata,Lemnia ſacra, Sphragis.
- Samia,Salinuſia,Chia, melita.
- Sileſiaca, Stringenſis,Solis Axungia.

Thra-

Thracius lapis. Chimolia.
Tartarum, fæx vini.
Talchum.

Topaſius lapis.
Turcoſius, Feruzegi Meſues.
Teſtæ fornaceæ.

Plura iiſdem ſimplicibus nomina, ſæpe condonamus, & diuerſa quandoque ſpecierum indiuidua diſtinguendo ſupponimus. Succedanea antiballomena in claſſes redigere minimè placuit, ne vel in ſubſtitutis audaculi, viliora & ſpuria, pro magis pretioſis & legitimis arripiant: hæc enim (quo decet) ſuo ſemper loco ſubiecimus. Simplicium capita ſic recenſuimus, vt ſub his recenſita enumeraſſe ſufficiat. Hæc ſi aduertant, dictum ſatis.

NVNCV-

NVNCVPATIONVM QVARVNDAM COMMVNIVM INTERPRETATIO.

QVINQVE FLORES CORDIALES.

Roſarum.
Violarum.
Borraginis.
Bugloſſi.
Anthos, vel Meliſſæ.

QVINQVE HERBÆ EMOLLIENTES.

Althæa.
Malua.
Beta, Brancha vrſina, Acanthus.
Mercurialis.
Violaria. Parietaria.

QVATVOR SEMINA CALIDA MAIORA, CARMINATIVA.

Aniſi.
Fœniculi.
Carui.
Cumini.

QVATVOR SEMINA CALIDA MINORA.

Ammeos.
Amomi.
Apij, Latifolij, criſpi, ſatiui.
Dauci, Pimpinellæ vulgaris.

QVATVOR SEMINA FRIGIDA MAIORA.

Cucurbitæ.
Cucumeris.
Citruli.
Melonum.

QVATVOR SEMINA FRIGIDA MINORA.

Endiuiæ, Anguſtifolii. } Intybi.
Cichorij, Latifolij. }
Lactucæ.
Portulacæ.

QVINQVE RADICES COMMVNES APERITIVÆ, DIVRETICÆ, MAIORES.

Apij.
Aſparagi.
Fœniculi.
Petroſelini.
Ruſci.

RADICES DVÆ.

Fœniculi.
Petroſelini.

QVINQVE RADICES APERIENTES MINORES.

Graminis, i. Canini vulgaris.
Eryngii.
Capparis.

Ononidis.
Rubiæ.

QVINQVE HERBÆ CAPILLARES.

Adianthũ { nigrum, ſeu Capillus Veneris. / album, ſeu Ruta muraria. Saluiæ vitæ. }
Polytricon aureum.
Trichomanes.
Aſpenium, Ceterach. Scolopendrium.

QVATVOR AQVÆ PLEVRITICÆ.

Cardui B. Mariæ.
Taraxaconis.
Cardui Benedicti.
Scabioſæ.

FLORES COMMVNES CALIDI.

Chamæmeli.
Meliloti.
Ireos, ſeu Lilij.

TRIA OLEA STOMACHICA.

Abſinthij.
Cydoniorum.
Maſtichinum.

QVATVOR VNGVENTA CALIDA.

Agrippæ.
Althææ.
Aregon.
Martiatum.

QVATVOR VNGVENTA FRIGIDA.

Album Caphuratum.
Populeon.
Refrigerans Galeni.
Roſatum Meſuæ.

QVATVOR VNGVENTA CHIRVRGIS AD MANVM.

Baſilicon, digerit, maturat.
Viride Apoſtolorum, mundificat.
Aureum, incarnat.
Album, cicatrizat.

FRAGMENTA PRETIOSA.

Sapphyri, Syrtitæ.
Granati, Carbunculi Charcedonici.
Smaragdi.
Hyacinthi, Chryſolithi, Amethiſti.
Sardæ ſeu Corneoli, Sardini.
Rubini, Pyropi.
Margaritarum, Vnionum.

AQVÆ

AQVÆ SIMPLICIORES DISTILLANDAE, QVÆ VSVI, ET SVNT IN VSV.

Aqua Abrotoni.
Abſinthij vtriuſque.
Acac. prunell. ſylueſt. Flor.
Acetoſæ ſeu Oxalidis.
Acetoſellæ ſeu Luiulæ.
Adianthi.
Agrimoniæ.
Alchimellæ.
Alkekengi, Halicacabi.
Altheæ.
Alſines.
Anagalidis.
Anethi.
Angelicæ.
Anguriæ, Melopeponum.
Anthemidis.
Apij.
Aquilegiæ.
Arnogloſſi.
Arancior: Flor.
Ari.

Aqua Artemiſiæ.
Aſari rad.
Aſparag.
Auriculæ Muris.
Barbæ hirci, Scurzoneræ.
Bardanæ.
Baſilici.
Berber.
Betonicæ.
Betulæ arb.
Borraginis.
Braſſicæ.
Brioniæ.
Bugloſſi.
Burſæ paſtoris.
Calami aromatici.
Calaminthæ vtriuſque.
Calendulæ.
Capillorum Veneris.
Caprifolij florum.

Aqua Cardui Benedicti.
Centaurij.
Centinodiæ,ſiue Polygoni.
Ceparum.
Ceraſorum nigrorum.
Cerefolij.
Chamæmeli. (ticæ.
Chamæpityos, Iuæ arthe-
Chelidonij.
Cichorij.
Citri Pomorum.
Citrulorum.
Cochleariæ.
Cochlearum.
Conſolidæ maioris.
Corticum Iuglandium.
Craſſulæ.
Cucurbitæ.
Cuſcutæ.
Cynogloſſi.
Cytoniorum.
Dentis Leonis.
Ebuli.
Endiuiæ.
Enulæ.
Eupatorij.
Euphragiæ.
Farfaræ ſeu Tuſsilaginis.
Florum Roriſmarini.
Cyani.
Fabarum.
Lamij.
Siliginis.
Tiliæ.
Tunicæ.
Fœniculi.
Fragrariæ, & fragorum.
Fraixini.

Aqua Fumariæ.
Fungorum.
Galegæ.
Geniſtæ.
Gentianæ.
Geranij.
Graminis.
Hederæ vtriuſque.
Helxines volubilis.
Herniariæ.
Hippuridis,Caudæ equinæ.
Hirundinum.
Hyperici.
Hyſſopi.
Iridis.
Iuniperi ex granis.
Lactucæ.
Lapathi acuti.
Lauendulæ.
Leuiſtici.
Liguſtri florum.
Lilij Conuallium, & albi.
Linariæ.
Lupulorum.
Maioranæ.
Maluæ.
Marrhubij ſeu Praſij.
Matricariæ.
Meliloti.
Meliſſæ.
Mellis.
Melonum.
Mentaſtri.
Menthæ.
è Mercuriali.
Milij Solis.
Millefolij.
Mororum Celſi.

Mor-

Aqua Morſus Diaboli.
Naſturtij.
Nicotianæ.
Nucum immaturarum.
Nummulariæ.
Nymphææ.
Ononidis.
Origani.
Papaueris vtriuſque.
Parietariæ, Helxines.
Petaſitæ.
Petroſelini.
Periclymeni.
Picarum.
Pimpinellæ.
Plantaginis vtriuſque.
Pœoniæ.
Polygonati, i. Sigilli Salomonis.
Polytrichi.
Portulacæ.
Primulæ Veris.
Prunellæ.
Pulegij.
Pyrolæ.
Pyrorum ſylueſtr.
Quercus, ſc: germinum, fol.
Raparum.
Raphani.
Roris Maialis.
Roſarum { Albarum. Damaſcenarū. Rubrarum.

Aqua Rutæ.
Sabinæ.
Saluiæ vtriuſque.
Sambuci.
Saniculæ.
Satureiæ.
Satyrionis.
Saxifragiæ.
Scabioſæ.
Scolopendrij, Phyllitidis.
Scordij.
Scrophulariæ.
Sedi ſeu Semper vivi.
Senecionis.
Serpylli.
Solani.
Spermatis Ranarum.
Spicæ Nardi.
Squamariæ.
Tamariſci.
Tanaceti.
Tormentillæ.
Valerianæ.
Verbaſci, Tapſi barbati.
Verbenæ.
Veronicæ.
Violarum.
Vitium lachrymæ.
Vlmariæ, Reginæ Prati, Barbæ Capri.
Vngulæ Caballinæ, Tuſſilaginis, Farfaræ.
Vrticæ.

Diſtillare iam doctos non docemus, ſeu per aſcenſum, ſeu deſcenſum. Monemus modo, caueatur empyreuma.

AQVÆ COMPOSITÆ.

AQVA ABSINTHII MINVS COMPOSITA.

℞ Abſinthij Sicci libras duas.
Semin: Aniſi libram dimidiam.

Macerentur in ſpiritus tenuioris aquæ vitæ congiis ſex, per horas viginti quatuor, deinde extrahatur ſpiritus per Alembicum addendo poſt diſtillationem,
Sacchari puriſſimi quantũ ſatis.

Eodem modo parantur
Aquæ Folior. Angelicæ cum toto.
Semin: Aniſi.
Cortic: Aurantiorum.
Limonum.
Herbar: Meliſſæ.
Menthæ.
Roriſmarini.
Saluiæ, &c.

AQVA ABSINTHII MAGIS COMPOSITA.

℞ Abſinthij Romani,
Vulgaris ana. librã vnam.
Saluiæ.
Menthæ.
Meliſſæ ana manipul. duos.
Radic: Galangæ.
Zingiberis.
Calami aromatici.
Enulæ Campanæ ana drachmas tres.
Glycyrrhizæ vnciam vnam.
Vuarum paſſarum exacinatarum vncias tres.
Semin. Aniſi.
Fœniculi dulcis ana drachma ſex.
Cinnamomi.
Caryophyllorum.
Nucis Moſchatæ ana. drachmas duas.
Cardamomi.
Cubebarum, ana drachmam unam.

Incidantur incidenda, Contundantur contundenda, & in
Vini Hiſpanici libris viginti quatuor infundantur per horas viginti quatuor; deinde diſtillentur in Alembico ſecundum artem: poſt adde Sacchari ad gratiam, q. ſ.

AQVA ANGELICÆ MAGIS COMPOSITA.

℞ Angelicæ libras duas.
Aniſi ſemilibram.
Coriandri.
Carui ana vncias quatuor.
Zedoariæ conciſæ vncias tres.

Macerentur in ſpiritus vini tenuioris ſex congiis per horas viginti quatuor, deinde extrahatur ſpiritus fortis, qui Saccharo edulcorandus eſt.

AQVA

AQVA BEZOARTICA BREVIS LANGII lib.3. Epiſt. 1.

℞ Chelidonij cum radicibus lotis manipul. tres ſemis.
Rutæ manipul. vnum.
Scordij manipul. duos.
Dictamni Cretenſis.
Cardui benedicti ana manipul. vnum ſemis.
Radic: Zedoariæ,
Angelicæ ana drachmas tres.
Cortic: Citri,
Limonum ana drachmas duas ſemis.
Florum Tunicæ.
Roſarum ana drachmas duas.
Cinnamomi.
Caryophyllorum ana drachmas quinque ſemis.
Theriacæ Andromachi vncias tres.
Mithridatij vnciam vnam ſemis.
Camphoræ ſcrupulos duos.
Trochiſcorum de vipera.
Macis ana drachmam vnam ſemis.
Xyloaloes ſcrupulos duos.
Santali Citrini drachmam vnam ſemis.
Conſeruæ florum Tunicæ vncias duas.
Semin: Cardui benedicti vnciam vnam.
Specierum Electuarij Liberantis ſcrupulos quinque.
Limaturæ cornu Monocerotis vel Cerui drachmam vnam ſemis.
Incidenda incidantur & per triduum macerentur in ſpiritus vini optimi, &
Vini Maluatici, ana libris tribus.
Aceti florum Tunicæ libra dimidia.

Et lentiſsimo igne diſtillentur per B.M.S.A. in vaſe vitreo.
Poſtquam ad medias facta fuerit diſtillatio; Quod in vaſe erit, colari poſsit per pannum lineum, Colatura diſtillatione reduci in Extractum mellagineum, quod aſſeruetur ſub nomine Extracti Bezoartici; & hoc modo ex omnibus penè aquis compoſitis Extracta parari poſſunt.

AQVA BEZOARTICA MATTHIOLI.

℞ Antidoti magnæ Matthioli.
Syrupi de corticibus Citri ana libram vnam.
Aquæ vitæ factæ ex vino præſtantiſsimo, & per diſtillationes ſæpius repetitas rectificatæ & ad quintam eſſentiam redactæ libras quinque.

Ponantur omnia in Matratio vitreo capaciori, deinde optimè occluſo vaſe ne quid reſpiret, conquaſſentur ſimul diligentiſsimè, vt Electuarium optimè cum ſpiritu vini commiſceri poſsit; & ſic ſtent

ſtent ſimul commixta per integrũ menſem, bis in ſeptimana vas vt prius concutiendo, Electuarium enim facilè in fundum reſidet: finito menſe, aquam claram Electuario ſupernatantem in aliud vas vitreum leniter effundes: vas optimè cera & charta pergamena occludendo; alioqui ſpiritus facilè in fumum euolabit.

AQVA CAPONIS.

℞ Caponem euiſceratum, atque in fruſta inciſum, ademptâ pinguedine; decoque in quantitate ſufficienti aquæ ſecundùm artem.

℞ Brodij colati libras duas ſemis.
Aquarum Borraginis.
Bugloſſi.
Vini albi ana libram vnam ſemis.
Flor: Roſarum.
Violarum.
Bugloſſi.
Borraginis ana drachmas duas.
Micarum Panis recentis libram dimidiam.
Cinnamomi electi fracti vnciam vnam.
Diſtillentur in Alembico vitreo ſecundum artem.

AQVA CINNAMOMI.

℞ Cinnamomi contuſi libram vnam ſemis.
Vini Hiſpanici libras duodecim.
Macerentur & diſtillentur per Alembicum. Extrahendo fortioris lib. iij. tenuioris q. ſ. Stillatitio liquori addatur ſacchari puriſſimi in tenuiſſimum pollinem redacti, quantum ſatis.

AQVA CINNAMOMI MATTHIOLI.

℞ Cinnamomi contuſi libram vnam in ponatur in matracium affundendo.
Aquæ Roſaceæ libras quatuor.
Vini Hiſpanici librã vnã ſemis, & optimè occluſo vaſe ponantur in Balneum tepidum per horas viginti quatuor, deinde aperto vaſe & ſuperpoſito roſtro diſtillentur ſ. a. iuncturis optimè clauſis, ne quid tranſpiret.

AQVA CINNAMOMI CLARETA PER INFVSIONEM.

℞ Cinnamomi contuſi vncias quatuor.
Spiritus vini rectificatiſſimi libras duas.
Fiat infuſio per quatriduum vaſe amplo, vitreo, ſubere & veſicâ apprimè clauſo, vas quotidie bis terve agitando. Seorſim vero diſſoluatur libra dimidia Sacchari cand. Cryſtallini in libris duabus Aquæ Roſar. Miſceantur iſti duo liquores colati, & indatur nodulus continens.

Ambræ

Ambræ griſeæ ſcrupulum dimidium.
Moſchi Orientalis grana quatuor.

AQVA COELESTIS MATTHIOLI.

℞ Cinnamomi vnciam vnam.
Zingiberis vnciam dimidiam.
Santalorum omniũ ana drachmas ſex.
Caryophyllorum.
Galangæ.
Nucis Moſchatæ ana drachmas duas ſemis.
Macis.
Cubebarum ana drachmam vnam.
Cardamomi vtriuſque.
Semin: Melanthij ana drachmas tres.
Zedoariæ vnciã dimidiam.
Semin: Aniſi.
Fœniculi dulcis.
Paſtinacæ ſylueſtris.
Ocimi ana drachmam vnam ſemis.
Radic: Angelicæ.
Caryophyllatæ.
Glycyrrhizæ.
Calami odorati.
Phu minoris.
Folior: Sclareæ.
Thymi.
Calaminthæ.
Pulegij.
Menthæ.
Serpylli.
Maioranæ | ana drachmas duas.
Florum Roſarum rubrarum.
Saluiæ.
Roriſmarini.
Betonicæ.
Stœchados.
Bugloſſi.
Borraginis ana drachmam vnam ſemis.
Corticum Citri drachmas tres.

Terantur quæ terenda ſunt, & macerentur per dies quindecim in libris duodecim ſpiritus vini optimi, in vaſe vitreo optimè clauſo, deinde diſtillentur in B.M.ſ.a. Poſtea aquæ diſtillatæ adde

Specierum Diambræ.
Aromatici roſati.
Diamoſchi dulcis.
Diamargariti frigidi.
Diarhodon Abbatis.
Electuarij de Gemmis ana drachmas tres.
Santali Citrini contuſi drachmas duas.
Moſchi.
Ambræ griſeæ in tela rara ligatorum ana ſcrupulum vnum.
Iulepi Roſati clari libram vnã.

Optimè ſimul conquaſſentur, vt Iulepum cum aqua benè incorporari poſſit, deinde clauſo vaſis orificio, cum cera & charta pergamena, reponantur, dum reſidentiam depoſuerint, & aqua ſit facta clara.

AQVA CORDIA-
LIS.

℞ Foliorum Angelicæ libram dimidiam.
Folior: Cardui benedicti vncias ſex.
Meliſſæ.
Saluiæ ana vncias quatuor.
Semin: Angelicæ vncias ſex.
Semin: Fœniculi dulcis vncias nouem.
Herbæ ſiccæ,& ſemina craſſiuſculè contundantur, quibus adde
Specierum Aromatici Roſati Gabrielis.
Diamoſchi dulcis ana vnciam vnam ſemis.
Infundantur per biduum in vini Hiſpanici libris triginta duabus, diſtillentur ſecundùm artem, lento igne, & extrahe aquæ fortioris libras decem, quibus poſt biduũ, adde ſacchari libram vnam ſemis ſoluti in aqua Roſaceæ libra vna ſemis ſuper ignem.
Ex reliquiis aquæ mitioris, libræ ſex aut plures extrahantur, pro vehiculis Cordialium.

AQVA CORDIALIS
FRIGIDA SAXONIÆ.

℞ Succi Borraginis.
Bugloſſi.
Meliſſæ.
Biſtortæ.
Verbenacæ.
Oxylapathi.
Acetoſæ.
Rutæ Caprariæ.
Myrrhidis.
Cyani maioris,
minoris, vel duplum minoris.
Roſarum.
Calendulæ.
Limonum.
Citri, ana vncias ſex.
Succi Pimpinellæ.
Pentaphylli ana vncias tres.
Aceti vini albi libram vnam.
Semin: Portulacæ.
Florum Nymphææ ana vncias duas.
Terræ Lemniæ.
Sileſiacæ.
Samiæ, ana vnciam vnam ſemis.
Specierum Diatrionſantalon drachmas ſex.
Margaritarum præparatarum cum acido Citri drachmas tres.
Infundantur ſpecies, flores & ſemina omnia (præter terras & margaritas) in ſuccis, & aceto, factâ maceratione per tres dies diſtillentur in B. per Alembicum vitreum. Liquori ſtillatitio addantur terræ cum Margaritis, & affatim ei miſceantur.

AQVA

AQVA ANTEPILEPTICA LANGII.
lib.3. Epiſt. 1.

℞ Florum Tiliæ manipul. tres.
Lilij Conuallium manipul: quinque.
Semin: Pœoniæ conquaſſatorũ vnciam dimidiam.
Infundantur in libris quinque vini albi optimi per dies octo, deinde diſtillentur in B. M. lento igne, poſteà
℞ Florum Roriſmarini manipul: dimidium.
Florum Lauendulæ manipul: vnum.
Herb: Rutæ manipul: vnum.
Betonicæ manipul: dimidium.
Flor: Stœchados Arabicæ pugil: vnum.
Radic. Pœoniæ drachmas duas ſemis.
Dictamni albi drachmas duas
Scillæ præparatæ drachmam vnam ſemis.
Pyrethri drachmam dimidiam.
Viſci Quercini drachmas duas.
Caſtorei optimi drachmã vnã.
Cubebarum.
Cardamomi ana ſcrupul. vnũ.
Macis ſemidrachmam.
Caryophyllorum ſcrupul. duos
Nucis Moſchatæ ſcrupul. vnũ.
Infundantur inciſa & conquaſſata per dies ſex in prædicta ſtillatitiâ, & iterum diſtillentur per Alembicũ in B. M. lento igne, & ſeruentur ex vitro exquiſitè clauſo. Extractum Antepilepticum efficax vnâ eâdemque paretur operâ.

AQVA HYSTERICA.

℞ Succi Radicum Brioniæ libras quatuor.
Succi Rutæ.
Artemiſiæ, ana libras duas.
Folior: Siccorum Sabinæ manipul. tres.
Matricariæ.
Nepetæ.
Pulegij regalis, ana manipul. duos.
Folior: Ocimi.
Dictamni Cretici, ana manipul. vnum ſemis.
Corticis Aurantiorum flaui recentis vncias quatuor.
Myrrhæ vncias duas.
Caſtorei vnciam vnam.
Vini Canarini generoſiſſimi libras duodecim.
Digerantur per quatriduum vaſe idoneo, mox fiat in Balneo diſtillatio, deinde ſub medium diſtillationis expreſſio, & colatura: & tandem per diſtillationis continuationem, & tincturæ inſpiſſationem, præparetur Extractum Hyſtericum.

AQVA IMPERIALIS.

℞ Cortic: Citri ſicci.
Aurantiorum.

Nuci

Nucis Moſchatæ.
Caryophyllorum.
Cinnamomi, ana vncias duas.
Cyperi.
Ireos Florentinæ.
Calami aromatici, ana vnciam vnam.
Zedoariæ.
Galangæ.
Zingiberis, ana vnciam dimidiam.
Summitat: Lauendulæ.
Roriſmarini, ana manipul. duos.
Folior: Lauri.
Maioranæ.
Hyſſopi.
Meliſſæ.
Menthæ.
Saluiæ.
Thymi, ana manipul. vnum.
Roſarum albarum.
Pallidarum recentium. ana manip. dimidium.
Aquæ Roſarum libras quatuor.
Vini albi optimi libras octo, &

Contuſis contundendis infundantur per horas viginti quatuor in Alembico vitreo ſuper cineres calidos, deinde diſtillentur vt artis eſt.

AQVA MELISSÆ MAGIS COMPOSITA.

℞ Meliſſæ libram vnam.
Thymi.
Pulegij, ana drachmas tres.
Cinnamomi drachmas duas.
Cardamomi minoris drachmã vnam.
Granorum Paradiſi vnciam dimidiam.
Semin: Fœniculi dulcis vnciam vnam.
Nucis Moſchatæ.
Zingiberis, ana drachmam vnam.
Galangæ drachmas ſex.
Calami aromatici.
Cyperi ana drachmam vnam ſemis.
Dictamni drachmam dimidiam.

Contundantur omnia & infundantur in vini Hiſpanici libris octo, &,
Ceruiſiæ fortis libris ſex, horas viginti quatuor.
Diſtillentur per Alembicum extrahendo fortioris libras tres.

AQVA MARIÆ.

℞ Sacchari cand. libram vnam.
Vini Canarini vncias ſex.
Aquæ roſaceæ vncias quatuor.
Fiat Syrupus benè coctus, cui adde

de Aquæ cœleſtis libras duas.
Ambræ griſeæ.
Moſchi ana. Grana octodecim.
Croci grana quindecim.
Santali citrini in aqua cœleſti infuſi drachmas duas. fiat aqua depurata.

AQVA MIRABILIS.

℞ Caryophyllorum.
Galangæ.
Cubebarum.
Macis.
Cardamomi.
Nucæ Moſchatæ.
Zingiberis, ana drachmam vnam.
Succi Chelidoniæ libram dimidiam.
Aquæ vitæ libram vnam.
Vini albi libras tres.
Infundantur viginti quatuor horas, & diſtillentur per Alembicum libræ duæ.

AQVA RORIS SOLIS vulgo dicta, ROSA SOLIS.

℞ Nucis Moſchatæ,
Semin. aniſi.
Coriandri, ana vnciam vnam.
Galangæ.
Zingiberis,
Caryophyllorum, ana vnciam dimidiam.
Roſarum rubrarum manipul. vnum.
Roris Solis manipul. ſex.
Glycyrrhicæ raſæ vncias duas.
Cardamomi,
Zedoariæ.
Granor: Paradiſi,
Calami aromatici, ana drachmam vnam.
Santali citrini drachmas duas
Santali rubri.
Cinnamomi ana vnciam vnā ſemis.
Aquæ vitæ optimæ libras duodecim.
Infundantur ſ.a. per octiduum, & percolatis adde Sacchari libram vnam ſemis.

AQVA DOCTORIS STEPHANI.

℞ Cinnamomi,
Zingiberis,
Galangæ,
Caryophyllorum,
Nucis Moſchatæ,
Granor: Paradiſi,
Sem. Aniſi.
Fœniculi.
Carui ana drachmam vnā.
Herb. Thymi,
Serpylli,
Menthæ,
Saluiæ,
Pulegij,
Parietariæ,
Roriſmarini.
Flor. Roſarum rubrarum.
Chamæmeli,
Origani,
Lauendulæ, ana manipul. vnum.
Vini Gaſconici libras duodecim.
Infundantur omnia per horas duode-

duodecim, deinde in Alembico diſtillentur fortioris libræ tres.

AQVA PROTHERIACALIS.

℞ Fol. Scordij.
Scabioſæ,
Cardui benedicti,
Galegæ, ana manip. duos
Corticum Citri,
Aranciorum ſicc. ana vncias duas.
Semin. Citri,
Cardui benedicti,
Seſeleos,
Thlaſpios, ana vnciam vnam.
Florum Calendulæ.
Anthos, ana manip. vnum.

Incidenda incidantur, & contundenda craſſiuſculè contundantur, & cùm vini albi meraci libris quatuor, & aquæ Cardui bened. libris duabus, in vas vitreum immittantur bene obturatum, ità vt per duas hebdomadas inſolentur, vel in ſtupha furnaria per aliquot dies macerentur, factâ ſ. a. agitatione frequenti. Tum demum in B.M. diſtillentur, ità vt libræ duæ priores extillatæ per ſe ſeparatim vſui reſeruentur. Quæ verò poſtea per diſtillationem effluit aqua; itidem per ſe vſui aſſeruetur; tandemque ſingulis libris admiſce

Iulapij Alexandrini vnciam vnam.
Aquæ Cinnamomi cochleare vnum.

Haud nos latet plurima ſimplicia ingredi compoſitionem Theriacæ, quorũ virtutes diſtillatione factâ in B. M. elici nequeũt ad amuſſim. Hanc igitur ex induſtria ſubſtituimus, cui tempore exhibitionis Medicus rationalis pro data indicatione vel Theriacam, vel Diaſcordium, vel Syrupum aliquem conuenientem poterit adiicere. Receptam tamen Theriacalis ſtillatitiæ vnam adiunximus, ne præuaricari videamur.

AQVA THERIACALIS LVGDVNENSIS PER INFVSIONEM.

℞ Vini optimi diſtillati aliquoties,
Vini Cretici,
Aceti acerrimi, (in quo ſeminũ Rutæ vnciam ſemis fuerit incocta,) ana libras duas.
Theriacæ electæ.
Mithridatij optimi, ana libram dimidiam.

Miſce ac inſolentur, vel tepore Balnei aliquandiu calefiant ac deinde aſſeruetur vſui aqua colata.

AQVA THERIACALIS STILLATITIA.

℞ Succi putaminis viridis nucum Iuglandium libras quatuor.
Succi Rutæ libras tres.
Succor: Cardui benedicti.

Calen-

Calendulæ,
Meliſſæ, ana libras duas.
Radicum Petaſitæ recentium libram vnam ſemis.
Radic: Bardanæ libram vnam.
Radic: Angelicæ } recentium, ana
Imperatoriæ } vncias ſex.
Folior: Scordij manip. quatuor.
Theriacæ Andromachi veteris & probatæ.
Mithridatij, ana vncias octo.
Vini Canarini generoſiſſimi libras duodecim.
Aceti vini albi acerrimi libras ſex.
Succi Limonum libras duas.

Fiat per biduum digeſtio in fimo equino, vel Balneo, vaſe optimè clauſo, deinde per arenam diſtillatio: & hinc inter diſtillandum paretur extractum Theriacale.

AQVA VITÆ
vulgò ſic dicta, vbique venalis, ad vſum pauperum.

℞ Ceruiſiæ, & fœcum vini, ana quantum vis, extrahatur ſpiritus tenuis in Alembico amplo, cuius roſtrum per aquam frigidam tranſeat, in cuius ſpiritus congiis decem macera ſemin: Aniſi parùm contuſorum libram vnam, per horas viginti quatuor, deinde extrahatur ſpiritus fortis.

AQVA VITÆ COMPOSITA.

Fit ex ſpiritibus tenuioribus vini, in quorum congiis ſex, macerentur per biduum.
Sem. Aniſi ſemi libra,
Fœniculi,
Carui, ana vnciæ duæ.
Caryophyllorum.
Cinnamomi.
Zingiberis ana vncia dimidia.
Et poſteà extrahatur ſpiritus fortior.

SPIRITVS CASTOREI.

℞ Caſtorei recentis vncias quatuor.
Florum Lauendulæ recentium vnciam vnam.
Summitat. Saluiæ & Roriſmarini, ana vnciam dimidiam.
Cinnamomi drachmas ſex.
Macis.
Caryophyllorum an. drachmas duas.
Spiritus vini rectificati libras ſex.

Digerantur in Phiala, ad tertias tantum repletâ, veſicâ bubulâ & ſubere optimè clausâ per biduum in cineribus tepidulis vel arena, deinde ſpiritus eliciatur per B. M. vaſe diligentiſſimè obturato aſſeruandus.

VSQVEBACH.

℞ Aquæ vitæ fortioris libras viginti quatuor, quibus per quatriduum
Infunde Glycyrrhizæ libram vnam.
Vvarum paſſarum libram dimidiam.
Caryophyllorum vnciam dimidiam.
Macis,
Zingiberis, an. drachmas duas.
ſeruetur colatura pro vſu.

AQVA ALVMINIS. *FALLOPII.*

℞ Aquarum Plantaginis, Roſarum rubrarum ana libram vnam.
Aluminis Rochæ.
Argenti viui.
Sublimati ana drachmas duas.
Alumen & Sublimatum terantur, deinde ponantur cum aquis in vas vitreum, anguſti oris, bulliantq; ſimul ad conſumptionem medietatis, deinde ſtent per dies quinque vt deſideat ſublimatum & fœx aluminis, poſtea effundatur aqua limpidiſſima, & ſeruetur in vaſe vitreo. *Fall. morb. Gal. c. 93.*

VINA

VINA MEDICATA.

VINVM ABSINTHITES.

℞ Abſinthij ſicci manipulum pro vnoquoque Congio vini, immittatur in vas benè obturatum & ſic maneat in infuſione.

VINVM ANTHOSATVM.

Fit eodem modo, quo vinum Abſinthites: ſic fit & vinum Euphragiæ, vt & reliqua omnia, quando Medico videbitur.

VINVM SCILLITICVM *GALENI.*

℞ Scillæ albæ montanæ circiter Canis ortum collectæ in laminas conciſæ, libram vnam.

Per dies decem in vmbra refrigera, deinde ſcillæ laminas refrigeratas in vitreum vas mitte, & ſuperinfunde vini albi veteris Gallici ſextarios duodecim, & ſuſpenſum vas per dies quadraginta habeto, poſtea ſcillam exime, & abiice.

ACETA MEDICATA.

ACETVM DISTILLATVM.

℞ Aceti optimi quantum ſufficit; impleatur alembicum ad tertiam tantùm partem, imponatur vas in cineres, & diſtilletur primò lento igne vt phlegma ſeparetur, deinde ſenſim ignem augendo, tandem forti abſoluatur.

ACETVM ROSACEVM.

MES.

℞ Roſarum rubrarum mediæ maturitatis, præſectis & abiectis vnguibus, abſque rore, ſine pluuia collectarum, in vmbra extra ſolem ad triduum aut quatriduum expanſarum & reſiccatarum libram vnam.

Aceti ſextarios octo.

Inſolentur diebus quadraginta, deinde coletur acetum ac reponatur; mutari etiam folia Roſarum poſſunt, & ſic odore gratius fiet acetum.

ACETVM SAMBVCINVM.

MES.

Fit ex floribus ſiccatis Sambuci, vt Roſaceum.

Eodem modo parari poſſunt Aceta ex floribus ſiccatis.

Anthos.
Calendulæ.
Saluiæ.
Tunicæ, &c.

ACETVM SCILLITICVM.

MES.

℞ Scillæ laminæ inter corticem & cor mediæ, ex arte purgatæ, & in taleolas ſectæ, Soli aut remiſſo calori exponantur per triginta aut quadraginta dies: dein libra vna minutim conciſa (cultrò è candidiore ligno parato, aut eburneo) in lagenam demittatur, optimi aceti

ceti libris ſex affuſis: vaſculum ritè obturatum (ne quid exhalet) exponatur æſtiuo tempore radiis ſolaribus, triginta aut quadriginta dies: poſteà aperto vaſe totum tranſcoletur, & lagenis diligenter occluſis adſeruetur.

ACETVM THERIACALE.
NORIMBERG.

℞ Radic: Chelidonij maioris vnciam vnam ſemis.
Angelicæ.
Oſtrutij.
Gentianæ.
Biſtortæ ſiue ſerpentariæ.
Phu veri, Valerianæ.
Pimpinellæ.
Dictamni albi.
Helenij,
Zedoariæ ana drachmam vnam.
Plantaginis maioris drachmam vnam ſemis.
Folior. Piloſellæ.
Saluiæ.
Scabioſæ.
Scordij.
Dictamni cretici.
Cardui Benedicti, ana manipul. dimidium.
Corticum &
Semin. Citri ana drachmam vnam ſemis.
Boli Armeni Orientalis drachmam vnam.
Croci drachmas tres.
Cornu Ceruini drachmam vnam ſemis.
Ex his, Crocus, Cornu Ceruinum, Dictamnus, & Bolus Armenus in linteo ligentur, ac macerentur vna cum præſcriptis in libris quinque aceti acerrimi per plures dies in vaſe vitreo benè clauſo ad temperatum calorem.
In colatura diſſoluantur
Theriacæ optimæ drachmæ quinque.
Et ſæpiùs conquaſſentur, & ſeruentur ad vſum.

ACETVM THERIACALE.

Optimum etiam parabitur Acetum Theriacale, ſi aquæ Theriacalis propriâ ſectione deſcriptæ magmati addantur Caryophyllorum vnciæ duæ, florum Lauendulæ vncia vna ſemis, atq; affundantur aceti Roſacei & Sambucini acerrimi ana libræ quatuor, fiatque ſine ebullitione digeſtio in fimo per octiduum, mox per manicam colatura.

DECOCTA.

DECOCTVM CARMI-NATIVVM.

℞ Semin: Aniſi
Dauci.
Fœniculi.
Cumini.
Carui, ana drachmas tres.
Florum Chamæmeli manipul. dimidium.
Vuarum Paſſarum vnciam vnam ſemis.
Coque in libris duabus aquæ ad medietatem ferè.

DECOCTVM COMMVNE PRO CLYSTERE.

℞ Maluæ.
Violariæ.
Parietariæ.
Betæ.
Mercurialis ana manipul. vnum.
Semin: Fœniculi vnciam ſemi.
Coquantur in ſ.q.aquæ ad libram vnam.

DECOCTVM COMMVNE PRO MEDICINA.
GVAYNERII.

℞ Hordei mundati pugil. vnum.
Prunorum dulcium numero ſex.
Vuarum Paſſarum.
Tamarindorum.
Glycyrrhizæ ana vnciam dimidiam.
Æſtate adde,
Semin. quatuor frigidorũ maiorum, ana drachmas duas.
Flor: trium cordialium, ana Pugil. vnum ſemis.
Fiat decoctio in libris duabus aquæ ad partis mediæ conſumptionem.

DECOCTVM EPITHYMI, MES.

℞ Myrobalanorum Indarum.
Stœchados Arabicæ.
Vuarum Paſſarum.
Epithymi, ana vnciam vnam.
Myrobalanorum Chebularum
Fumiterræ, ana vnciam dimidiam.
Folior. Sennæ, vnciam vnam.
Polypodij quercini drachmas ſex.
Turpeti albi vnciam dimidiam.
Eupatorij drachmas quinque.
Seri lactis caprini, vel vaccini libras tres.
Bulliant omnia ſimul præter Epithymum ad conſumptionem librarum duarum, tunc adde Epithymum, & ſemel ferueſac: tolle ab igne, & adde,
Hellebori nigri drachmam vnam.
Agarici drachmam dimidiam.
Salis Indi drachmam vnam ſemis.
Stent per octo horas vel decem macerata; factâ deinde optimâ expreſſione colentur.

DECOCTVM FLORVM ET FRVCTVVM.

℞ Caricarum numero quinque.
Prunorum Damaſcenorum numero quindecim.
Iuiubarum.
Sebaſten, ana numero viginti.
Tamarindorum vnciam vnam
Florum Roſarum.
Violarum.
Borraginis.
Bugloſſi, ana drachmam vnam.
Capillorum Veneris.
Lupulorum.
Endiuiæ, ana manipul. dimidium.
Glycyrrhizæ drachmas duas.
Incidantur & contundantur pro vſu, & in libris tribus aquæ fontanæ decoquantur ad tertiæ partis conſumptionem.

DECOCTVM PECTORALE.

℞ Vuarum Paſſarum mundatarum vnciam vnam.
Sebeſten.
Iuiubarum, ana numero quindecim.
Dactylorum numero ſex.
Caricarum pinguium numero quatuor.
Hordei purgati vnciam vnam.
Glycyrrhizæ vnciam dimidiam
Capillorum Veneris.
Hyſſopi.
Scabioſæ.
Tuſſilaginis, ana manipul. dimidium.
Incidantur & bulliant in libris tribus aquæ fontanæ, dum libra vna abſumatur.

DE.

DECOCTVM SENNÆ, *GEREONIS.*

℞ Foliorum Sennæ vncias duas ſemis.
Zingiberis drachmam vnam.
Florum Borraginis.
Violarum.
Roſarum rubrarum.
Anthos, ana drachmas duas.
Radic: Polipodij quercini vnciam dimidiam.
Vuarum Paſſarum Purgatarum vncias duas.
Sebeſten,
Prunorum, ana numero duodecim.
Aquæ fontis libras quatuor.

Fiat decoctum ſecundùm artem ad dimidias, ità vt Senna parùm ebulliat, & vas optimè obturatum per ſex horas dimittatur, deinde exprimatur.

LAC VIRGINEVM.

℞ Aluminis crudi vncias quatuor.
Decoquātur ad tertias in aquæ fontanæ libris duabus, poſteà
℞ Lithargyri libram dimidiam.
Aceti Vini libram vnam ſemis.
Decoquātur ad libram vnam, colentur & commiſceantur ambæ aquæ, & agitentur dum albeſcant.

Potio

Potio vulneraria, vulgo decoctum Sclopetarium.

℞ Cancrorum fluuiatilium calcinatorum, & in puluerem ſubtiliſſimum redactorum drachmas duas.
Radicum Ariſtolochiæ rotundæ, & Conſolidæ maioris.
Foliorum Prunellæ.
Baccarum Lauri leuitèr contuſarum an. drachmam vnam.
Omnia includantur nodulo lineo raro, & bulliant in libris tribus Vini albi, ad tertiæ partis conſumptionem, addendo circa medium decoctionis, Vincæ Peruincæ pugillum vnum. Fiat colatura ad vſum.

Iſtud autem decoctum paretur ſaltem in rem præſentem iubente Medico, vti & reliqua decocta ferè omnia.

SYRVPI.

SYRVPI SIMPLICIORES VNA CVM COMPOSITIS QVI SVNT IN VSV.

SYRVPVS ACETOSVS SIMPLEX, LONDINENSIS.

℞ Sacchari albi libras quinque.
Aceti vini albi libras duas.
Liquentur in ſyrupum ſ. a.

SYRVPVS ACETOSVS SIMPLEX, MESVÆ.

℞ Aquæ puriſſimæ libras quatuor.
Sacchari albi libras quinque.
Coquantur deſpumando, clarificando ad conſumptionem medietatis aquæ, affunde interim,
Aceti vini albi libras duas, &
Coquantur rurſus in ſyrupum.

SYRVPVS ACETOSVS COMPOSITVS, MES.

℞ Radic: Apij.
Fœniculi.
Endiuiæ, ana vncias tres.
Semin. Apij.
Fœniculi.
Aniſi, ana vnciam vnam.
Semin. Endiuiæ vnciam dimidiam.
Aquæ puriſſimæ libras ſex.
Coquatur in vaſe vitreato lento igne, donec dimidium aquæ ſuperſit, tum adde percolatis
Sacchari libras tres.
Clarificentur, & adiice
Aceti vini albi libram vnam ſemis.
Coquantur in ſyrupum.

SYRV-

SYRVPVS ACETOSITATIS CITRI, *MES.*

℞ Succi Citri colati ſine expreſſione,& depurati libram vnam.
Sacchari libras duas & ſemis.
Leuitèr coquantur in ſyrupum.

Eâdem proportione parentur Syrupi acidi ex Agreſta.
Succo Berberorum.
Ceraſorum } acid.
Cydoniorum
Granatorum.
Limonum.
Luiulæ.
Oxalidis.
Ribes.

Et ex reliquis ſuccis, acidis, clarificatis.

SYRVPVS DE BETONICA SIMPLEX.

℞ Succi Betonicæ depurati libras tres.
Sacchari clarificati libras tres.
fiat ſyrupus ſecundùm artem.

Eodem modo parentur ſyrupi èx ſucco Borraginis.
Bugloſſi.
Cardui Benedicti.
Chamæmeli.
Cichorij.
Endiuiæ.
Fragorum.
Fumariæ.
Hederæ terreſtris.
Hyperici.
Lupuli.
Mercurialis.
Plantaginis.
Pomorum.
Scabioſæ.
Tuſſilaginis.
Veronicæ.

Et ſic ex reliquis ſuccis non acidis.

SYRVPVS DE BETONICA COMPOSITVS.

℞ Betonicæ manip. tres.
Maioranæ manip. vnum ſemis
Thymi.
Roſarum,ana manip. vnum.
Stœchados.
Saluiæ, ana manip. dimidium.
Sem: Fœniculi.
Aniſi.
Ammeos,ana vnciam dimidiam.
Radic. Pœoniæ.
Polipodij.
Fœniculi, ana drachmas quinque.

Fiat decoctio in aquæ libris ſex ad medietatis conſumptionem: colaturæ adde
Succi Betonicæ libras duas.
Sacchari libras tres ſemis.
fiat ſyrupus ſecundùm artem.

SYRVPVS BIZANTINVS SIMPLEX.
MES.

℞ Succi Endiuiæ.
Apij, ana libras duas.
Lupulorum,
Bugloſſi, an. librã vnam.
Bulliant dum ſucci purgentur & clareſcant, his deinde libris quatuor remanentibus, addantur ſacchari optimi libri quatuor, lento igne percoquãtur in ſyrupum ſ. a.

SYRVPVS BIZANTINVS COMPOSITVS
MES.

℞ Succorum depuratorum analogicè (vt in ſimplici Syrupo) libras quatuor. Quibus incoque
Roſarum rubrarum vncias duas.
Glycyrrhizæ vnciam dimidiam.
Sem: Aniſi,
Fœniculi,
Apij, ana drachmas tres.
Spicæ Nardi drachmas duas.
Colaturæ adde
Aceti libras duas.
Sacchari libras quatuor.
Coquantur in ſyrupum ſ. a.

SYRVPVS CYDONIORVM.
MES.

℞ Succi Cydoniorum defœcati libras ſex.
Coque prunis lentis ad medias ſenſim deſpumando, deinde affunde,
Vini rubri adſtringentis libras tres.
Sacchari albi libras quatuor.
Denuò decoquantur ad Syrupi conſiſtentiam, qui condiatur
Cinnamomi drachmâ vnâ ſemis.
Caryophyllorum,
Zingiberis, ana ſcrupulis duobus.

SYRVPVS DE FVMARIA COMPOSITVS, *FERNELII.*

℞ Endiuiæ,
Abſinthij Romani.
Lupulorum.
Caſſuthæ.
Scolopendrij veri, ana manip. vnum.
Epithymi vnciam vnam ſemis.
Coquantur in libris quatuor aquæ ad medias, colatis adde
Succi fumariæ expurgati libram vnam ſemis.
Succi vtriuſque Bugloſſi, ana libram dimidiam.
Sacchari albi libras quatuor.
Coquantur in ſyrupum bonæ conſiſtentiæ ſecundùm artem.

SYRV-

SYRVPVS DE PORTVLACA.
MES.

℞ Semin. Portulacæ craſſiuſculè tritorium libram dimidiam.
Succi Endiuiæ cocti & depurati libras duas.
Sacchari libras duas.
Aceti vncias nouem.
Macerentur ſemina in ſucco Endiuiæ viginti quatuor horas, poſteà lento igne coquantur ad dimidias, colatura tùm demùm cum ſaccharo coquatur in Syrupi conſiſtentiam, ſub finem acetum affundendo.

SYRVPVS DE TVSSILLAGINE COMPOSITVS,
RENODAEI.

℞ Tuſſilaginis recentis manipul. ſex.
Capill: Veneris ver. manipul. duos.
Hyſſopi manipul. vnum.
Glycyrrhizæ raſæ vncias duas.
Coquantur in libris quatuor aquæ pluuiæ, vel fontis, ad quartæ partis conſumptionem, decoctio coletur, & clarificetur, cui adde
Sacchari albiſsimi libras tres.
Fiat ſyrupus perfectè coctus.

IVLAPIVM ALEXANDRINVM.

℞ Aquæ roſarum rubrarum libras quatuor.
Sacchari albiſſimi libras duas.
Fiat ſ.a. Iulapium.

IVLEPVM ROSATVM,
MES.

℞ Aquæ Roſarum libras tres.
Sacchari clarificati libras tres.
Coque ſ.a. & fiat Iulepum.

IVLEPVM VIOLATVM,
MES.

Conficitur eodem modo vt Iulepum Roſatum.

OXYSACCHARVM SIMPLEX.
NICOLAI.

℞ Sacchari albi libram vnam.
Succi Malorum Granatorum vncias octo.
Aceti optimi vncias quatuor.
Coque ad ignem lentum ad Syrupi conſiſtentiam.

SYRVPVS CAPILLORVM VENERIS,
MES.

℞ Glycyrrhizæ vncias duas.

Capillorũ Veneris vncias quinque.

Ex infuſis in aqua fontis libris quatuor, decoctis leuiter, colatis fortiter, cum

Sacchari clarificati librâ vnâ ſemis.

Fiat ſyrupus ſecundùm artem.

SYRVPVS DE CINNAMOMO.

℞ Cinnamomi craſſo modo contuſi vncias quatuor.

Macerentur in vini albi libra vnâ, per triduum; in vaſe vitreo ad lentum ignis calorem; Colentur, Colaturæ adde

Sacchari albi librã vnam ſemis.

Lentè omnia coquantur, & fiat ſyrupus ſ.a.

Eodem modò parari poſſunt ſyrupi ex ſemin. Aniſi.

Fœniculi dulcis.
Caryophyllis.
Nucibus Moſchatis.
Zingibere, &c.

SYRVPVS è CORALLIIS SIMPLEX.

℞ Corallij rubicundiſſimi, tenuiſſimè pulueriſati q.v.

Diſſoluatur in matracio vitreo in B. M. in ea ſucci berberorum optimè depurati quantitate, vt materiam quatuor digitos ſupernatet; Collum Matracij ſubere, vel cerâ occludatur, illicque ſtet per triduum. Effunde quod fuerit diſſolutum, & nouum ſuccũ depuratum fœcibus affunde, & in cæteris procedatur vt priùs, vſque dum Corallium fuerit diſſolutum, & repetatur ſæpiùs, dum ſuccus acidus quid è Coralliis exuxerit. Ad librã vnam dicti ſucci colati, adde Sacchari albiſſimi libram vnam, & decoquantur ad ſyrupi conſiſtentiam. In hoc autem ſyrupo parando cùm artificio, tùm dexteritate ſingulari opus, ne à ſcopo aberret artifex.

SYRVPVS è CORALLIIS COMPOSITVS.

℞ Corall. rubicundiſſ. vncias ſex.

Reducantur in Alkool læuigando ſuper porphyrite, cum pauca aqua Roſarum, adde

Succi depurati Limonum in B. M. à phlegmate liberati vncias ſedecim.

Succi depurati Berberis vncias octo.

Aceti vini albi acerrimi.

Succi limpidiſſimi Luiulæ, an. vncias ſex.

Fiat digeſtio in Balneo, vel in fimo equino per octiduum, in phyala vitrea ampla, ſubere & veſicâ bubulâ optimè clauſa, vas quotidiè concutiendo, mox fiat per chartam Emporeticam colatura, de qua cape librã vnam ſemis.

Succi puriſſimi Cydoniorum libram dimidiam.

Sacchari Roſati vncias duodecim.

Miſce, & lentiſſimo Balnei calore ſuperfluus liquor euocetur, donec fiat Syrupus, cui indantur Syrupi florum Vetonicæ rubræ vnciæ ſedecim & nodulus continens

Ambræ griſeæ drachmam dimidiam.

Moſchi Orientalis grana quatuor.

Seruetur ad vſum.

SYRVPVS INFVSIONIS FLORVM CARYOPHYLLORVM, Seu VETONICÆ RVBRÆ.

℞ Florum Caryophyllorum præciſis vnguibus libram vnam.

Infundantur ter in aquis fontis libris tribus per noctem, poſteà cũ Sacchari libris duabus, coquantur in ſyrupum ſecundùm artem.

SYRVPVS DE CORTICIBVS CITRI, *MES.*

℞ Corticum exteriorum & tenuiſſimorum Citri ſiccatorum vncias quinque.

Granorum Kermes, vel ſucci eorum aduecti drachmas duas.

Aquæ fontanæ libras quatuor,

Macerentur per noctem, & coquantur ad medietatis conſumptionem, colaturæ adde

Sacchari optimi libras duas ſemis.

Fiat ſyrupus ſ. a.

Aromatizetur Moſchi Orientalis granis ſex, inuolutis in Syndone & impendentibus.

SYRVPVS FLORVM NYMPHÆÆ SIMPLEX, *NICOLAI.*

℞ Partium albiſſimarum florum Nymphææ albæ libram vnam.

Infunde in aquæ calidæ libris tribus per horas ſeptem, deinde bulliant parùm, colaturæ denuò adde parem florum recentium quantitatem, & par fiat maceratio & expreſſio; idque ter repetatur; colaturæ clarificatæ adde æquum ſacchari pondus, & fiat ſyrupus ſ. a.

SYRVPVS NYMPHÆÆ COMPOSITVS *FERNELII.*

℞ Florum Nymphææ recentium libram mediam.

Florum Violarum vncias duas.

Foliorum Lactucæ manipul. duos.

Sem. Lactucæ.

Portulacæ.
Cucurbitæ, an. vnciam mediam.
Coquantur in libris quatuor aquæ, dum tres ſuperſint: expreſſo adde,
Aquæ Roſarum rubrarum ſtillatitiæ libram mediam.
Sacchari albi libras quatuor.
Percoquantur in ſyrupum ſ.a.

SYRVPVS DE MECONIO, *MES.*

℞ Capitum Papaueris albi mediocriter maturorum & recentium vncias octo.
Capitum Papaueris nigri mediocriter maturorum & recentium vncias ſex.
Aquæ pluvialis libras quatuor.
Coquantur ad dimidias, deinde adde colaturæ
Sacchari vncias ſedecim, & percoquantur in ſyrupum ſ. a: pro Diacodio qui poteſt vſurpari.

SYRVPVS è PAPAVERE MINVS COMPOSITVS.

℞ Capitum Papaueris albi,
Nigri, recentium, an. vncias ſex.
Seminum Lactucæ.
Florum Violarum, an. vnciam vnam.
Aquæ libras octo,

Coquantur dum capita intabuerint, & colaturæ addantur Sacchari libræ quatuor: ad iuſtam conſiſtentiam rurſum coquantur.

SYRVPVS è PAPAVERE MAGIS COMPOSITVS, *MES.*

℞ Capitum cum Seminibus Papaueris albi & nigri, an. drachmas quinquaginta.
Capillorum Veneris drachmas quindecim.
Glycyrrhizæ drachmas quinque.
Iuiubarum numero triginta.
Sem. Lactucæ drachmas quadraginta.
Sem. Maluæ & Cydoniorum, in linteo raro ligatorum, ana drachmam vnam & ſemis.
Coquantur in libris octo aquæ vltra medietatis conſumptionem.
℞ Colaturæ libras tres.
Penidiorum,
Sacchari, ana libram vnam.
Fiat Syrupus.

SYRVPVS DE PAPAVERE ERRATICO, ſeu rubro.

℞ Florum recentium Papaueris rhæadis libras duas.
Infundantur in libris quatuor aquæ fontanæ per viginti quatuor horas, cum
Sacchari libris tribus.

Perco-

Percoquantur in ſyrupum ſ. a.

SYRVPVS EX FLORIBVS PERSICORVM.

℞ Florum Perſicorum recentium libram vnam.

Macerentur in libris tribus aquæ tepidæ, horas duodecim, deinde bulliant parùm & exprimantur. Tum par florum quantitas infundatur & exprimatur; quinquies iteretur, poſtremæ colaturæ tribus, adde

Sacchari libras duas ſemis.

fiat ſyrupus ſ. a.

SYRVPVS DE ROSIS SICCIS.

MES.

℞ Aquæ ſimplicis libras quatuor in qua tepida macera horis viginti quatuor

Roſarum rubrarum areſactarum libram vnam, in expreſſo ſolue

Sacchari albi libras duas.

Coquantur in ſyrupum ſ.a.

SYRVPVS ROSACEVS SOLVTIVVS.

MES.

℞ Infuſionis Roſarum ex Roſis pallidis Damaſcenis recentibus novies infuſis (infuſio fiat eâ proportione vt pro qualibet libra Roſarum ſumantur aquæ libræ quatuor, in quibus, reiectis prioribus floribus, recentes infundantur) libras ſex.

Sacchari libras quatuor.

fiat decoctio ſ. a. in ſyrupum.

SYRVPVS ROSACEVS SOLVTIVVS CVM AGARICO.

℞ Agarici electi conciſi vnciam vnam.

Zingiberis conciſi drachmas duas.

Salis gemmæ drachmam vnã.

Polypodij craſſo modo contuſi vncias duas.

Irrorentur vino albo, deinde infundantur per biduum in infuſionis Roſarum pallidarũ ſupraſcriptæ libra vna ſemis, in cineribus calidis, poſteà expreſſioni adde.

Sacchari libram vnam.

fiat ſyrupus ſ. a.

SYRVPVS ROSACEVS SOLVTIVVS HELLEBORATVS, *MONTANI.*

℞ Corticum Myrobalanorũ omnium, ana vncias quatuor.

Contundantur craſsè, & deinde infundantur in libris duodecim infuſionis roſarũ ſupraſcriptæ per horas viginti quatuor, addendo

Foliorum Sennæ.

Epithymi.

Polypodij quercini,

ana vncias quatuor.

Caryophyllorum vnciam vnã.
Sem. Citri.
Glycyrrhizæ, ana vncias quatuor.
Corticum Radicum Hellebori nigri veri drachmas ſex.
Decoquantur omnia ſimul lento igne ad quartæ partis conſumptionem, adde poſteà
Sacchari clarificati libras quinque.
Rhabarbari electi in nodulo lignati drachmas ſedecim.
Fiat Syrupus ſ. a.

SYRVPVS VIOLARVM.

℞ Florum Violarum mundatorũ libram vnam.
Aquæ fontanæ calentis libram vnam ſemis, vel quantitatem ſufficientem.
Ponantur in vas fictile vitreatum, quod ſubere optimè claudatur, & relinquantur per horas viginti quatuor, deindè fiat fortis expreſſio per prælum: expreſſionis cape libram vnam.
Sacchari puriſſimi libras duas.
Miſce, & ad leuem calorem (vt Balnei) fiat ſacchari diſſolutio, & ſeruetur ad vſum.

SYRVPVS è SVCCO VIOLARVM.

Paretur etiam ex ſucco, cum ea quantitate ſucci quæ ſit ſufficiens ad diſſoluendum ſaccharum ſine coctione.

SYRVPI COMPOSITI QVORVM SIMPLICES NON PARANTVR.

SYRVPVS DE ABSINTHIO.

MES.

℞ Abſinthij Romani ſiue Pontici libram mediam.
Roſarum rubrarũ vncias duas.
Spicæ Indicæ drachmas tres.
Vini albi antiqui generoſi.
Succi Cydoniorum, ana libras duas ſemis.
Macerentur in vaſe fictili horis viginti quatuor, dein coquantur ad conſumptionem medietatis, & colaturæ addantur
Sacchari libræ duæ.
Fiat ſyrupus ſ. a.

SYRVPVS DE ALTHÆA.

FERNELII.

℞ Radicum Althææ vncias duas.
Cicerum rubrorum vnciam vnam.
Radic. Graminis.
Aſparagi.
Glycyrrhizæ mundatæ.
Vuarum Paſſarum enucleatarum, ana vnciam mediam.
Cymarum Althææ.
Maluæ.
Helxines.

Pim-

Pimpinellæ.
Plantaginis.
Adianthi albi & nigri, ana manipul. vnum.
Quatuor ſeminum frigidorũ maiorum & minorum, ana drachmas tres.

Coquantur ex aquæ libris ſex, dum quatuor ſuperſint, & colatura cum

Sacchari albi libris quatuor,

Fiat Syrupus.

SYRVPVS DE ARTEMISIA
MATTHAEI DE GRADI.

℞ Artemiſiæ manipul. duos.
Pulegij.
Calaminthæ.
Origani.
Meliſſæ.
Perſicariæ, ſiue Hydropiperis.
Dictamni Cretici.
Sabinæ.
Sampſuchi, i. Maioranæ.
Chamædryos.
Perforatæ, i. Hyperici.
Chamæpityos.
Matricariæ cum flore.
Centaurij minoris.
Rutæ.
Betonicæ.
Bugloſſi, ana manipul. vnum.
Radic: Fœniculi.
Apij.
Petroſelini.
Aſparagi.
Ruſci.
Saxifragiæ.
Enulæ.
Cyperi.
Rubiæ tinctorum.
Ireos.
Pœoniæ, ana vnciam vnam.
Baccar: Iuniperi.
Sem: Leuiſtici.
Petroſelini.
Apij.
Aniſi.
Nigellæ.
Carpobalſami, ſiue
Cubebarum.
Coſti, ſeu Zedoariæ.
Radic: Aſari.
Pyrethri.
Caſiæ ligneæ.
Cardamomi.
Calami aromatici.
Phu, ana vnciam dimidiam.

Trita, quaſſata infundantur in libris duodecim aquæ per horas viginti quatuor, poſteà decoquantur ad medietatis aquæ conſumptionem, & tunc dimittantur ab igne, donec aqua tepuerit, & fricata colentur, & colaturæ addantur Mellis & Sacchari, ana libræ duæ, Aceti acuti vnciæ quatuor.

Fiat ſyrupus, & aromatizetur cum
Cinnamomi & Spicæ, an. drachmis tribus.

Aromata ſub finem bulliant.

SYRV-

SYRVPVS AVGVSTANVS,
Vel
DE RHABARBARO AVGVSTANORVM.

℞ Rhabarbari optimi,
Foliorum Sennæ, ana vncias duas ſemis.
Florum violarũ, manip. vnum.
Cinnamomi drachmam vnam ſemis.
Zingiberis drachmam dimidiam.
Aquarum Betonicæ.
Cichorij.
Bugloſſi, ana libram vnam ſemis.

Infundantur per noctem: colatura mane facta decoquantur in ſyrupum cum
Sacchari electi libris duabus, addendo
Syrupi roſati ſolutiui ſequentis vncias quatuor.

SYRVPVS ROSATVS SOLVTIVVS SINE HELLEBORO.

℞ Myrobalanorum omnium, an. vncias duas.

Contundantur craſſo modo, fricentur oleo Amigdalarum dulcium, & infundantur in libris quindecim infuſionis roſarum, horis viginti quatuor, cui adde
Radicum Polypodij vncias duas ſemis.
Sem. Chartami vnciã vna ſemis.
Sem. Aniſi.
Fœniculi, ana drachmas ſex.
Foliorum Sennæ vncias tres.
Epithymi vnciam vnam ſemis.
Corticum citri vnciam vnam.
Caryophyllorum vnciam dimidiam.
Nucis Moſchatæ drachmas tres.

Fiat rurſus infuſio horis viginti quatuor, quibus elapſis, fortiſſima fiat expreſſio, & adde ad liquoris ſingulas libras duas,
Sacchari libram vnam.

Fiat ſyrupus. Et hic ingreditur compoſitionem Syrupi de Rhabarbaro Auguſtanorum.

SYRVPVS DE CICHORIO CVM RHABARBARO.

℞ Hordei integri.
Radic. Apij.
Fœniculi.
Aſparagi, ana vncias duas.
Cichorij.
Taraxaci, i. dentis leonis.
Endiuiæ.
Cicerbitæ ſeu Sonchi læuis, ana manipul. duos.
Lactucæ domeſticæ.
Lichenis, i. Hepaticæ.
Fumariæ.
Summitatum Lupuli, ana manipul. vnum.
Capillorum veneris.
Adianthi albi, ſeu Rutæ Murariæ.
Ceterach, ſeu Aſpleni.

Gly-

Glycyrrhizæ.
Semin. Alkakengi.
Cuſcutæ, ana drachmas ſex.

Coquantur in libris duodecim aquæ fontanæ ad tertiæ partis conſumptionem: in colatura diſſolue,

Sacchari libras ſex.

Cui dum fit coctio, adde
Rhabarbari vncias ſex.
Spicæ Nardi drachmas ſex.

Hæc in nodulo ex panno raro ſemel aut iterum bulliant, præmacerata calente decocto, & ſæpius exprimantur, & in ſyrupo iam perfectè cocto relinquantur.

SYRVPVS DIASEREOS *ANDERNACI.*

℞ Intybi Latifolij ſeu Endiuiæ.
Cichorij ana manipulum.
Adianthi albi.
Nigri ſeu Capillorum Veneris.
Ægrimoniæ.
Scolopendrij ſeu Ceterach.
Lupuli fumariæ ana manip. ſemis.
Granorum Halicacabi.
Cuſcutæ ana drach: tres.
Radic: Apij.
Fœniculi.
Aſparagi ana vnciam ſemis.
Polypodij Quercini vnciam vnam.
Glycyrrhizæ drach. ſex.
Seminis Cnici vnciam vnam.
Sem. quatuor frigid.
Maiorum ana drachmas duas.
Hordei excorticati pugill. vnum.
Seminum Endiuiæ.
Cichorij ana drach. vnam ſemis.
Vuarum Paſſarum vnciam vnam.
Pruna Damaſcena, numero viginti.
Florum Borraginis.
Bugloſſæ.
Violarum ana pugillum vnum.
Myrobalanorum Citrinorum.
Chebulorum ana vnciam ſemis.

Omnia in aqua ad tertia decoquãtur, & in huius decocti iure colati libra & ſemiſſe macerentur ſeorſim per noctem.

Rhabarbari electi vnciæ duæ ſemis.
Agarici Trochiſcati vncia.
Foliorum Sennæ orient. vncia vna ſemis.
Zingiberis.
Cinnamomi ana drachma.

Expreſſis colatiſque iterum adde
Sacchari optimi libram.
Syrupi roſati ſolutiui vncias tres.

Mixta omnia rurſus modice coquantur ad iuſtam ſpiſſitudinem.

SYRV-

SYRVPVS DE EPITHYMO *MES.*

℞ Epithymi boni drachmas viginti.
Myrobalanorum Citrinarum.
Indarum, ana drachmas quindecim.
Cuſcutæ.
Fumiterræ, ana drachmas decem.
Thymi.
Calaminthæ.
Bugloſſi.
Stœchados.
Glycyrrhizæ.
Polipodij.
Agarici.
Myrobalanorum Emblicarum.
Belliricarum, ana drachmas ſex.
Roſarum rubrarum.
Semin. Fœniculi.
Aniſi, ana drachmas duas ſemis.
Prunorum dulcium numero viginti.
Vuarum paſſarum purgatarum vncias quatuor.
Tamarindorum, vncias duas ſemis.

Poſt macerationem viginti quatuor horarum coquantur in aquæ libris decem ad libras ſex, dein remota ab igne, exprimantur, & expreſſis addantur,
Sacchari clarificati libræ quinque.
Percoquantur in ſyrupum.

SYRVPVS DE EVPATORIO, *MES.*

℞ Radic: Apij.
Fœniculi.
Cichorij, ana vncias duas.
Glycyrrhizæ.
Schœnanthi.
Cuſcutæ.
Abſinthij.
Roſarum, ana drachmas ſex.
Capillorum Veneris.
Bedeguar. { vel eius vice rad. Card. Mariæ.
Suchahæ. { vel eius vice rad. Caryophyllatæ.
Florum aut radicum Bugloſſi.
Sem: Aniſi.
Feniculi.
Eupatorij, i. Agerati, ana drachmas quinque.
Rhabarbari.
Maſtiches, ana drachmas tres.
Spicæ Nardi Indicæ.
Folij, ſeu ſpicæ Romanæ, ana drachmas duas.

Coquantur in aquæ libris octo ad tertiæ partis conſumptionem; Expreſſum cum
Sacchari albi ſoluti libris quatuor,
Succorum Apij clarificati, & Endi-

Endiuiæ, ana libra dimidia.
Percoquantur in ſyrupum.

SYRVPVS è GLYCYRRHIZA.
MES.

℞ Glycyrrhizæ recentis raſæ & contuſæ vncias duas.
Adianthi albi, ſeu Polytrichi vnciam vnam.
Hyſſopi ſicci vnciã dimidiam.
Macerentur ſimul per horas viginti quatuor in aquæ pluuiæ ferueſactæ libris quatuor, dein coquantur ad dimidias; colatura expreſſa clarificetur, cum
Mellis optimi vnciis octo.
Sacchari vnciis ſedecim.
Demùm coquantur in Syrupum, additis ante perfectam illius coctionem
Aquæ roſarum rubrarum ſtillatitiæ vnciis ſex.

SYRVPVS DE HYSSOPO
MES.

℞ Aquæ fontanæ libras octo.
In quibus circiter horam dimidiam coquatur.
Hordei mundati vncia dimidia.
Dein iniiciantur
Radicum Apij.
Petroſelini,
Fœniculi,
Glycyrrhizæ, inciſarum, ana drachmæ decem.
Et per quartam horæ partem elixentur; poſteà addantur
Iuiubarum,
Sebeſten, ana numero triginta.
Paſſularum mundatarũ vncia vna ſemis.
Ficuum ſiccarum,
Dactylorum pinguium, ana numero decem.
Mox imponantur
Semin. Maluæ.
Cydoniorum.
Tragacanthæ linteo raro incluſorũ, ana drachmæ tres.
Poſtremò indantur,
Hyſſopi mediocriter ſicci drachmæ decem.
Capillorum Veneris drachmæ ſex.
Coquantur ad libras tres, expreſſione clarificatæ adde,
Sacchari libras duas ſemis.
fiat ſyrupus.

SYRVPVS IVIVBINVS.
MES.

℞ Iuiubarum numero ſexaginta.
Violarum.
Semin: Maluæ, ana drachmas quinque.
Capillorum Veneris.
Glycyrrhizæ raſæ & tuſæ.
Hordei mundati excorticati, an. vnciam vnam.
semin: Papaueris albi.

Melonum.
Lactucæ.
Cydoniorum.
Gummi Tragacanthæ, in nodulo. ana drachmas tres.
Coquantur in libris ſex aquæ pluuialis vel fontanæ ad dimidias, adde colatis
Sacchari libras duas.
Fiat ſyrupus.

SYRVPVS EX IVA ARTHRITICA,
Seu
DE CHAMÆPYTY.

℞ Chamæpityos manipul. duos.
Saluiæ.
Roriſmarini.
Lolij.
Origani.
Calaminthæ.
Mentaſtri.
Pulegij.
Hyſſopi.
Thymi.
Rutæ ſatiuæ & ſylueſtris.
Betonicæ.
Serpylli, an. manipul. vnum.
Radic: Acori.
Ariſtolochiæ { longæ. rotundæ.
Bryoniæ.
Dictamni.
Gentianæ.
Peucedani.
Phu, ana vnciam vnam ſemis.
Radic: Apij.
Aſparagi.
Fœniculi.
Petroſelini.
Ruſci, an. vnciam vnam.
Stœchados.
Semin. Aniſi.
Ammeos.
Carui.
Fœniculi.
Liguſtici.
Seſeleos, ana drachmas tres.
Radic. Pyrethri vnciam ſemis.
Paſſularum vncias duas.
Coquantur ex aquæ q. ſ. poſteâ cum
Mellis, &
Sacchari, ana libris duabus
Para, & aromatiza.
Cinnamomo.
Nuce Moſchatâ, &
Cubebis, ſ. a.

SYRVPVS MAGISTRALIS AD MELANCHOLIAM.

℞ Succi pomorum odoriferorum. (vulgò Pearemaynes) ſeſquilibram.
Borraginis.
Bugloſſi, ana vncias nouem.
Fol. Sennæ orientalis mundatæ ſemilibram.
Semin. Aniſi.
Fœniculi dulcis, ana drachmas

mas tres.
Epithymi Cretenſis vncias duas.
Agarici albiſſimi.
Rhabarbari optimi,ana ſemunciam.
Zingiberis.
Macis, ana ſcrupulos quatuor.
Cinnamomi ſcrupulos duos.
Croci ſemidrachmam.

Agaricus & Senna conciſa cum ſeminibus, Zingibere, atque Mace craſſiuſculè contuſis, macerentur cum Epithymo in ſuccis præſcriptis, horas viginti quatuor. Bulliant deinde lento igne, vſque ad deſpumationem, & per manicam Hippoc. colentur. Colaturæ iam factæ adiiciatur Sacchari albiſſimi ſeſquilibra, & coquantur ſ.a. nec ſine deſpumatione, ad conſiſtentiam Syrupi, modò inter coquendum, Crocus panno lineo ligatus infricetur. Tum demùm admiſceatur Infuſio Rhabarbari conciſi, cũ Cinnamomo craſſiuſculè contuſo, in Vini albi, & ſucci Pomorum, ana vnciis duabus, interim facta, & fortiter expreſſa. Denuò ferueant parùm commiſta ad ignem pro ſyrupo.

SYRVPVS MELISSOPHYLLI.
FERNELII.

℞ Radic: Dictamni.
Pentaphylli.
Vetonicæ.
Doronici Romani, ana vnciam dimidiam.
Folior: Meliſſophylli.
Stœbes, vel Scabioſæ.
Succiſæ,i.Morſus Diaboli.
Florum Bugloſſi vtriuſque, &
Roriſmarini,an. manipul. vnum.
Semin: Oxalidis.
Citrij mali.
Fœniculi.
Cardui benedicti.
Ocimi, ana drachmas tres.

Coquantur in aquæ libris quatuor ad dimidias: expreſſo adde,
Sacchari albi libras tres.
Succi Meliſſæ,
Aquæ Roſarum, an. libram dimidiam.

Percoquantur in Syrupum condiendum, cum
Cinnamomi &
Santali Citrini, ana vncia dimidia.

SYRVPVS DE MENTHA MAIOR.
MES.

℞ Succi Cydoniorum dulcium & muzorum,i.acidodulcium,
Succi Granatorũm acidodulcium, dulcium, acidorũ, ana libram vnam ſemis.

In ſuccis miſtis macera per horas viginti quatuor.

Menthæ ſiccæ libram vnã ſemis,
Roſarum rubrarum vncias duas.
Coquantur ad dimidias, colentur, & addendo
Sacchari libras quatuor,
Coquantur ad Syrupum: cùm reponitur, aromatizetur cum
Galliæ Moſchatæ tritæ & in ſyndone ligatæ, & ex orificio vaſis ſuſpenſæ drachma vna.

SYRVPVS MYRTINVS *NICOLAI.*

℞ Baccharum Myrti vncias duas ſemis.
Santali albi & rubri.
Sumach ſeu Rhois Culinariæ.
Balauſtiorum.
Berberorum.
Roſarum rubrarum, an. vnciam vnam ſemis.
Meſpilorum libram dimidiam.
Contuſa omnia coquantur in libris octo aquæ fontis ad medias, expreſſo adde,
Succi Cydoniorum.
Granatorum acidorum, an. vncias ſex.
Sacchari libras tres.
Coque in ſyrupum ſ. a.

SYRVPVS DE POMIS, *FERNELII.*

℞ Succi Malorum noſtratium vocatorum.
Pearemaynes vel Pippins libras quatuor.
Succorum Bugloſſi domeſtici, ſylueſtris.
Aquæ Roſarum ſtillatitiæ.
Succi Violarum è foliis, an. libram vnam.
Coque ſimul & depurentur, deinde adde
Sacchari libras ſex.
Percoquantur in ſyrupum.

SYRVPVS DE POMIS, REGIS SAPORIS, *MES.*

℞ Succi Pomorum dulcium libras duas.
Succi Borraginis.
Bugloſſi, an. libram vnam ſemis.
Foliorum Sennæ vncias duas.
Sem. Aniſi vnciam ſemis.
Croci drachmam vnam.
Senna maceretur viginti quatuor horis in ſuccis, ſemel aut bis ferueſiat, coletur, & cum
Sacchari libris duabus
Percoquatur in ſyrupum ſ.a. Crocus in petia ligatus inter coquendum confricetur.

SYRV-

SYRVPVS DE PRASIO.
FER.

℞ Praſij albi recentis vncias duas.
Glycyrrhizæ.
Polypodij quercini.
Radic: Apij.
Fœniculi, ana vnciam dimidiam.
Adianthi albi.
Origani.
Hyſſopi.
Calaminthæ.
Thymi.
Stœbes, vel Scabioſæ.
Satureiæ.
Tuſſilaginis, ana drachmas ſex.
Semin: Aniſi.
Bombacis, an. drachmas tres.
Vuarum paſſarum expurgatarum, vncias duas.
Caricarum pinguium, numero decem.
Coquantur in libris octo hydromelitis diluti ad dimidias; expreſſum coquatur in ſyrupum, cum
Mellis & Sacchari albi, ana libris duabus.
Condiatur,
Radic. Iridis Florentinæ vnciâ vnâ.

SYRVPVS RAPHANI.
FERNELII.

℞ Radicum Raphani domeſtici.
Sylueſtris, ſeu Ruſticani, an. vnciam vnam.
Radic. Saxifragæ albæ.
Ruſci.
Leuiſtici.
Eryngij.
Ononidis.
Petroſelini.
Fœniculi, ana vnciam dimidiam.
Folior: Betonicæ.
Pimpinellæ.
Pulegij.
Cymarum vrticæ.
Naſturtij aquatici.
Crithmi.
Callitrichi, ſeu Capillorum Veneris, ana manipul. vnum.
Fructuum Halicacabi,
Zizyphorum, ana numero viginti.
Semin. Ocimi.
Bardanæ.
Petroſelini Macedonici.
Seſeleos.
Carui.
Dauci.
Lithoſpermi.
Cortic: Radic: Lauri, an. drachmas duas.
Vuarum paſſarũ expurgatarum.
Glycyrrhizæ, ana drachmas ſex.
Coquantur ſecundùm artem in libris duodecim aquæ dum octo ſuperſint, è quibus colatis, cum
Sacchari libris quatuor, &
Mellis expumati libris duabus, fiat ſyrupus clarus & conditus

Cinnamomi vnciâ vnâ,
NucisMoſchatæ vnciâ dimidiâ.

SYRVPVS DE QVINQVE RADICIBVS, *MES.*

℞ Radic: Apij.
Fœniculi.
Petroſelini.
Ruſci.
Aſparagi, ana vncias duas.
Aquæ fontis libras ſex.
Coquantur ad tertiæ partis conſumptionem, expreſſum coquatur denuò cum
Sacchari libris tribus,
Addendo in fine
Aceti vini albi vncias octo.

SYRVPVS SCABIOSÆ COMPOSITVS MAGISTRALIS.

℞ Radic: Enulæ Campanæ.
Polypodij quercini, ana vncias duas.
Macerentur in vino albo horas 24.
Paſſularum maiorum enucleatarum vnciam vnam.
Sebeſten numero viginti.
Farfaræ.
Pulmonariæ.
Satureiæ.
Calaminthæ, ana ſeſquimanipulum:
Glycyrrhizæ raſæ ſemunciam.
Tabaci optimi folium vnum integrum.
Sem. Vrticæ,
Bombacis, ana drachmas tres.
Coquantur in ſ.q. aquæ mulſæ dilutæ, ad vncias octo. Quibus adde percolatis
Succi Scabioſæ depurati vncias quatuor.
Sacchari albiſſimi vncias decem.
Fiat ſyrupus ſ.a. clarificatus, ſuperaddendo deinde,
Olei Sulphuris guttas viginti.

SYRVPVS DE SCOLOPENDRIO, *FERNELII.*

℞ Polypodij è quercu.
Radic: vtriuſque Bugloſſi.
Cortic: Radic: Capparis.
Cortic: Tamariſci, ana vncias duas.
Scolopendrij veri manip. tres.
Lupi ſalictarij.
Caſſuthæ.
Capillorum Veneris.
Meliſſophyli, ana manip. duos.
Coquantur in aquæ libris nouem, dum ad quinque redeant, Colato adde
Sacchari albi libras quatuor.
Percoquantur in ſyrupum expurgatum & clarum.

SYRVPVS DE STOECHADE.
MES.

℞ Florum Stœchados vncias quatuor.
Thymi,
Calaminthæ,
Origani,an. vnciam vnã ſemis.
Saluiæ.
Betonicæ.
Florum Roriſmarini,ana vnciam dimidiam.
Semin. Rutæ.
Pœoniæ,
Fœniculi, ana drachmas tres.
Coquantur ex aquæ libris decem ad dimidias: expreſſum cum
Sacchari, &
Mellis,ana libris duabus,
denuò coquatur in ſyrupum.
Condiatur cum
Cinnamomi,
Zingiberis,
Calami odorati, ana drachmis duabus.
Quæ raro linteo illigata in ſyrupum ſint appenſa.

SYRVPVS DE SYMPHYTO
FERNELII.

℞ Radic: & Cymarum Symphyti maioris, minoris, ana manip. tres.
Roſarum rubrarum,
Betonicæ,
Plantaginis,
Pimpinellæ.
Polygoni,
Scabioſæ,
Tuſſilaginis, ana manipulos duos.
E tuſis omnibus recentibus exprimatur ſuccus; coquatur, ad libras tres, & expumetur, addendo
Sacchari albi libras duas ſemis.
fiat ſyrupus.

SYRVPVS CARDIACVS,
Vel
IVLEPVM CARDIACVM;
NON.

℞ Vini generoſi Rhenenſis libras duas.
Aquæ Roſaceæ vncias duas ſemis.
Caryophyllorum ſcrupulos duos.
Cinnamomi drachmam mediam.
Zingiberis ſcrupulos duos.
Sacchari optimi vncias tres cum dimidiâ.
Decoquantur ad conſiſtentiam Iulepi, poſteà addantur,
Ambræ grana tria,
Moſchi granum vnum.

MELITA & OXYMELITA.

DIACARYON SEV DIANVCVM. *GALENI.*

℞ Succi nucum Iuglandium viridum ab externo cortice expreſſi libras duas.
Coquendo inſpiſſetur, & additâ
Mellis librâ vnâ
Rurſus percoquantur ad mellis conſiſtentiam.

DACODIVM, *GALENI.*

℞ Capita Papaueris albi, nec nimiùm viridia, nec nimiùm matura nnmero viginti.
Aquæ pluuiæ aut fontanæ libras tres.
Macera horis viginti quatuor, poſt coque, donec capità contabuerint, dein cola, & colaturæ adde
Mellis libras duas.
Coque ad iuſtam conſiſtentiam.
Fit & cum
Sapæ Vini dulcis libris duabus,
Succi Glycyrrhizæ vnciis duabus.

DIAMORON. *NICOLAI.*

℞ Succi Mororum, Celſi & Rubi immaturorum, an. libram vnam ſemis.
Mellis libras duas.
Coquantur lento igne ſ. a. ad mellis conſiſtentiam.

MEL ANTHOSATVM *MES.*

℞ Florum Roriſmarini libram vnam.
Mellis boni benè deſpumati libras tres.
Miſce in Olla vitrea, vel vitreata, oris non valdè patuli; inſola & ſerua ad vſus.

MEL è MERCVRIALI

℞ Succi Mercurialis libras tres.
Mellis libras duas.
Coque ad mellis conſiſtentiam.

MEL PASSVLARVM, *NICOLAI.*

℞ Vuarum paſſarum ab acinis purgatarum, libras duas.
Infunde viginti quatuor horas in libris ſex aquæ calentis, deinde coque ad medietatem, colaturâ fortiter expreſsâ, denuò coquantur ad conſiſtentiam mellis, cum libris duabus mellis deſpumati.

MEL

MEL ROSARVM COMMVNE,

MES.

℞ Roſarum rubrarum nondum penitùs apertarum libras duas.

Mellis optimi libras ſex.

Inſolentur ſecundùm artem.

MEL ROSARVM,

NICOLAI.

℞ Mellis albiſſimi optimi deſpumati libras decem.

Succi recentium Roſarum rubrarum libram vnam.

Ponantur in Cacabo ad ignem, & cum bullire inceperint, adde

Roſarum rubrarum recentium cum forcipibus vel cultello inciſarum ab vnguibus libras quatuor.

Bulliantque ad conſumptionem ſucci, continuè agitando. Colatura ponatur in vaſe fictili & ſeruetur ad vſum.

MEL ROSARVM SOLVTIVVM.

℞ Infuſionis Roſarum pallidarum multiplicis libras quinque.

Mellis deſpumati libras quatuor,

Coquantur in ſyrupi conſiſtentiam.

Simili modo paretur Mel Roſarum ex infuſionibus Roſarum rubrarum.

MEL VIOLARVM.

Mel Violarum eodem modo paratur, quo Mel Roſarum.

OXYMEL SIMPLEX.

MES.

℞ Mellis optimi, aromatici, & deſpumati, libras quatuor.

Aquæ puriſſimæ,

Aceti optimi, ana libras duas.

Coquantur ſecundùm artem, donec Syrupi liquidioris conſiſtentiam acquirant; cauendum ne nimiâ coctione fiat ingratum.

OXYMEL COMPOSITVM.

MES.

℞ Cortic. Radic. mundat. inciſar.

Fœniculi,

Apij,

Petroſelini,

Ruſci,

Aſparagi, ana vncias duas.

Semin. Apij,

Petroſelini,

Fœniculi,

Aniſi, ana vnciam vnã.

Aquæ libras ſex.

Aceti optimi libram vnam ſemis.

Mellis deſpumati libras tres.

Coquan-

Coquantur ſecundùm artem, ad Syrupi liquidioris conſiſtentiam.

OXYMEL ELLEBORATVM GESNERI MAIVS.

℞ Rutæ,
Thymi capitati,
Dictamni Cretici,
Comæ Hyſſopi,
Pulegij,
Marrhubij,
Cardui Benedicti,
Radicularum Nardi Celticæ ſine foliis.
Cortic. Sambuci interiorum, ana manipul. vnum.
Calaminthæ Cattariæ montanæ pugil. duas.
Semin. Aniſi.
Fœniculi,
Ocimi,
Vrticæ Romanæ,
Anethi, ana drachmas duas.
Radic. Angelicæ,
Althææ.
Ari,
Scillæ præparatæ.
Ariſtolochiæ, { rotundæ, longæ, clematitidis.
Turpeti,
Iridis noſtræ,
Coſti, qui violas olet, aut Zedoariæ,
Polypodij,
Cortic. Limonum, ana vnciam vnam.
Ellebori nigri fibrarum integrarum,
Eſulæ, ana drachmas duas.
Cortic. Radic: Ellebori albi vnciam dimidiam.
Agarici drachmas duas, quas ſub finem decoctionis iniicies.

Omnia ſicca, trita, infundantur in * Poſcæ(factæ ex æquis partibus aquæ & aceti) libris octo.
Sapæ vnciis duabus, triduo in Sole,vel ad fornacem,in vitreo, aut figulino vaſe obturato: Tum decoquantur in terreo aut lapideo tornato vaſe ad dimidium ferè: cocta colabis modicè exprimendo, addeſque,
Mellis Roſacei, in quo vnciæ duæ corticis Citri fuerint infuſæ libram vnam ſemis, & ad conſumptionem poſcæ decoques, vt fiat Syrupus, qui ſub finem aromatizetur, cum
Caryophyllorum,
Croci,
Zingiberis,
Galangæ,
Macis, in ſacculo ſuſpenſorum, ana drachmâ vnâ.
Seruetur in vaſe vitreo, aut fictili vitreato.

OXYMEL IVLIANIZANS.

℞ Corticum radicum Capparum,
Radic. Ireos,

Fœniculi,

Fœniculi,
Petroſelini,
Ruſci,
Cichorij,
Aſparagi,
Cyperi, ana vnciam dimidiam.
Herb. Scolopendriæ.
Scœnanthûs,
Tamaricis, ana manipul. medium.
Semin. Fœniculi dulcis vnciam dimidiam.

Coquantur poſt debitam infuſionem in * Peſcæ acidioris libris tribus ad libram vnam ſemis: ex colatura cum
Mellis optimi, &
Sacchari deſpumatorum, ana libra dimidia.
Fiat decoctio ad Syrupi conſiſtentiam.

* Poſca fit ex Aqua & Aceto, idq; ex re præſenti, vel acidior, vel dilutior, pro intentione Medici.

OXYMEL SCILLITICVM SIMPLEX.
NICOLAI.

℞ Mellis deſpumati libras tres.
Aceti Scillitici libras duas.
Coquantur ſecundùm artem.

OXYMEL SCILLITICVM DEMOCRITI,
MES.

℞ Origani,
Hyſſopi ſicci,
Thymi,
Liguſtici,
Cardamomi,
Stœchados, an. drachmas quinque.

Coque in libris tribus aquæ ad librarum duarum conſumptionem colaturam percoque cum
Mellis libris duabus.
Mellis Paſſulati libra dimidia.
Succi Bryoniæ vnciis quinque.
Aceti Scillitici libra vna ſemis.
Semper deſpumando in ſyrupum.

MEL ANACARDINVM.
AZARAVII.

℞ Anacardios recentes, tere, & in aqua decoque, donec mellaginem quandam in rubeo colore fuſcam remittant, eam aquæ innatantem auferto, ac reponito.

MEL EMBLICARVM,
AVG.

℞ Myrobalanorum Emblicarum numero quinquaginta.
Contundantur mediocriter, & decoquantur in libris tribus Aquæ ad conſumptionem librarum duarum: reſiduo colato adde Mellis tantundem, & ad iuſtam conſiſtentiam mellis percoque.

ROB SIVE SAPÆ ET SVCCI.

ROB SIVE SAPA SIMPLICITER.

℞ Vini recenter, ex vuis albis, generoſis & maturis expreſſi, libras duodecim.

Coque igne lento, donec libræ tantùm quatuor ſuperſint, vel vt conſiſtentiam mellis acquirant. Repone in vaſe vitreo, vel fictili vitreato.

ROB DE BERBERIS.

℞ Succi Berberorum optimè colati libras octo.

Coque igne lento ad conſiſtentiam mellis, repone in vaſe vitreo aut fictili. Paratur etiam cum ſaccharo, addendo pro ſingulis libris ſucci, ſacchari libram vnam, & coquendo ad mellis ſpiſſitudinem.

ROB DE CORNIS.

℞ Succi pulpæ Cornorum libras duas.

Sacchari libram vnam ſemis. Coquantur ſecundùm artem, ad mellis conſiſtentiam.

ROB CYDONIORVM.

℞ Succi Cydoniorum depurati libras ſex.

Coque ad duarum partium conſumptionem, addendo ſacchari libras duas, denuò bulliant ad mellis ſpiſſitudinem: & poteſt parari ſine ſaccharo.

ROB PRVNORVM. ACIDORVM.

Fiat ex ſucco Prunorum acidorum, vt Cydoniorum.

ROB

ROB DE RIBES.

Paratur vt Rob de Berberis. Vt autem probè ſuccus depuretur, debet prius calefieri, dein reſideat, vt clareſcat, tum lento igne coquatur. Sic enim ſpiſſitudinem idoneam acquiret.

SVCCVS PRVNELLORVM PRO ACACIA SVBSTITVTVS.

℞ Succi Prunellorum ſylueſtrium ſ.a. depurati q.v. inſpiſſetur lento Balnei calore ad iuſtam conſiſtentiam.

Succi inſpiſſati ex Abſinthio,
Eupatorio,
Fumaria,
& reliquis quibuſuis, fiunt ex herbis ipſis tenellis, non adultis, contuſis, expreſſis, & ad ignem ferueſactis, donec bullire incipiunt, denuoque colatis, & ad iuſtam ſpiſſitudinem lento igne euaporatis.

SVCCVS GLYCYRRHIZÆ.

℞ Radicum Glycyrrhizæ boni ſaporis probè mundatarum & parum contuſarum q v. macerentur per triduũ in aquæ fontanæ eâ quantitate, vt duobus vel tribus aqua ſupereminceat digitis: dein parum ferueſiant & colentur: expreſſus denuò liquor leuitèr coquatur ad iuſtam ſpiſſitudinem, & in placentulas, Trochiſos, aliaſue ad placitum formas effingatur.

MIVA CYDONIORVM. MES.

℞ Succi Cydoniorum depurati libras duodecim.

Coquantur ad medietatis conſumptionem; tum adde vini albi veteris libras quinque.

Coquãtur lento igne, ſæpius deſpumentur ad tertiæ partis abſumptionem. Poſtquã reſederint, cola, & adde ſacchari ſat puri libras tres. Coquantur ad iuſtam Miuæ conſiſtentiam.

LOHOCH, SIVE ECLEGMATA.

LOHOCH è CAVLIBVS. *GORDONII.*

℞ Succi Caulium rubearum depurati & clarificati libram vnam.
Croci drachmas tres.
Mellis deſpumati,
Sacchari, an. libram dimidiam.
Fiat Lohoch ſ. a.

LOHOCH DE PAPAVERE. *MES.*

℞ Papaueris albi drachmas viginti quinque.
Amygdalarum dulcium,
Nucleorum Pineorum,
Gum: Arabici,
Tragacanthi,
Succi Glycyrrhizæ, ana drachmas decem.
Amyli drachmas tres.
Semin. Portulacæ,
Lactucæ,
Cydoniorum, ana vnciam dimidiam.
Croci drachmam vnam.
Penidiorum alborum vncias quatuor.
Syrupi de Papauere minus compoſiti (quem vide pag.28.) libras tres. Omnia contundantur & incidantur & cum ſyrupo excipiantur ſecundùm artem.

LOHOCH è PASSVLIS. *AVG.*

℞ Radic: Pœoniæ maris vnciam dimidiam.
Hyſſopi.
Meliſſæ.

Scolo-

Scolopendrij, ſiue Ceterach, ana manipul. dimidium.
Glycyrrhizæ vnciam dimidiam.
Decoquantur in ſufficienti quantitate aquæ pluuiæ, Colaturæ cum expreſſione valida factæ, addatur Paſſularum exacinatarum in mortario benè contuſarum libra vna:
Rurſum fiat decoctio, & per pannum lineum validè exprimatur, expreſſioni adde
Sacchari libram vnam.
Fiat Lohoch.

LOHOCH è PINO.
MES.

℞ Nucleorum Pineorum drachmas triginta.
Amygdalarum dulcium,
Auellanarum aſſatarum,
Gum. Tragacanthi,
Arabici,
Puluer. Glycyrrhizæ, & ſucci eiuſdem,
Amyli,
Capillorum Veneris,
Radic. Ireos, ana vnciam dimidiam.
Carnis Dactylorum fuluorum drachmas triginta quinque.
Amygdalarum amararũ drachmas tres.
Mellis Paſſulati,
Sacchari albi tabarzet,
Bûtyri recentis, ana vncias quatuor,
Mellis optimi q. ſ. aut libras tres.
Diſſoluātur quæ diſſoluenda ſunt, in ſufficienti quantitate decocti Capillorum Veneris, & reliqua addantur ſecundùm artem, vt fiat Lohoch.

LOHOCH è PVLMONE VVLPIS.
MES.

℞ Pulmonis vulpis præparati,
Succi Glycyrrhizæ,
Capillorum Veneris,
Semin. Aniſi,
Fœniculi, ana vnciam vnam.
Sacchari aqua Tuſſilaginis clarificati vncias quindecim.
Tritis terendis tenuiſſime Sacchano excipiantur omnia & ad debitam formam redigantur.

LOHOCH SANVM ET EXPERTVM.
MES.

℞ Cinnamomi,
Hyſſopi ſiccæ,
Glycyrrhizæ, ana vnciam dimidiam.
Iuiubarum,
Sebeſten, an. numero triginta.
Vuarum paſſarũ enucleatarum,
Ficuum ſiccarum,
Dactylorum pinguium, an. vncias duas.
Semin. Lini,
Fœnugræci, an. drachmas quinque.

Capillorum Veneris manipul. vnum.
Semin. Aniſi,
Fœniculi,
Radic. Iridis,
Calaminthæ, ana vnciam dimidiam.
Coquantur ſ.a. in aquæ clariſſimæ libris quatuor ad conſumptionem medietatis: colaturæ expreſſæ adde
Sacchari albiſſimi libras duas.
Coquantur rurſum ad conſiſtentiam ſyrupi, poſteà inſperge ſequentia minutiſſimè inciſa & contuſa,
NucleorumPineorum mundatorum drachmas quinque.
Amygdalarum dulcium,
Glycyrrhizæ,
Gum. Tragacanthi,
Arabici,
Amyli, ana drachmas tres
Radic. Ireos drachmas duas.
Agitentur omnia ſimul diligenter & celeriter, donec albeſcant.

ECLEGMA SCILLITICVM.

MES.

℞ Succi Scillæ depurati.
Mellis deſpumati ana libras duas.
Coquantur ſimul ſ. artem ad conſiſtentiam mellis.

CONDITA.

Condiuntur Saccharo diligenter clarificato ſecundùm artem.

- Caules
  - Angelicæ.
  - Cynaræ.
  - Lactucæ.
- Cortices
  - Aurantiorum.
  - Cinnamomi.
  - Citrorum.
  - Ligni Guaiaci.
  - Limonum.
- Flores
  - Aurantiorum.
  - Borraginis.
  - Citri.
  - Geniſtæ nondũ aperti.
  - Primulæ veris.
  - Roriſmarini.
  - Roſarum.
- Fructus vt ſunt
  - Amygdalæ.
  - Berberes.
  - Cappares.
  - Caryophylli.
  - Ceraſa.
  - Corna.
  - Citria.
  - Cydonia.
  - Mala
    - Armeniaca.
    - Perſica.
    - Vulgaria.
  - Meſpila.
  - Myrobalanorum quinque genera.
  - Nuces
    - Auellanæ.
    - Iuglandes.
    - Moſchatæ.
  - Paſſulæ.
  - Pineæ.
  - Piſtaciæ.
  - Oliuæ.
  - Piper in racemis ex India.
  - Poma.
  - Pruna
    - Hortenſia.
    - Sylueſtria.
  - Pyra.
  - Vuæ.

Pulpæ
- Caſiæ.
- Citri.
- Cucurbitæ.
- Cydoniornm.

Radices
- Acori vulgaris, Calami Aromatici, Galãgæ.
- Angelicæ.
- Borraginis.
- Bugloſſi.
- Cichorij.
- Crethami agreſtis.
- Enulæ Campanæ.
- Eryngij.
- Pimpinellæ
- Satyrij.
- Scolymi.
- Siſari, Siſeris, Secacul.
- Symphyti maioris.
- Zingiberis.
- Zedoariæ.

Et ſurculi, & ſæmina præter hæc condiuntur.

Modus condiendi ſit, vt quæ magis amara, aut ſubſtantiâ duriora fuerint, aliquandiù macerentur, primùm in lixiuio claro facto ex cineribus lignorum, deinde in aqua fontana calida, donec amaritudinem depoſuerint, aut humectata tenereſcant; pòſt aquâ leuiter expreſsâ, coquantur in Iulepo lento igne, deinde recondantur in vaſe vitreo, aut fictili vitreato, affundendo Iulepum cui incocta fuerunt; poteruntque condiri aromatibus, vt & moſcho, & ambrâ, pro libitû.

Quæ minus amara, molliora, non opus lixiuio vt macerentur, ſed leuiori ebullitione, Saccharum vt imbibant, & condiantur itidem.

CON-

CONSERVÆ & SACCHARA, HERBARVM, FOLIORVM, FLORVM ET FRVCTVVM.

CONSERVAE.
Abſinthij.
Acetoſæ.
Acetoſellæ ſiue Luiulæ.
Adianthi.
Auranciorum.
Betonicæ.
Borraginis.
Bugloſſi.
Cardui benedicti.
Centaurei.
Ceterach, Aſpleni.
Chamædryos.
Caryophyllorum, ſeu Tunicæ.
Cichorij.
Cochleariæ.
Conſolidæ maioris.
Citrariæ.
Cynosbati.
Enulæ.
Euphragiæ.
Fumiterræ.
Geniſtæ non plane maturorum.
Granatorum.
Lauendulæ.
Liliorum alborum.
Lilij conuallium.
Maluæ.
Nymphææ, Nenupharis.
Pœoniæ.
Perſicæ.
Primulæ veris.
Prunellæ.
Roſarum { Damaſcenarũ. Rubrarum.
Roriſmarini ſiue Anthûs.
Saluiæ.
Sambuci.
Scabioſæ.
Stœchados.
Tiliæ.
Tuſſilaginis.
Violarum.
Galegæ ſiue Rutæ capriariæ.
Gratiolæ.
Hyſſopi.
Maioranæ.
Meliſſæ.
Menthæ.
Rutæ.
Satureiæ.
Scordij.
Symphyti.

Folia & Flores minutiſsime incidantur, & ſingulis libris florum aut foliorum addantur
Sacchari albiſſimi libræ tres.

Sed vt flores & herbæ, non itidem parantur Berberes, Prunella, Fructus acidi: in iſtis, exempli gratiâ:

℞ Fruct. Oxyacanthæ ſiue Berberorum q.v. in aquæ fontanæ q.ſ. ſuper prunas viuaces bulliant, dum pulpa ab arillis per rarum ſetaceum conuenienter decoletur, deprimendo: dein
℞ Pulpæ præcolatæ libras ſex.

Pone in vitreato vaſe terreo(quòd acida ab æreo ingratùm ſapiant) & ad ignem lentum aquoſam humiditatem euapora: vacillo ligneo ſubinde agitando, ne ſuccus aduratur: demùm admiſce

Sacchari albi clari (vt eſt artis) libras decem,

ad conſiſtentiam coquendo debitam.

DIACODIVM SOLIDVM SIVE TABVLATVM.

℞ Capitum Papaueris albi mediocri magnitudine, nec nimis viridium, neque ſuprà modum maturorum numero viginti.

Aquæ pluuiæ aut fontanæ libras tres.

Macerentur horis viginti quatuor, deinde coquantur donec contabuerint capita & colentur, ad extremum adde Sacchari quantitatem ſufficientem, & coquatur vt artis eſt, vt exindè fiant tabulæ.

MANVS CHRISTI SIMPLEX ET PERLATA.

℞ Sacchari optimi libram vnam.

Aquæ Roſarum pallidarum ſemilibram.

Coquantur ſecundùm artem, & projiciendo ſuper marmor, fiat Manus Chriſti: Si ſub finem coctionis addatur Margaritarum præparatarum & tritarum vncia dimidia, cum foliis auri octo vel decem, fit Manus Chriſti perlata.

MANVS CHRISTI AD LVMBRICOS.

℞ Rhabarbari electi ſcrupulos quatuor.

Agarici trochiſcati,
Corallinæ,
Cornu Cerui vſti,
Dictamni Cretici,
Sem. Santonici,
Acetoſæ, ana ſcrupulum.
Cinnamomi,
Zedoariæ,
Caryophyllorum,
Croci, ana ſemiſcrupulum.
Sacchari albiſſimi tenuiter triti libram vnam.

Diſſoluatur Saccharum in aquæ Abſinthij vnciis quatuor cum Vini Abſinthites vncia, & aquæ Cinnamomi Cochleari vno, vt cum ſpeciebus præſcriptis fiant ſecundùm artem Manus Chriſti.

PENIDIA.

Conſtant, ex Saccharo, & aqua Hordei, eâ proportione & arte coctis, vt maſſa quædam exurgat admodùm ſolida, & ita tractabilis, vt digitis non adhæreat, & facilè

in

in fila ducatur tenuiora, craſſiora, breuiora aut longiora, contorta pro libitu; Plures addunt nonnihil Amyli.

CONFECTIO DE THVRE, *NOR.*

℞ Sem. Coriandri præparati vnciam ſemis.
Nucis Moſchatæ.
Thuris albiſſ. ana drachmas tres.
Glycyrrhizæ.
Maſtichis ana drachmas duas.
Cubebarum.
Cornu Cerui præparati ana drachmam vnam.
Conſer. roſarum rubrarum vnciam vnam.

Cum ſufficienti quantitate Sacchari albiſſ. fiat confectio in morſellis pondere drachmarum duarum.

SACCHARVM ROSATVM.

℞ Florum Roſarum rubrarum nondum plene maturarum vnciam vnam.

Forcipibus omnis albedo amputetur, deinde in vmbra ſiccentur, & terantur poſteà optimè in mortario lapideo, tum cum vnciis duodecim Sacchari optimi ſoluti in aqua Roſarum rubrarum; coquantur ſecundùm artem, dum aqua fuerit abſumpta: deinde proiiciatur ſenſim maſſa ſuper marmore, & fiant vel Manus Chriſti, vel placentulæ pro libitu. Sunt qui inter coquendum addunt Conſeruæ Roſarum rubrarũ vncias quatuor optimè immiſcendo, vnde Saccharum, & magis coloratum, & guſtui gratius redditur.

Eodem modo Saccharum conflatur Violatum, tabulatum.

Sic è Bugloſſo.
Capill: Veneris.
Cichorio.
Iride Flor.
Rad. Enulæ.
Symphyto, & aliis.

SPECIES SIVE PVLVERES.

AROMATICVM CARYOPHYLLATVM.

MES.

℞ Caryophyllorum drachmas ſeptem.
Macis,
Zedoariæ,
Galangæ minoris,
Santali Citrini,
Trochiſc. Diarhodon,
Cinnamomi,
Ligni Aloes,
SpicæNardi Indicæ,
Piperis longi,
Cardamomi, ana drachmam vnam.
Roſarum rubrarum drachmas quatuor.
Galliæ moſchatæ,
Glycyrrhizæ raſæ, ana drachmas duas.
Folij,
Cubebarũ, an. ſcrupulos duos.
Ambræ griſeæ optimæ drachmam vnam.
Moſchi ſemiſcrupulum.
Sacchari albiſſimi q. ſ.
Tritis omnibus diligentiſſimè fiat Puluis.
Cum Syrupi è Cytro admiſti q. ſ. Electuarium fieri poteſt.

AROMATICVM ROSATVM GABRIELIS.

℞ Roſarum rubrarum drachmas quindecim.
Glycyrrhizæ raſæ drachmas ſeptem.
Ligni Aloes,
Santali citrini, ana drachmas tres.
Cinnamomi electi drachmas quinque.
Caryophyllorum,
Macis, ana drachmas duas ſemis.
Gum. Arabici,
Tragacanthi, ana drachmas duas & ſcrupulos duos.
Nucis Moſchatæ,

Cardamomi minoris,
Galangæ, ana drachmam vnã.
Spicæ Indicæ,
Ambræ griſeæ, ana ſcrupulos duos.
Moſchi ſcrupulum vnum.

Pulueriſentur ſecundùm artem, & puluis ſeruetur in vaſe vitreo, vel fictili vitreato ad vſum.

Parari poteſt ſine ſpica propter ingratitudinem, quo nomine & in reliquis ſpecibus cordialibus Spica omitti poteſt.

PVLVIS CARDIACVS MINOR, *FERN.* l. 5. c. 21.

℞ Cornu Cerui,
Vnicorni,
Margaritarum ſplendidarum,
Scobis Eboris, ana grana ſex.

Fiat Puluis tenuis: ſi reſeruandus, ſingulorum quantitas augetur analogicè.

PVLVIS CARDIACVS MAIOR, *FERNELII.*

℞ Radic: Tormentillæ,
Dictamni,
Tunicæ,
Scabioſæ,
Sem. Acetoſæ,
Coriandri præp.
Citri,
Cardui benedicti,
Endiuiæ,
Rutæ, ana drachmam vnam.
Trium Santalorum,
* Been { albi, rubri, } { vel ſucced. pag. 60.
Doronici Romani,
Cinnamomi,
Cardamomi,
Croci.
Flor. Bugloſſi vtriuſque,
Roſarum rubrarum,
Nymphææ,
Ligni Aloes,
Macis ana ſcrupulos duos,
Raſuræ Eboris.
Spodij,
Oſſis è corde Cerui,
Corallij rubri,
Margaritarum ſplend.
Smaragdi,
Hyacinthi,
Granati, ana ſcrupulum vnum.
Serici crudi torrefacti,
Boli Armeni,
Terræ Lemniæ, an. ſemidrachmam.
Caphuræ,
Ambræ griſeæ,
Moſci, ana grana ſex.

Fiat Puluis, & ex octuplo Sacchari albi aquâ roſarum ſoluti, tabellæ concinnentur.

PVLVIS AD CONTVSOS EX CASV, *AVGVST.*

℞ Terræ ſigillatæ,

Sangui-

Sanguinis Draconis,
Mumiæ, ana drachmas duas.
Spermatis Ceti drachmam vnam.
Rhabarbari drachmam dimidiam.
Fiat omnium Puluis ſecundùm artem.

SPECIES CORDIALES TEMPERATÆ.

℞ Ligni Aloes,
Spodij, ana drachmam vnam.
Cinnamomi,
Caryophyllorum,
Oſſis de corde cerui,
Radic. Angelicæ.
* Been vtriuſque, (vel eorum loco Radic. Caryophyllatæ & Tormentillæ,) ana drachmam vnam ſemis.
Margaritarum præparatarũ drachmas ſex.
Serici crudi toſti.
Corallij vtriuſque, ana drachmas duas.
Hyacinthi,
Smaragdi,
Sapphyri, ana drachmam dimidiam.
Croci ſcrupulum vnnm.
Ambræ griſeæ,
Moſchi, ana drachmam dimidiam.
Folia { Auri. Argenti, ana decem.
Fiat Puluis ſecundùm artem.

DIACALAMINTHES SIMPLEX. *GALENI.*

℞ Calaminthæ Montanæ,
Pulegij,
Origani.
Sem. Petroſelini Macedonici,
Petroſelini,
Seſeleos, ana drachmas duas.
Sem. Apij,
Cymarum Thymi, an. vnciam dimidiam.
Sem. Liguſtici,
Piperis nigri, an. vnciam vnam.
fiat puluis ſecundùm artem.
Fieri etiam poteſt Electuarium, cum Sacchari albiſſimi (ſoluti in aqua Violarum aut Roſarum) libris duabus ſemis.

SPECIES ELECTVARII DIACALAMINTHES COMPOSITI, *FER.*

℞ Pulueris Electuarij Diacalaminthes ſimplicis vnciam dimidiam.
Folior. Praſij,
Maioranæ,
Meliſſæ.
Artemiſiæ,
Sabinæ, aridorum, ana drachmam vnam.
Radic. Cyperi,
Sem. Rubiæ.
Rutæ,
Macis,

Cinna-

Cinnamomi , ana ſcrupulos duos.
Terantur & miſceantur diligentiſſimè; fieri etiam poteſt Electuarium cum Sacchari in aqua Parthenij ſoluti duodecuplo.

DIANISVM, *MES.*

℞ Semin. Aniſi elect. vncias duas ſemis.
Glycyrrhizæ raſæ,
Maſtiches, an. vnciam vnam.
Sem. Carui,
Fœniculi,
Galangæ,
Macis,
Zingiberis,
Cinnamomi , an. drachmas quinque.
Trium Piperum,
Caſiæ ligneæ,
Calaminthæ,
Pyrethri, ana drachmas duas.
Cardamomi,
Caryophyllorum,
Cubebarum,
Spicæ Indicæ,
Croci, ana ſeſquidrachmam.
Sacchari albi vncias quinque.
Fiat Puluis , & cum melle deſpumato Electuarium.

SPECIES ELECTVARII DIACYMINI, *NICOLAI.*

℞ Cymini per diem naturalem infuſi in aceto , & iterum exiccati, vnciam vnam, & ſcrupulum vnum.
Cinnamomi,
Caryophyllorum, an. drachm. duas ſemis.
Galangæ,
Satureiæ,
Calaminthes , ana drachmam vnam & ſcrupulos duos.
Zingiberis,
Piperis nigri, an. drachm. duas, & grana quinque.
Sem. Liguſtici,
Ammios, an. drach. vnam & grana octodecim.
Piperis longi drachm. vnam.
Spicæ Nardi,
Nucis Moſchatæ,
Cardamomi, an. ſcrupulos duos ſemis.
Terantur, & diligenter recondantur ad vſum, in forma Pulueris.

SPECIES ELECTVARII DIAGALANGÆ, *MES.*

℞ Galangæ,
Ligni Aloes , an. drachm. ſex.
Caryophyllorum,
Macis,
Semin. Liguſtici , an. drachm. duas.
Zingiberis,
Piperis longi,
albi,
Cinnamomi,
Calami Aromatici , an. drach. vnam ſemis.

Calaminthæ ſiccæ,
Menthæ ſiccæ,
Cardamomi maioris,
Spicæ Indicæ,
Sem. Apij,
Aniſi,
Fœniculi,
Carui,an.drachm.vnam.
fiat Puluis ſecundùm artem.

Fieri etiam poteſt electuarium cum Sacchari albi, vino Maluatico ſoluti,
vel Mellis deſpumati duodecuplo.

SPECIES ELECTVARII DE GEMMIS CALIDI, *MES.*

℞ Trochiſcorum Diarhodon,
Ligni Aloes; ana drachmas quinque.
Margaritarum albarum.
Zedoariæ,
Doronici,
Cortic. Citri.
Macis.
Sem. Ocimi Caryophyllati.
Ambræ griſeæ veræ, an. drachmas duas.
Corallij rubri,
Succini albi,
Raſuræ Eboris, an. ſcrupulos quinque.
Sapphyri,
Hyacynthi,
Sardæ,
Granati,
Smaragdi,
Cinnamomi,
Galangæ,
Zurumbet, an. drachmam vnam ſemis.
* Been vtriuſque (vide ſucced. pag. 60.)
Caryophyllorum,
Zingiberis,
Piperis longi,
Spicæ Indicæ,
Folij, vel Spicæ Celticæ,
Croci,
Cardamomi maioris,an.drachmam vnam.
Folior. Auri.
Argenti, an. ſcrupulos duos.
Moſchi drachmam dimidiam.
Fiat omnium Puluis ſecundùm artem, & ſeruetur ab aere concluſus diligentiſſimè.

SPECIES ELECTVARII DE GEMMIS FRIGIDI.

℞ Margaritarum præparatarum drachmas tres.
Spodij,
Raſuræ Eboris,
Corallij vtriuſque, ana drachmas duas.
Flor. Roſarũ rubrarum drachmam vnam ſemis.
Hyacinthi,
Sapphyri,

Sma-

Smaragdi,
Sardæ,
Granati,
Santali { albi, rubri, Citrini,
Flor. Borraginis,
Bugloſſi,
Sem. Acetoſæ,
Baſilici,
* Been vtriuſque(vide pag. 60.) ana drachmam vnam.
Oſſis è corde Cerui drachmam dimidiam.
Folia Auri,
Argenti, ana quindecim.
Fiat puluis ſecundùm artem, diligenter reponatur.

SPECIES ELECTVARII DIAIREOS SIMPLICIS, *NICOLAI.*

℞ Ireos vnciam dimidiam.
Sacchari candi,
Specierum Diatragacanthi frigidi, ana drachmas duas.
Fiat Puluis.

SPECIES DIALACCÆ. *MES.*

℞ Laccæ præparatæ,
Rhabarbari,
Schœnanthi, ana drachmas tres.
Spicæ.
Maſtiches,
Succi Abſinthij Romani,
Eupatorij, i. Agerati,
Sem. Apij,
Ammeos,
Fœniculi,
Aniſi,
Sabinæ,
Amygdalarum amararum,
Myrrhæ,
Coſti, ſeu Zedoariæ,
Radic. Rubiæ tinctorum.
Aſari,
Ariſtolochiæ { longæ, rotundæ,
Gentianæ,
Croci,
Cinnamomi,
Hyſſopi ſiccæ,
Caſiæ ligneæ veræ,
Bdellij, ana drachmam vnam ſemi.
Piperis,
Zingiberis, ana drachmam vnam.
fiat Puluis ſ. a.
Fieri etiam poteſt Electuarium cum Mellis vel Sacchari vino albo, vel aquâ Cichorij, ſoluti, q. ſ.

SPECIES ELECTVARII DIAMARGARITON CALIDI, *AVICEN.*

℞ Margaritarum albiſſimarum,
Pyrethri, ana drachmam vnam.
Zingiberis,

Maſtiches, ana vnciam dimidiam.
Doronici,
Zedoariæ,
Sem. Apij,
Cardamomi vtriuſque,
Nucis Moſchatæ,
Macis: ana drachmas duas.
⁎ Been vtriuſq; vide ſuccedan. pag. 60.
Piperis { nigri, longi, ana drachmas tres.
Cinnamomi drachmas quinque.
Puluerizentur, reponantur ad vſum.

SPECIES ELECTVARII DIAMARGARITON FRIGIDI, *NICOLAI.*

℞ Semin. quatuor frigidorũ maiorum mundatorum.
Sem. Portulacæ,
Papaueris albi,
Endiuiæ,
Oxalidis,
Citri,
Trium Santalorum,
Ligni Aloes,
Zingiberis,
Flor. Roſarum rubrarum,
Nymphææ,
Bugloſſi,
Violarum,
Baccarum Myrti,
Oſſis è corde Cerui,
Eboris,
Doronici Romani.
Cinnamomi, ana drachmam vnam.
Corallij vtriuſque, ana drachmam dimidiam.
Margaritarum ſplendidarum drachmas tres.
Ambræ griſeæ.
Caphuræ, ana grana ſex.
Moſchi grana duo.
fiat Puluis ſecundum artem.

Obſeruandum autem, vt ſemina frigida Maiora & Papaueris mundata non priùs addantur, quàm ſpecies requiruntur à Medico ad vſum, alioqui compoſitio fiet rancida: & ſic in reliquis ſpeciebus, quarum compoſitionem hæc ſemina ingrediuntur.

SPECIES ELECTVARII DIAMBRÆ, *MES.*

℞ Cinnamomi,
Doronici, ſiue Zedoariæ,
Caryophyllorum,
Macis,
Nucis Moſchatæ,
Folij,
Galangæ, ana drachmas tres.
Spicæ Indicæ,
Cardamomi maioris,
minoris, ana drachmam vnam.
Zingiberis drachmam vnam ſemis.
Ligni Aloes,

Santali Citrini,
Piperis longi, ana drachmas duas.
Ambræ griſeæ ſeſquidrachmam.
Moſchi drachmam dimidiam.
Miſce, fiat omnium Puluis.

SPECIES ELECTVARII DIAMOSCHV DVLCIS, *MES.*

℞ Croci,
Doronici, ſeu Galangæ,
Zedoariæ,
Ligni Aloes,
Macis, ana drachmas duas.
Margaritarum albarum,
Serici crudi toſti,
Succini,
Corallij rubri,
Galliæ Moſchatæ,
Ocimi Citriati, ana drachmas duas ſemis.
Zingiberis.
Cubebarum.
Piperis longi, ana drachmam vnam ſemis.
* Been vtriuſque, vel ſuccedan: pag. 60.
Folij, aut Cinnamomi,
Spicæ Indicæ,
Caryophyllorum, ana drachmam vnam.
Moſchi ſcrupulos duos.
Fiat Puluis ſecundùm artem: fiet & Electuarium, addendo ſacchari vino albo ſoluti quadruplũ.

SPECIES ELECTVARII DIAMOSCHV AMARI, *MES.*

Ad eadem ingredientia, & pari doſi, adde
Abſinthij,
Roſarum, ana drachmas tres
Aloes optimæ lotæ ſemunciam
Cinnamomi drachmas duas ſemis.
Caſtorei,
Liguſtici, an. drachmam vnam
Fiat puluis.

SPECIES ELECTVARII DIANTHON, *NICOLAI.*

℞ Flor. Roriſmarini vnciam vnã,
Roſarum rubrarum,
Violarum,
Glycyrrhizæ, an. drachmas ſex.
Caryophyllorum,
Spicæ Indicæ.
Nucis Moſchatæ.
Galangæ.
Cinnamomi,
Zingiberis,
Zedoariæ,
Macis,
Ligni Aloes,
Cardamomi,
Sem: Anethi,
Aniſi, an. ſcrupulos quatuor.
Fiat Puluis ſecundùm artem.

DIAPENIDION,
NIC.

℞ Penidiorum vncias duas.
Nucum Pinearum,
Amygdalarum dulcium mundatarum,
Sem. Papaueris albi, ana drachmas tres, ſcrupulum vnum.
Cinnamomi.
Caryophyllorum
Zingiberis
Succi Glycyrrhizæ,
Gum. Tragacanthi,
Arabici,
Amyli candidiſſimi.
Sem. 4. frig. mai. excortic. ana ſeſquidrachmam.
Camphoræ grana ſeptem.
Sacchari albiſſimi q. ſ. vel in forma Electuarij, cum Syrupo Violarum.

DIARHODON ABBATIS,
NICOLAI.

℞ Santalorum alborum,
rubrorum, ana drachmas duasſemis.
Gum. Tragacanthi,
Arabici,
Spodij, ana ſcrupulos duos.
Aſari,
Maſtiches,
Spicæ Indicæ,
Cardamomi,
Glycyrrhizæ,
Croci,
Ligni Aloes.
Caryophyllorum,
Galliæ Moſcatæ,
Sem. Aniſi.
Fœniculi,
Cinnamomi,
Rhabarbari,
Sem. Ocimi.
Acinorum Berberis,
Sem. Scariolæ.
Portulacæ.
Cucurbitæ.
Cucumeris,
Citruli,
Melonum,
Papaueris albi, ana ſcrupulum vnum,
Margaritarum.
Oſſis è Corde Cerui, ana ſcrupulum dimidium.
Sacchari candi,
Roſarum rubrarũ, an. vnciam vnam, & drachmas tres.
Camphoræ grana ſeptem.
Moſchi grana quatuor.
Fiat Puluis ſ. a.
Fieri etiam poteſt Electuarium cum octuplo Sacchari diſſoluti in aqua Roſacea.

DIOSPOLITICVM,
GALENI.

℞ Cymini præparati,
Piperis longi,
Folior. Rutæ ſiccatorum, ana vnciam vnam.
Nitri vnciam dimidiam.
Fiat puluis.

SPECIES

SPECIES ELECTVARII DIATRAGACANTHI FRIGIDI, *NICOLAI.*

℞ Gum. Tragacanthi albi vncias duas.
Arabici vnciam vnam & drachmas duas.
Amyli vnciam dimidiam.
Glycyrrhizæ,
Sem: Melonum.
Papaueris albi.
Citruli,
Cucumeris,
Cucurbitæ, ana drachmas duas.
Penidiorum vncias tres.
Caphuræ ſemiſcrupulum.
Fiat puluis ſ.a.

Fieri etiam poteſt Electuarium, cum ſyrupi violacei ſufficienti quantitate: At cautio habenda eſt, (vt priùs) de ſeminibus frigidis.

SPECIES ELECTVARII DIATRION PIPEREON, *GALENI.*

℞ Trium piperum, an. drachmas ſex, & grana quindecim.
Sem: Aniſi.
Thymi,
Zingiberis, an. drachmam vnam.
Fiat Puluis: & cum Saccharo in aqua florum Roriſmarini ſoluto, vel melle prout res poſtulauerit fieri poteſt Electuarium ſ. a.

SPECIES ELECTVARII DIATRION SANTALON, *NIC.*

℞ Santalorum omnium.
Roſarum rubrarum,
Sacchari candi, ana drachmas tres.
Rhabarbari,
Spodij,
Succi Glycyrrhizæ,
Sem: Portulacæ, an. drachmas duas, & grana quindecim.
Amyli,
Gum: Arabici,
Tragacanthi,
Sem: Melonum,
Cucumeris,
Citruli,
Cucurbitæ,
Scariolæ, an. drachmam vnam ſemis.
Camphoræ Scrupulum vnum.
Fiat puluis ſ. a.

Fieri etiam poteſt Electuarium cum octuplo Sacchari in aqua Roſacea ſoluti.

PVLVIS HALY.

℞ Sem. Papaueris albi drachmas decem.

Gummi Arabici,
Amyli,
Tragacanthi, an. drachmas tres.
Semin: Portulacæ.
Althææ,
Maluæ, an. drachmas quinque.
Cucumeris.
Melonis,
Cucurbitæ,
Citruli,
Cydoniorum mundatorũ, an. drachmas ſeptem.
Spodij,
Glycyrrhizæ, ana drachmas tres.
Penidiorũ ad pondus omniũ.
Fiat puluis ſ. a.

LÆTIFICANS GALENO ADSCRIPTVS.

℞ Florum Ocimi Caryophyllati aut ſem: eiuſdem.
Croci,
Zedoariæ,
Xyloales,
Caryophyllorum,
Corticum Citri,
Galangæ,
Macis,
Nucis Moſchatæ,
Styracis Calamitæ, ana drachmas duas ſemis.
Raſuræ Eboris,
Sem. Aniſi,
Thymi,
Epithymi, ana drachmam vnam.
Oſſis è Corde Cerui,
Margaritarum,
Camphoræ,
Ambræ,
Moſchi, ana drachmam dimidiam.
Folior: Auri,
Argenti, ana ſcrupulum dimidium.
Fiat Puluis ſ. a. reſeruetur diligenter ad vſum.

SPECIES CONFECTIONIS LIBERANTIS.

℞ Radic: Tormentillæ,
Semin: Acetoſæ,
Endiuiæ,
Coriandri præparati,
Citri, an. drachmam vnam ſemis.
Santalorum omnium,
Dictamni albi, an. drachmam vnam.
Boli Armeni,
Terræ Lemniæ, ana drachmas tres.
Margaritarum,
Corallij vtriuſque,
Succini albi,
Raſuræ Eboris,
Spodij,
Oſſis è Corde Cerui,
* Been vtriuſque, vel ſuccedan: pag: 60.
Radic: Angelicæ.

Carda-

Cardamomi,
Cinnamomi,
Macis,
Ligni Aloes,
Caſſiæ Ligneæ,
Croci,
Zedoariæ, ana drachmam dimidiam.
Penidiorum,
Sacchari candi,
Serici crudi toſti,
Smaragdi,
Hyacynthi,
Granati, ana ſcrupulos duos.
Flor. Nymphææ,
Bugloſſi,
Roſarum rubrarum, ana ſcrupulum vnum.
Camphoræ grana ſeptem,
Moſchi,
Ambræ griſeæ, ana grana tria.
Fiat Puluis ſecundùm artem.

LITHONTRIBON,
NIC. SEC. FERN.

℞ Spicæ Nardi,
Zingiberis,
Cinnamomi,
Melanopiperis,
Cardamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Coſti,
Glycyrrhizæ,
Cyperi,
Tragachanthæ,
Chamædryos, ana ſcrupulos duos.
Semin. Ammeos.
Apij,
Aſparagi,
Ocimi,
Vrticæ,
Citri,
Saxifragiæ,
Pimpinellæ,
Carui,
Dauci,
Fœniculi,
Ruſci,
Petroſelini Macedonici.
Bardanæ.
Seſeleos,
Aſari, ana drachmam vnam.
Lapidis Spongiæ,
Lyncis,
Cancri,
Iudaici, ana drachmam vnam ſemis.
Sanguinis Hircini præparati vnciam vnam ſemis. fiat Puluis ſecundum artem.

PVLVIS SAXONICVS.

℞ Radic. vtriuſque Angelicæ,
Vincetoxici,
Valerianæ domeſticæ,
Polypodij quercini,
Radic. Althææ,
Vrticæ, ana vnciam dimidiam:
Cortic. Mezerei German. drachmas duas.
Granorum herbæ Paridis numero viginti quatuor.
Folior. eiuſdem, cum toto, numero triginta ſex.
Ex maceratis in aceto radicibus, & ſiccatis, fiat omnium puluis.

PVLVIS PALMARII AD MORSVM CANIS RABIDI,

℞ Folior. Rutæ,
Verbenæ,
Saluiæ,
Plantaginis,
Polypodij,
Abſinthij vulgaris,
Menthæ,
Artemiſiæ,
Meliſſophylli,
Betonicæ,
Hyperici,
Centaurij minoris, an. p.æ.
Legantur ſingula, quo tempore viribus pollent maximis, quod ad Iunij ferè plenilunium aſſequuntur. Papyraceis dein chartis concluſa ſiccentur ſeorſim in loco, ad quem, neque Sol, neque pluuia pertingat: Siccata ad futuros vſus aſſeruentur, eâ lege, vt quotannis renouentur:

Quum vtendi neceſſitas incidet ſingulorum æquale pondus in puluerem tenuiſſimum redigito.

PLERES ARCHONTICON, *NICOLAI.*

℞ Cinnamomi,
Caryophyllorum,
Ligni Aloes,
Galangæ,
Spicæ Indicæ,
Nucis Moſchatæ,
Zingiberis,
Spodij,
Schœnanthi,
Cyperi,
Roſarum,
Violarum, an. drachmã vnam.
Folij, ſeu Macis,
Glycyrrhizæ,
Maſtiches,
Styracis Calamitæ.
Maioranæ.
Balſamitæ ſeu Menthæ aquaticæ.
Ocimi.
Cardamomi.
Piperis Longi.
Albi.

Myrti.

Myrtilorum baccarum,
Corticum Citri, ana drachm. dimidiam & grana ſex.
Margaritarum,
* Been { Albi, Rubri, } { vel ſuccedan. pag. 58.
Corallij rubri,
Serici toſti, ana grana octodecim.
Moſchi grana ſex.
Camphoræ grana quatuor.
Fiat Puluis ſecundùm artem. Poterit etiam cum decuplo ſacchari ſoluti in aqua Meliſſæ formari in Electuarium.

PVLVIS PRÆSERVATIVVS A PESTE,
MONTAGNANAE.

℞ Santalorum omnium,
Semin. Ocimi, ana vnciam vnam ſemis.
Boli Armeni,
Cinnamomi, ana vnciam vnam.
Radic. Dictamni,
Gentianæ,
Tormentillæ, ana drachmas duas ſemis.
Semin. Citri,
Acetoſæ, ana drachmas duas.
Margaritarum,
Sapphyri,
Oſſis de corde Cerui, an. drachmam vnam.
Fiat Puluis ſecundùm artem, diligenter reponatur.

SPECIES ELECTVARII ROSATÆ NOVELLÆ,
NICOLAI.

℞ Roſarum,
Sacchari,
Glycyrrhizæ, ana vnciam vnā drachmam vnam, ſcrupulos duos ſemis.
Cinnamomi drachmas duas, ſcrupulos duos, grana duo.
Caryophyllorum,
Nardi Indicæ,
Zingiberis,
Galangæ,
Nucis Moſchatæ,
Zedoariæ,
Styracis,
Cardamomi,
Apij, ana ſcrupulum vnum grana octo.
Sacchari albiſſimi q. ſ.
Fiat Puluis: inde Electuarium ſ. a.

PVLVIS AD HÆMORRHAGIAM,
GALENI.
Meth. l. 5. c. 4.

℞ Thuris drachmam vnam.
Aloes drachmam dimidiam.
Fiat Puluis. Cùm vtendi tempus inſtat, tantum huius cum oui candido ſubigitur, quantum mellis reddat

reddat craſſitudinem; hoc Leporis molliſſimis pilis excipitur, deinde tum vaſi profluenti, tum vlceri toti liberaliter imponitur, adhibitâ ligaturâ conuenienti.

PVLVIS AD SCABIEM.

℞ Sulphuris viui,
Nitri,
Folior. Maioranæ, ana drachmas duas.
Lithargiri auri,
Radic. Ellebori nigri, an. drach. vnam.
Pimpinellæ drachmam dimidiam.
Fiat Puluis ſecundùm artem.

PVLVIS RADVLPHI HOLLAND.

℞ Sem. Aniſi,
Carui,
Fœniculi,
Cymini,
Spicæ Nardi,
Cinnamomi,
Galangæ, ana vnciam dimidiam.
Glycyrrhizæ,
Milij Solis, ana vnciam vnam.
Sennæ ad pondus omnium.
Fiat Puluis.

PVLVIS SANCTVS, BRASAVOLAE.

℞ Foliorum Sennæ,
Cremoris Tartari, ana vncias duas.
Caryophyllorum,
Cinnamomi,
Galangæ,
Ammeos, ana drachmas duas.
Diagrydij vnciam dimidiam.
Fiat Puluis ſecundùm artem.

In defectu ſeminum Ammeos legitimorum aut recentium quibus ſæpiſsime deſtituimur, ſubſtituenda quidem Aniſi ſemina conuenimus cum Antidotario Bergomenſi.

PVLVIS SENNÆ.

℞ Sennæ optimæ vncias duas.
Cremoris Tartari vnciam dimidiam.
Macis ſcrupulos duos ſemis.
Zingiberis.
Cinnamomi, ana drachmam vnam.
Salis Indi drachmam vnam.
Fiat Puluis ſ. a.

DIATVRBITH MAIVS SINE RHABARBARO.

℞ Turpeti optimi vnciam vnam.
Diagrydij,
Zingiberis, an. vnciam dimidiã.
Caryophyllorum.

Caryophyllorum, ana drachm. duas.
Galangæ,
Piperis longi,
Macis, ana drachmam vnam.
Fiat Puluis: Et cum Sacchari albiſſimi vnciis octo & drachmis quinque in aq. Cichorij ſolutis, fieri poteſt Electuarium ſ. a.

DIATVRBITH CVM RHABARBARO, *MONTAGNANAE.*

℞ Turpeti optimi,
Hermodactylorum, an. vnciam vnam.
Rhabarbari drachmas decem.
Diagrydij vnciam dimidiam.
Santali rubri,
albi,
Violarum,
Zingiberis, ana drach. vnam ſemis.
Maſtiches,
Aniſi,
Cinnamomi,
Croci, ana drachmam dimidiam, fiat puluis: Et cum Sacchari albiſſimi libra vna, vnciis duabus, & drachmis duabus in aq. Cichorij ſolutis, fieri poteſt Electuarium ſecundùm artem.

PVLVIS AD LVMBRICOS.

℞ Sem. Sanctonici vncias quatuor.
Folior. Sennæ vnciam vnam.
Coriandri præparati,
Cornu Cerui, ana drachmam dimidiam.
Rhabarbari vnciam dimidiam.
Rutæ ſiccæ drachmas duas.
Fiat Puluis.

ELECTVARIA.

ANTIDOTVS ANALEPTICA SIVE ELECTVARIVM RESVMPTIVVM, *FERNELII.*

℞ Roſarum rubrarum,
Glycyrrhizæ ; ana drachmas duas & grana quinque.
Gum. Arabici.
Tragacanthi, ana drachmas duas & ſcrupulos duos.
Santali albi,
rubri, ana ſcrupul. quatuor.
Succi Glycyrrhizæ,
Amyli,
Semin. Papaueris albi,
Portulacæ,
Lactucæ,
Scoriolæ, ana drachm. tres.
Quatuor Semin. frigidorum maiorum.
Sem. { Cydoniorum,
Maluæ,
Bombacis,
Violarum,
Strobilorum,
Piſtaciorum recentium,
Amygdalarum dulcium,
Pulpæ Sebeſten, ana drachmas duas.
Caryophyllorum,
Spodij,
Cinnamomi an. drachm. vnam
Croci grana quinque.
Penidiorum vnciam dimidiã.
Trita omnia excipiantur triplo Syrupi violati, & fiat Electuarium molle.

CONFECTIO ALKERMES, *MES.*

℞ Succi Pomorum fragrantium.
Aquæ Roſarum odoratiſſimæ, ana libram vnam ſemis.
Quibus

Quibus infunde per horas viginti quatuor,
Serici crudi vncias quatuor.
Expreſſioni forti adde,
Succi granorum Kermes ad nos aduecti, puri libram vnam.
Sacchari libras duas.
Coque ad mellis conſiſtentiam, Mixturæ ab igne ſepoſitæ, adhuc autem calenti, adde
Ambræ griſeæ crudæ minutim conciſæ vnciam dimidiam.
Quibus optimè liquatis, ſuperinjicito ſequentia pulueriſata.
Cinnamomi electi,
Ligni Aloes optimi,
Lapidis Lazuli vſti in Crucibulo,
(dein pulueriſati, & loti; primum in aqua communi, dein in aqua Roſacea aut Borraginis, idq; multoties, ita vt poſt lotionem exiccetur, denuoque lauetur; & eouſque hæc reiteretur operatio, donec aqua limpida poſt lotionem remaneat) an. drach. ſex.
Margaritarum pellucidarũ præparatarum drach. tres
Folior. Auri,
Moſchi optimi, an. drachm. vnam.
Confice ſecundùm artem.

ELECTVARIVM DE BACCIS LAVRI, *RHASIS*.

℞ Folior. Rutæ aridorum drachmas decem.
Sem. Ammeos,
Cymini,
Liguſtici,
Origani,
Nigellæ,
Carui,
Dauci,
Petroſelini,
Amygdalarum amararum.
Piperis nigri,
longi,
Menthaſtri,
Acori, vel Calami aromatici.
Baccarum Lauri,
Caſtorei, an. drach. duas.
Sagapeni vnciam dimidiam.
Opopanacis drachmas tres.
Mellis deſpumati libram vnam ſemis.
Tritis diligenter quæ terenda, fiat Electuarium ſecundùm artem, ſub finem additis vino dilutis lachrymis.

ATHANASIA MITHRIDATIS, è *GALENO*.

℞ Cinnamomi,
Caſiæ,
Schœnanthûs, ana ſeſquiunciã.
Croci,
Myrrhæ, ana vnciam.
Coſti,
Mei,
Acori,
Agarici,
Scordij,
Dauci,

Petroſelini, an. ſemunciam.
Piperis albi grana vndecim.
Mellis q. ſ.
Compone, vt artis eſt.

DIACAPPARIS, GILBERTI ANGLI.

℞ Capparis vncias quatuor.
Radic. Agrimoniæ,
Semin. Gith, i. e. Nigellæ Rom.
Scillæ,
Aſari,
Centaureæ,
Pyrethri,
Piperis nigri,
Apij,
Thymi, ana vnciam vnam,
Mellis q. ſ.
Fiat Electuarium ſecundùm artem.

DIACINNAMOMVM. MES.

℞ Cinnamomi tenu. drachmas quindecim.
Caſiæ Ligneæ,
Radic. Helenij, ana ſemunciam
Galangæ drachmas ſeptem.
Caryophyllorum,
Piperis longi,
Cardamomi vtriuſque
Zingiberis,
Macis,
Nucis Moſchatæ,
Xyloaloes, an. drachmas tres.
Croci drachmam.
Sacchari tabarzet, i. e. criſtallini albiſſ. drachmas quinque.
Moſchi ſcrupulos duos.
Excepta mellis deſpumati libris duabus, vnciis octo, Coque.
Fiat Electuarium ſecundùm artem.

DIACORALLION VSVAL. COLON.

℞ Corallij albi,
rubri,
Boli Armeni veri,
Sanguinis Draconis, an. drachmam.
Margaritarum ſemidrachm.
Xyloaloes,
Roſarum rubrarum,
Gum. Tragacanthi,
Cinnamomi, an. ſcrupul. duos.
Santali albi,
rubri, an. ſcrupulum.
Miſce, fiat Puluis, è puluere Electuarium ſ. a. cum
Sacchari albiſſimi, & Aq.
Cinnamomi ten. ana q. ſ.

DIACORVM, MES.

℞ Radic. Secacul, ſeu Siſeris,
Acori, ſeu Calami aromatici,
Pinearum, ana ſeſquilibram.
Radicibus Secacul. mundatis, inciſis, coctis, piſtatis, tritis dum pulti ſimiles, affunde.
Mellis deſpumati libras decem.
Coquan-

Coquantur agitando, ad iuſtam ſpiſſitudinem, tum adde tritas radices Acori, inciſas Pineas, mixtas ſequenti pulueri;

℞ Piperis nigri vnciam,
longi,
Caryophyllorum,
Zingiberis,
Macis, an. ſemunciam.
Nucis Moſchatæ,
Galangæ,
Cardamomi, ana drachmas tres.

Miſce cum radicibus, & Melle q. ſ. agitando ne grumi relinquantur. Fiat Electuarium ſ. a.

ELECTVARIVM è SCORIA FERRI, *RHASIS.*

℞ Scoriæ ferri aceto infuſæ per dies ſeptem, poſteà torrefactæ, drachmas tres.
Spicæ Indicæ,
Schœnanthûs,
Cyperi,
Zingiberis,
Piperis,
Ammeos,
Thuris, ana ſemunciam.
Myrobalanorum. Indarum, Belliricarum, Emblicarum,
Mellis decocti cum apozemate Emblicarū vncias ſedecim.

Miſce: fiat Electuarium.

DYACYDONIVM SIMPLEX.

℞ Carnis Cydoniorum mundatorum, & in fruſta diſſectorum, & in aqua dulci ad ſpiſſitudinem coctorum libras octo.
Sacchari albiſſimi deſpumati, & ad iuſtam conſiſtentiam concocti libras ſex.

Coque ad ſpiſſitudinem.

DYACYDONIVM. GALENI CVM SPECIEBVS.

℞ Succi Pomorum Cydoniorum,
Sacchari optimi, ana libras duas.
Aceti vini albi libram ſemis in fine decoctionis.

Coctis ſupra prunas modicè & ſpumâ detractâ, adde
Zingiberis vncias duas,
Piperis albi drachmas decem & ſcrupulos duos.

craſſiuſculè inciſorum, deinde rurſus lento igne recoque ad mellis craſſitudinem.

DYACYDONIVM LONDINENSE COMPOS.

℞ Sacchari albi libras ſex.
Aquæ fontanæ libras quatuor.

Clarificentur cum albumine oui, & diligenter deſpumentur: Dein

℞ Cydoniorum maturorum à corticibus exterioribus & ſeminibus expurgatorum, & in quatuor partes inciſorum libras octo.

Coquantur in ſyrupo prædicto dum carnes teneræ ſint, deinde per pannum laneum (ſiue boulterum vulgò vocatum) coletur ſuccus ſiue ſyrupus. Iterum coquantur ad gelatinæ conſiſtentiam cum aceti vini albi vnciis quatuor in fine additis, ſyrupo ab igne remoto, dum adhuc caleſcit, inſperge has ſpecies ſequentes ; craſſo modo inciſas, ſcilicet

Zingiberis vnciam vnam.
Piperis albi,
Cinnamomi,
Nucis Moſchatæ, an. drachm. duas.

In pyxidibus diuerſis reſeruetur.

Eodem modo paretur Diacydonium ſimplex.

CONFECTIO DE HYACINTHO.

℞ Hyacinthorum,
Corallij rubri,
Boli Armeni,
Terræ ſigillatæ, ana vnciam dimidiam.
Granorum Kermes.
Radic. Tormentillæ,
Dictamni,
Sem. Citri mundat.
Acetoſæ,
Portulacæ,
Croci,
Myrrhæ,
Roſarum rubrarum,
Santalorum omnium,
Oſſis è Corde Cerui & Cornu
Raſuræ Eboris præparatæ, ana ſcrupulos quatuor.
Sapphyrorum,
Smaragdi,
Lapidis Topaſij,
Margaritarum,
Serici crudi,
Folior. Auri,
Argenti, ana ſcrupulos duos.
Camphoræ,
Moſchi,
Ambræ griſeæ, an. grana quinque.

Cum ſyrupo de Limonibus fiat Confectio ſecundùm artem.

CONFECTIO HVMAIN. *MES.*

℞ Euphragiæ vncias duas.
Sem. Fœniculi drachm. quinque.
Caryophyllorum,
Cinnamomi,
Cubebarum,
Piperis longi,
Macis, an. drachm. vnam.

Pulueriſatis, cribellatis, adde
Mellis deſpumati libram vnam quâ

quà ſimul coque, & depura
Succ. Fœniculi vnciam vnam.
Chelidoniæ,
Rutæ, ana ſemunciam.
Cum his confectæ Species in vaſe vitreato reſeruentur.

ANTIDOTVM HÆMAGOGVM,
ROM.

℞ Lupinorum drachmas duas,
Piperis nigri ſcrupul. quinque & grana ſex.
Glycyrrhizæ ſc[illegible]l. quatuor.
Ariſtolochiæ longæ.
Arthemiſiæ,
Caſſiæ ligneæ,
Sem. Petroſelini Macedonici,
Pyrethi,
Sem. Rutæ,
Spicæ,
Myrrhæ,
Pulegij, ana ſcrupulos duos & grana quatuordecim,
Sem. Apij,
Sabinæ ana ſcrupulos duos & grana tredecim.
Centaurij maioris,
Dauci Cretici,
Nigellæ,
Carui,
Aniſi,
Caryophyllorum,
Aluminis, ana ſcrupulos duos.
Fol. Lauri ſcrupulum vuum ſemis & grana tria.
Xyloaloes ſcrupulum vnum & grana quatuordecim.
Shœnanthi ſcrupulum vnum & grana tredecim,
Aſari,
Acori, id eſt, Calami Aromatici vulgaris,
Amomi,
Pæoniæ,
Centaurei minoris,
Semin. Atriplicis,
Marathri ſiue Fœniculi, ana ſcrupulum vnum & grana ſex.
Cyperi,
Helenij,
Zingiberis,
Radic. Capparum,
Cumini,
Orobi, ana ſcrupulum vnum.
Trita omnia in tenuiſſ. pulueŕem excipiantur Mellis quadruplo, & conficiatur Electuarium ex arte.

DIAIREOS SALOMONIS,
NICOLAI.

℞ Radic. Iridis vnciam vnam.
Pulegij,
Hyſſopi,
Glycyrrhizæ, an. drachmas ſex.
Tragacanthæ,
Amyli,
Amygdalarum amararum,
Pinearum Nucum,
Cinnamomi,
Zingiberis,
Piperis, ana drachmas tres.
Caricarum pinguium,

Pulpæ Paſſularum.
Carnis Dactylorũ, ana drachmas tres ſemis.
Styracis Calamitæ drachmas duas.
Sacchari diſſoluti in aqua Hyſſopi, Mellis deſpumati, ana duplum ad omnia, fiat Electuarium ſ.a.

DIASATYRION, *NICOLAI.*

℞ Radic. Cynoſorchios ſeu Satyrij recentis ac ſolidæ.
Paſtinacæ ſatiuæ,
Eryngij,
Pinearum,
Nucis Indicæ, vel, ſi deſit Nux Indica, Pinearum duplum.
Piſtaciorum, ana vnciam vnam ſemis.
Caryophyllorum,
Zingiberis,
Sem. Aniſi,
Erucæ.
Linguæ auis, quæ eſt ſemen Fraxini, ana drach. quinque.
Cinnamomi,
Caudarum & Lumborũ Scincorum,
Sem. Bulbi,
Vrticæ, ana drach. duas ſemis,
Moſchi grana ſeptem.
Sacchari optimi diſſoluti in vino Maluatico libras tres: fiat Electuarium ſ. a.

DIASATYRION MAGIS GRATVM, *COLON.*

℞ Radic. Satyrij vncias tres.
Carnium Dactylorum.
Amygdalarum dulcium,
Nucis Indicæ,
Pinearum,
Piſtaciorum,
Zingiberis conditi,
Eringij conditi, ana vnciam vnam.
Zingiberis,
Caryophyllorum,
Galangæ,
Piperis longi,
nigri, ana drachmas tres.
Ambræ griſeæ ſcrupul. vnum.
Moſchi ſcrupulos duos.
Penidiorum vncias quatuor.
Cinnamomi,
Croci, ana vnciam dimidiam.
Vini Maluatici vncias tres.
Nucis Moſchatæ,
Macis,
Granorum Paradiſi, ana drachmas duas.
Linguæ auis, i. Sem. Fraxini,
Ventris & lumborũ Scincorũ,
Boracis factitij,
Aſæ dulcis, i. e. Benzoini, ana drachmas tres.
Ligni Aloes,
Cardamomi, ana drachmas duas.
* Been albi, vide pag. 58.

rubri,

rubri, an. dramch. vnam ſemis.

Singula ſimplicia comminuendo ac miſcendo, tandem excipe libris duabus & ſemis ſyrupi Zingiberis conditi.
fiat Electuarium ſecundùm artem.

ELECTVARIVM DIASPERMATON, *FERNELII.*

℞ Quatuor ſemin. Frigidorum, maiorum, & minorum.
Sem. Aſparagi,
Pimpinellæ,
Ocimi,
Petroſelini,
Granorum Halicacabi, ana drachmas duas.
Milij Solis.
Succi Glycyrrhizæ, ana drachmas tres.
Cinnamomi,
Macis, ana drachmam vnam.

Sacchari albi aquâ Althææ ſoluti octuplum: fiat Electuarium ſecundùm artem.

MICLETA, *NICOLAI.*

℞ Myrobalanorum omnium, an. drachmas duas ſemis.
Sem. Naſturtij,
Cymini,
Aniſi,
Fœniculi,
Ammeos,
Carui, ana drach. vnam ſemis.

Omnia cruda terantur, & aſpergantur aceto vini acerrimo, deinde pulueriſentur, mox addantur ſequentia:
Spodij ſiue Eboris vſti,
Balauſtiorum,
Sumach,
Maſtiches,
Gum. Arabici, ana drach. vna & grana quindecim.

Omnia miſceantur cum Syrupi Myrtyni, ad ſpiſſitudinem mellis cocti, triplo, id eſt vnciis decem plùs minùs, fiat Electuarium ſecundum artem.

ELECTVARIVM PECTORALE, AD. OCCON. *AVG.*

℞ Succi Glycyrrhizæ,
Amygdalarum dulcium,
Auellanarum, ana ſemunciam.
Pinearum vnciam vnam.
Hyſſopi,
Capillorum Veneris,
Ireos,
Sem. Vrticæ,
Ariſtolochiæ rotundæ, ana ſeſquidrachmam.
Piperis nigri,
Sem. Naſturtij,
Radic. Enulæ, an. ſemidrachm.
Mellis vncias quatuordecim.
Fiat Electuarium ſ. a.

THE-

THERIACA DIATESSARON, MES.

℞ Gentianæ,
Baccarum Lauri,
Myrrhæ,
Ariſtolochiæ rotundæ, ana vncias duas.
Mellis libras duas.
Miſce: fiat Electuarium ſecundùm artem.

ANTIDOTVS MAGNA MATTHIOLI ADVERSVS VENENA & PESTEM.

℞ Rhabarbari,
Rha Pontici veri,
Radic. Phu,
Acori, vel Calami aromatici vulgaris.
Cyperi,
Quinquefolij,
Tormentillæ,
Ariſtolochiæ rotundæ,
Pœoniæ maris,
Enulæ Campanæ,
Coſti,
Iridis, Illyricæ,
Chamæleontis albi, vel Caryophyllatæ, ana drachmas tres.
Galangæ,
Imperatoriæ,
Dictamni albi,
Angelicæ,
Millefolij,
Filipendulæ,
Zedoariæ,
Zingiberis, ana drachm. duas.
Agárici drachmas tres.
Libanotidis,
Gentianæ,
Morſus Diaboli, an. drachm. duas.
Sem. Citrei mali,
Viticis,
Granorum Kermes,
Semin. Fraxini,
Acetoſæ,
Paſtinacæ ſylueſtris,
Napi,
Nigellæ,
Pœoniæ maris,
Ocimi,
Irionis, ſiue Eryſini,
Thlaſpeos,
Fœniculi,
Ammeos, an. drachmas duas.
Baccarum Lauri,
Iuniperi,
Hederæ,
Smilacis aſperæ, vel illius defectu duplum cubebarum.
Cubebarum, an. drachm. vnam ſemis.
Folior. Scordij,
Chamædryos,
Chamæpityos,
Centaurij minoris,
Stœchados,
Spicæ Celticæ,

Cala-

Calaminthæ,
Rutæ,
Menthæ,
Betonicæ,
Verbenæ,
Scabioſæ,
Cardui benedicti,
Meliſſophylli, ana drachmam vnam ſemis.
Dictamni Cretici drachm. tres.
Maioranæ,
Hyperici,
Schœnanthi,
Marrhubij,
Galegæ,
Sabinæ,
Pimpinellæ, ana drachmas duas.
Caricarum pinguium,
Iuglandium,
Piſtaciorum, ana vncias tres.
Myrobalanorum Emblicarum vnciam dimidiam.
Flor. Violarum,
Borraginis,
Bugloſſi,
Roſarum,
Lauendulæ,
Saluiæ,
Roriſmarini, ana ſcrupul. quatuor.
Croci drachmas tres.
Caſiæ ligneæ drachmas decem.
Caryophyllorum,
Nucis Moſchatæ,
Macis, ana drachmas duas ſemis.
Piperis nigri,
longi,
Santalorum omnium,
Ligni Aloes, ana drachm. vnam ſemis.
Raſuræ Cornu Cerui vnciam dimidiam.
Vnicornu, vel eius loco Lapidis Bezoartici drachmam vnam.
Oſſis è Corde Cerui,
Raſuræ Eboris,
Virgæ Ceruinæ,
Caſtorij, an. ſcrupulos quatuor.
Terræ Lemniæ drachmas tres.
Opij drachmam vnam ſemis.
Perlarum Orientalium,
Fragmentorum Smaragdi,
Hyacinthi,
Corallij rubri, ana drachm. vnam ſemis.
Camphoræ drachmas duas.
Gum. Arabici,
Maſtiches,
Thuris,
Styracis,
Terebinthinæ,
Sagapeni,
Opopanacis.
Laſerpitij, ſiue Myrrhæ, ana drachmas duas ſemis.
Moſchi odorati,
Ambræ griſeæ, ana drachmam vnam.
Olei Vitrioli vnciam dimidiam.
Specierum Cordialium Temperatarum,

tarum,
Diamargaritôn,
Diamoſchi,
Diambræ,
Electuarij de Gemmis,
Trochiſcorum de Camphora,
de Scilla, ana drachmas duas ſemis.
Trochiſcor. de Vipera vncias duas.
Succorum Acetoſæ,
Sonchi,
Scordij,
Ecchij,
Borraginis,
Meliſſophylli, an. libram dimidiam.
Hypociſtidis drachmas duas.
Theriacæ electæ,
Mithridatij optimi, ana vncias ſex.
Vini antiqui odorati libras tres.
Sacchari optimi, vel
Mellis electiſſimi libras octo & vncias ſex.

Ex his omnibus ſummâ diligentiâ, & arte conquiſitis, mundatis, & electis, fiat Electuarium eodem modo, quo componitur Theriaca aut Mithridatium.

DIASCORDIVM *FRACASTORII.*

℞ Cinnamomi.
Caſiæ ligneæ, an. vnciam dimidiam.
Scordij veri vnciam vnam.
Dictamni Cretici,
Tormentillæ,
Biſtortæ.
Galbani,
Gum. Arabici, ana vnciam dimidiam.
Opij drachmam vnam ſemis.
Styracis Calamitæ drachmas quatuor ſemis.
Semin. Acetoſæ drachmam vnam ſemis.
Gentianæ vnciam dimidiam.
Boli Armeni vnciam vnam ſemis.
Terræ Sigillatæ Lemniæ vnciã dimidiam.
Piperis longi,
Zingiberis, an. drachmas duas.
Mellis albi deſpumati libras duas ſemis.
Conſeruæ Roſarum libram vnam.
Vini Canarini Aromatici libram dimidiam.
fiat Electuarium ſ. a.

MYTHRIDATIVM, *DAMOCRATIS.*

℞ Myrrhæ Arabicæ,
Croci,
Agarici,
Zingiberis,
Cinnamomi,
Spicæ Nardi,
Thuris,
Sem. Thlaſpeos, an. drach. decẽ.
Seſeleos,
Opobalſami, ſeu ol. Nuc. Moſc.

per

per expreſſ.
Iunci odorati,
Stœchados,
Coſti veri,
Galbani,
Terebinthinæ,
Piperis longi,
Caſtorei pontici,
Succi Hypociſtidos,
Styracis optimæ,
Opopanacis,
Folior. Malabathri recentium,
vel in eius defectu, Macis, ana vnciam vnam.
Caſiæ Ligneæ veræ,
Polij,
Piperis albi,
Scordij,
Sem. Dauci Cretici,
Carpobalſami, vel Cubebarum.
Trochiſc. Cypheos,
Bdellij, ana drachmas ſeptem.
Nardi Celticæ purgatæ,
Gummi Arabici,
Sem. Petroſelini Macedonici,
Opij,
Cardamomi minoris,
Sem. Fœniculi,
Gentianæ,
Folior. Roſarum rubrarum,
Dictamni Cretenſis, ana drachmas quinque.
Sem. Aniſi,
Aſari,
Acori, ſeu Calami Aromatici,
Ireos,
Phu maioris,
Sagapeni, an. drachmas tres.
Mei Athamantici,
Acaciæ,
Ventrium Scincorum,
Summit. Hyperici, ana drachm. duas ſemis.
Vini quantum ſufficit ad ſolutionem gummi & ſuccorum,
Mellis deindè triplum ad omnia, præter vinum.

PHILONIVM PERSICVM, *M E S.*

℞ Piperis albi,
Hyoſcyami albi, ana drachm. viginti.
Opij,
Terræ Lemniæ, ana drachmas decem.
Lapid. Hæmatitæ præp.
Croci, ana drachmas quinque:
Caſtorei,
Spicæ Indicæ,
Euphorbij,
Pyrethri,
Margaritarum,
Succini,
Zedoariæ,
Doronici,
Trochiſc. Ramich, ana drach. vnam.
Camphoræ ſcrupulum vnum.
Mellis roſati optimi triplum. Miſce: fiat Electuarium ſecundùm artem.

PHILONIVM ROMANVM, *NICOLAI.*

℞ Piperis albi,
Sem. Hyoſcyami albi, ana drach. quinque.
Opij drachmas duas ſemis,
Caſiæ ligneæ drachmam vnam ſemis.
Semin. Apij drachmam vnam.
Petroſelini Macedonici, veri,
Fœniculi,
Dauci Cretici, ana ſcrupul. duos, grana quinque.
Croci ſcrupulum vnum ſemis.
Spicæ Indicæ,
Pyrethri,
Zedoariæ, ana grana quindecim.
Cinnamomi drachmam vnam ſemis.
Euphorbij,
Myrrhæ,
Caſtorei, an. drachm. vnam.
Mellis deſpumati pondus triplum.
Miſce: fiat Electuarium ſ. a.

ELECTVARIVM DE OVO, *MAXIMILIANI IMPER.*

℞ Ouum gallinæ recens, & extracto albumine, paruo foramine facto impleatur vacuum Croco optimo non pulueriſato, relicto intùs vitello. Poſteà cum alio putamine rurſum obturetur, & lento igne, vel ad fornacem, tamdiù aſſetur, donec tota teſta oui incipiat nigreſcere, diligenter attēdēdo, ne Crocus comburatur (alioqui corrumpit totum medicamentum) Exempta materia exiccetur, vt minutiſſimè poſſit contundi, & in puluerem redigi, addatur pulueris Sinapeos albi quantum prædicta omnia ponderant. Deinde

℞ Puluer. Radic. Dictamni albi, ſiue Fraxinellæ,
Tormentillæ, ana drachmas duas.
Myrrhæ,
Cornu Ceruini,
Radic. Petaſitæ, ana drachmam vnam.
Radic. Angelicæ,
Pimpinellæ,
Granor. Iuniperi,
Zedoariæ,
Camphoræ, ana vnciam dimidiam.

Miſceantur vniuerſa ſimul in mortario, & adiiciatur denique Theriaca optima ad pondus omnium: & iterum piſtillo benè miſceantur per tres fermè horas ſemper agitando, & affundendo Syrupi limonum, q. ſ. donec fiat Electuarium ſ. a.

REQVIES,
NICOLAI.

℞ Roſarum rubrarum ab vnguibus purgatarum,
Flor. Violarum purpurearum ana drachmas tres.
Opij Thebaici vino ſoluti,
Sem. Hyoſcyami albi,
Papaueris albi,
nigri,
Cortic. Radic. Mandragoræ,
Sem. Scariolæ, ſiue Intybi,
Portulacæ,
Lactucæ ſatiuæ,
Pſyllij,
Spodij vel Antiſpodij ex Ebore vſto,
Gum. Tragacanthi, ana ſcrupulos duos, & grana quinque.
Nucis Moſchatæ,
Cinnamomi,
Zingiberis, ana drachmam vnam ſemis.
Santali citrini,
albi,
rubri, ana drachm. vnam ſemis.
Sacchari in aqua roſacea diſſoluti triplum, miſce, fiat Electuarium ſecundùm artem.

THERIACA ANDROMACHI.

℞ Trochiſcorum Scilliticorum drachmas quadraginta octo.
Trochiſcorum è Viperis,
Piperis longi,
Opij Thebaici,
Magmatis Hedychroi ſicci, ana drachmas viginti quatuor.
Roſarum ſiccarum, refectis vnguibus,
Iridis Illyricæ odoræ,
Succi Glycyrrhizæ,
Sem. Napi dulcis.
Comarum Scordij,
Opobalſami,
Cinnamomi,
Agarici, ana drachmas duodecim.
Myrrhæ,
Coſti odorati ſeu Zedoariæ,
Croci,
Caſiæ ligneæ veræ,
Nardi Indicæ,
Schœnanthi,
Piperis albi,
nigri,
Thuris maſculi,
Dictamni Cretici,
Rhei,
Stœchados,
Marrhubij,
Sem. Petroſelini Macedonici,
Calaminthes ſiccæ,
Terebinthinæ,
Radic. Pentaphylli,
Zingiberis, ana drachm. ſex.
Comarum Polii Cretici,
Chamæpityos,
Nardi Celticæ,
Amomi,

Styracis Calamitæ,
Radic. Mei,
Com. Chamædryos,
Rad. Phu Pontici,
Terræ Lemniæ,
Folior. Malabathri,
Chalcitidis aſſæ, vel eius loco Chalcanthi Romani vſti.
Radic. Gentianæ,
Gum. Arabici,
Succi Hypociſtidis,
Carpobalſami, vel Nucis Moſchatæ, vel Cubebarum;
Sem. Aniſi frict.
Cardamomi,
Sem. Fœniculi,
Seſeleos,
Acaciæ, vel eius loco, ſucci inſpiſſati Prunellorum acerborum.
Sem. Thlaſpeos,
Summitatum Hyperici,
Sem. Ammeos,
Sagapeni, ana drach. quatuor.
Caſtorei,
Radic. Ariſtolochiæ longæ,
Bituminis Iudaici,
Sem. Dauci,
Opopanacis,
Centaurij minoris,
Galbani pinguis, ana drach. duas.
Vini antiqui Canarini q. ſ. quo diſſoluantur ſimplicia humida & liquabilia.
Mellis optimi triplum ad pondus ſpecierum aridarum, Miſce ſecundùm artem.

THERIACA LONDINENSIS.

℞ Cornu Ceruini limâ deraſi vncias duas.
Sem. Citri,
Oxalidis,
Pœoniæ,
Ocimi, an. vnciam vnam;
Scordij,
Corallinæ, ana drach. ſex.
Radic. Angelicæ,
Tormentillæ,
Pœoniæ,
Folior. Dictamni,
Baccar. Iuniperi,
Lauri, ana vnciam dimidiam.
Florum Calendulæ,
Caryophyllorum, ſeu Vetonicæ rubræ.
Anthos,
Summitat. Hyperici,
Nucis Moſchatæ,
Croci, ana drachmas tres.
Radic. Gentianæ,
Zedoariæ,
Zingiberis,
Macis,
Myrrhæ,
Folior. Scabioſæ,
Succiſæ,
Cardui benedicti, ana drachmas duas.
Caryophyllorum,

Opij, ana drachmam vnam.
Vini Canarinij quantum ſatis.
Mellis triplum. Miſce ſecundùm artem.

BENEDICTA LAXATIVA, *NICOLAI.*

℞ Turpeti electi drachmas decem.
Diagridij,
Cort. Radic. Eſulæ præparatæ,
Hermodactylorum,
Roſarum rubrarum, ana drachmas quinque.
Caryophyllorum,
Spicæ Nardi,
Zingiberis,
Croci,
Saxifragiæ veræ,
Piperis longi,
Amomi, vel eius defectu Calami aromatici,
Cardamomi minoris,
Semin. Apij,
Petroſelini,
Carui,
Fœniculi,
Aſparagi,
Ruſci,
Milij Solis,
Salis gemmei,
Galangæ,
Macis, ana drachmam vnam.
Mellis deſpumati triplum; fiat Electuarium ſecundùm attem. Poſſunt etiam ſpecies per ſe in officinis commodè reſeruari.

CARYOCOSTINVM, *Bayr. è Gal.*

℞ Caryophyllorum.
Coſti candidi, ſeu Zedoariæ,
Zingiberis,
Cymini, ana drachmas duas,
Hermodactylorum,
Diagrydij, ana vnciam dimidiam.
Mellis deſpumati in vino albo duplum. Miſce, fiat Electuarium ſecundùm artem.

CASSIA EXTRACTA PRO CLYSTERIBVS, *AVG.*

℞ Foliorum Violariæ,
Maluæ,
Mercurialis,
Betæ,
Parietariæ,
Flor. Violarum, ana manipul. vnum.
Fiat decoctio in ſufficienti quantitate aquæ, cuius beneficio Caſſia extrahatur; & Cannæ eius interius lauentur, deinde
℞ Caſſiæ cum hac decoctione extractæ, & ad conſiſtentiam coctæ, libram vnam.
Sacchari libram vnam ſemis.
Coquantur ad perfectionem ſecundùm artem.

ELECTVARIVM AMARVM MAGISTRALE MAIVS.

℞ Agarici albiſſimi,
Turpeti electi,
Specier. Hieræ ſimp. Galen.
Rhabarbari optimi, ana drach. vnam.
Aloes electæ, illotæ, drachm. duas.
Zingiberis,
Cremoris Tartari, an. ſcrupulos duos.
Iridis Florentinæ,
Farinæ Semin. Fœniculi dulcis ana ſcrupulum.
Syrupi Roſarum ſolutiui q. ſ.
Fiat Electuarium amarum.

ELECTVARIVM AMARVM MINVS.

℞ Epithymi ſemunciam.
Radic. Angelicæ drachmas tres.
Gentianæ,
Zedoariæ,
Acori, ana drachmas duas.
Cinnamomi ſeſquidrachmam.
Caryophyllorum,
Macis,
Nucis Moſchatæ,
Croci, ana drachmam vnam.
Aloes vncias ſex.
Cum ſyrupo Fumariæ,
Scabioſæ,
Saccharo, ana q. ſ.
Fiat Electuarium molle, ſ. a.

DIACASSIA CVM MANNA.

℞ Prunorum Damaſcenorum vncias duas.
Florum Violarum manipul. vnum ſemis.
Aquæ fontanæ libram vnam ſemis.
Bulliant ſecundùm artem ad medietatis conſumptionem. In colatura diſſolue,
Pulpæ Caſſiæ vncias ſex.
Sacchari violati,
Syrupi violati, ana vncias quatuor.
Pulpæ Tamarindorum vnciam vnam.
Sacchari candi vnciam vnam ſemis.
Mannæ optimæ vncias duas.
Commiſceantur, & fiat Electuarium ſecundùm artem.

CASSIA EXTRACTA SINE FOLIIS SENNÆ.

℞ Prunorum numero duodecim.
Florum Violarum manipul. vnum.
Hordei mundati,
Sem. Aniſi,
Carthami,
Polypodij quercini, ana drachquinque.

Capil-

Capillorum Veneris.
Thymi,
Epithymi, ana ſcrupul. ſemis.
Paſſularum mundatarum ab acinis vnciam dimidiam.
Sem. Fœniculi drach. duas.
Portulacæ,
Maluæ, ana drachm. tres.
Glycyrrhizæ vnciam dimidiã.
Fiat horum decoctio in ſufficienti quantitate aquæ; colentur; & in colatura diſſolue
Pulpæ Caſſiæ libras duas,
Tamarindorũ vnciam vnam.
Cinnamomi drachmas tres.
Sacchari optimi libram vnam.
Coquantur ad perfectionem ſ. a.

CASSIA EXTRACTA CVM FOLIIS SENNÆ.

℞ Electuarij Caſſiæ extractæ ſine foliis Sennæ libras duas.
Pulueris folior. Sennæ vncias duas.
Miſce ſecundùm artem.

DIACARTHAMVM, Seu DIACNICVM, ARNOLDI DE VILLA.

℞ Specierum Diatragacanthi frigidi vnciam dimidiam.
Pulpæ Cydoniorum conditorum vnciam vnam.
Pulpæ Sem. Carthami vnciam dimidiam.
Zingiberis albi drach. duas.
Diagrydij per ſe triti drachmas tres.
Turpeti albi drachmas ſex.
Mannæ granatæ vncias duas.
Mellis Roſati colati ſolutiui,
Sacchari Candidi, ana vnciam vnam.
Hermodactylorum vnciam dimidiam.
Sacchari albiſſimi vncias decem ſemis.
Fiat Electuarium liquidum ſecundùm artem.

DIAPHOENICVM *MES. iuxtà FERN.*

℞ Pulpæ Palmularum mundatarum ex hydromelite coctæ & cribro cretæ.
Penidiorum recentium, an. libram dimidiam.
Amygdalarum dulcium expurgatarum vncias tres ſemis.
Contuſis & permiſtis omnibus adde,
Mellis deſpumati libras duas.
Paulùm coquantur ac deinde inſperge,
Zingiberis,
Piperis,
Macis,
Cinnamomi,
Fol. Rutæ ſiccorum,
Sem. Fœniculi,
Dauci, ana drachm. duas.
Turpeti tenuiſſimè triti vncias quatuor.

Diagrydij vnciam vnam ſemis.
Fiat Electuarium ſ.a.

DIAPRVNVM SIMPLEX, RECTIVS LENITIVVM, *NICOL.*

℞ Pruna Damaſcena recentia & matura numero centum.
Coquantur in ſ.q. aquæ donec tabeſcant. Pulpa per cribrum trajiciatur & reſeruetur. In percolato iure incoque clementiùs.
Florũ Violarum vnciam vnã, & incolatura diſſolue,
Sacchari libras duas, &
Coque in Syrupum; deinde adde Pulpæ prædictæ & per ſe inſpiſſaæt, libram vnam,
Medullæ Caſſiæ,
Tamarindorum, ana vnciam vnam.
Tn permiſce pulueres ſequentes,
Santali Albi,
Rubri,
Spodij,
Rhabarbari, ana drachmas tres.
Roſarum,
Violarum,
Sem. Portulacæ,
Scariolæ,
Berberis,
Tragacanthæ,
Glycyrrhizæ,
Cinnamomi, ana drachmas duas.
Semin. quatuor frigidorum maiorum, ana drachmam vnam.
Fiat Electuarium ſecundùm artem.

DIAPRVNVM SOLVTIVVM, *NICOLAI.*

℞ Diapruni Lenitiui adhuc recentis & calidi libras quatuor.
Scammonij præparati vncias duas & drachmas quinque.
Miſce, fiat Electuarium ſecundùm artem.
Cum in hoc medicamento Scammonij doſis ſit aucta ſecundùm authorem, minori pondere exhiberi poterit.

DIACATHOLICON, *NICOLAI.*

℞ Pulpæ Caſſiæ,
Tamarindorum,
Folior. Sennæ, ana vncias duas.
Polypodij,
Violarum,
Rhabarbari,
Sem. Aniſi,
Penidiorum,
Sacchari candi, ana vnciam vnam.
Glycyrrhizæ raſæ,
Sem. Cucurbitæ,
Citrulj,
Cucumeris,
Melonum, ana drachmas duas.
Conterenda conterantur, & ſume

Polypodij recentis vncias tres.
Sem. Fœniculi drach. ſex.
Fiat decoctio in libris quatuor aquæ pluuialis vel communis ad tertiæ partis conſumptionem, colentur & colaturæ adde
Sacchari optimi libras duas.
Coquantur iterùm cum pulpis Caſſiæ & Tamarindorum, & in fine additis reliquis pulueriżatis, fiat Electuarium ſ. a.

DIACROCVMA SIVE SPECIES ELECTVARII DE CROCO.

MES.

℞ Croci,
Radic. Aſari,
Semin. Petroſelini,
Dauci,
Aniſi,
Apij, an. vnciã dimidiã.
Rhabarbari,
Radic. Mei,
Spicæ Indicæ, ana drachmas ſex.
Caſiæ ligneæ veræ,
Coſti,
Myrrhæ,
Schœnanthûs,
Cubebarum,
Radic. Rubiæ,
Succ. Abſinthij, &
Agerati, inſpiſſatorum,
Opobalſami, ſeu Olei Nucis Moſchatæ, an. drach. duas.
Cinnamomi.
Calami Aromatici, an. drach. vnam.
Scordij,
Ceterach,
Succi Glycyrrhizæ, an. drach. duas ſemis.
Tragacanthi drachm. vnam.
Fiat Electuarium cum octuplo Sacchari albi in aqua Endiuiæ ſoluti & clarificati ſ. a.

ELECTVARIVM DE CITRO SOLVTIVVM.

℞ Corticis Citri condîti,
Conſeruæ florum Violarum,
Bugloſſi,
Pulueris Diatragacanthi frigidi,
Diagrydij, an. vnciam dimidiam.
Turpeti drachm. quinque.
Zingiberis drach. dimidiam.
Folior. Sennæ drach. ſex.
Sem. Fœniculi dulcis drachm. vnam.
Sacchari albiſſimi in aqua roſarum ſoluti, & ex arte cocti vncias decem.
Fiat Electuarium ſolidum ſecundùm artem.

ELECTVARIVM ELESCOPH.

MES.

℞ Scammonij,
Turpeti optimi, an. drach. ſex.
Cary-

Caryophyllorum,
Cinnamomi,
Zingiberis,
MyrobalanorumEmblicarum,
Nucis Moſchatæ,
Polypodii, ana drachmas duas ſemis.
Sacchari vncias ſex.
Mellis deſpumati vncias decem.
Miſce,fiat Electuarium ſecundùm artem.

CONFECTIO HAMECH, *FERNELII.*

℞ Corticis Myrobalanorum citrinarum vncias duas.
Myrobalan. Chebularum,
Nigrarum.
Violarum,
Colocynthidos.
Polypodii quercini,an.vnciam vnam ſemis.
Abſinthii,
Thymi, an. vnciam dimidiam.
Sem. Aniſi,
Fœniculi,
Flor. Roſarum rubrarum, ana drachmas tres.

Tuſa omnia macerentur per diem in ſeri lactis libris duabus, deinde coquantur ad libram vnã, fricentur manibus, & exprimantur, Colatis adde
Succi Fumariæ,
Pulpæ prunorum, &
Vuarum paſſularũ, ana libram dimidiam.
Sacchari albi,
Mellis deſpumati, ana libram vnam.
Coquantur ad Mellis craſſitiem, inſpergendo ſub finem,
Agarici trochiſcati,
Sennæ, trirotum, ana vncias duas.
Rhabarbari triti vnciam vnam ſemis.
Epythymi vnciam vnciam.
Diagrydij drach. ſex.
Cinnamomi vnciam dimidiã.
Zingiberis drachmas duas.
Sem. Fumariæ,
Aniſi,
Spicæ Nardi, ana drachmam vnam.
Fiat Electuarium ſ. a.

ELECTVARIVM INDVM MINVS, *MES.*

℞ Turpeti,
Sacchari, an. drachmas centum.
Macis,
Piperis,
Zingiberis,
Caryophyllorum,
Cinnamomi,
Cardamomi,
Nucis Moſchatæ, ana drachmas ſeptem.
Cinnamomi præparati drachm. duodecim.
Miſce cum Mellis deſpumati triplo, ad reliqua præter Saccharum, fiat

fiat Electuarium ſ. a.

ELECTVARIVM LENITIVVM.

℞ Paſſularum enucleatarum.
Polypodij quercini,
Sennæ Orientalis, ana vncias duas.
Mercurialis manipul. vnum ſemis.
Iuiubarum,
Sebeſten, ana numero viginti.
Capillorum Veneris,
Violarum,
Hordei mundi, ana manipul. vnum.
Prunorum Damaſcenorum enucleatorum,
Tamarindorum, ana drachm. ſex.
Glycyrrhizæ vnciam dimidiã.
Coquantur ſ. a. colentur, in colatura diſſolue
Pulpæ Caſſiæ fiſtularis,
Tamarindorum,
Prunorum recentium,
Sacchari violati, ana vncias ſex.
Sacchari optimi libras duas.
Vltimo adde puluer is Sennæ vnciam vnam ſemis, pro qualibet libra Electuarij.
Sicque in formam redigantur ſ. a.

ELECTVARIVM PASSVLATVM.

℞ Polypodij quercini vncias tres.
Foliorum Sennæ,
Radic. Althææ recentium, ana vncias duas.
Sem. Aniſi drachmas duas.
Omnia infundantur in aqua fontana q. ſ. in vaſe vitreato, & coquantur ſ. a. deinde fiat expreſſio, Colaturæ adde,
Pulpæ paſſularum per ſetaceum tranſmiſſarum libram dimidiam.
Sacchari albi,
Mannæ, ana vncias quatuor.
Coquantur rurſus ad Cydoniati craſſitudinem, quater in anno renouetur.

ELECTVARIVM è SVCCO ROSARVM;
NICOL. MYREPS.

℞ Sacchari,
Succi Roſarum rubrarum, ana libram vnam & vncias quatuor.
Trium Santalorum, an. drach. ſex.
Spodij drachmas tres.
Diagrydij drachmas duodecim.
Camphoræ ſcrupulum vnum.
fiat Electuarium ſ. a.
Succus cum Saccharo coquatur ad iuſtam conſiſtentiam, dein addantur tritæ ſpecies.

ELEC.

ELECTVARIVM REGINÆ COLONIENS.

℞ Sem. Saxifragiæ,
Milij Solis,
Suc. Glycyrrhizæ, ana ſemunciam.
Sem. Carui,
Aniſi,
Apij,
Fœniculi,
Petroſelini Macedonici,
Geniſtæ,
Dauci,
Ruſci,
Aſparagi,
Leuiſtici,
Cymini,
Iuniperi,
Rutæ,
Sileris montani,
Radic. Acori veri,
Pulegij,
Pentaphylli,
Bacc. Lauri, ana drach. duas.
Spicæ Indicæ,
Schœnanthûs,
Peucedani,
Valerianæ,
Carabes,
Lap. Lyncis, ana ſeſquidrachmam.
Galangæ,
Zingiberis,
Turpeti, ana drachmas duas.
Sennæ Alex. vnciam vnam.
Sanguinis Hirci præparati ſemunciam.
Miſce: fiat Puluis; inde Electuarium ſecundùm artem, cum ſacchari in vino albo ſoluti triplo.

HIERA PICRA SIMPLEX, *GALENI.*

℞ Cinnamomi,
Xylobalſami, ſeu Ligni Aloes,
Aſari,
Spicæ Nardi,
Maſtiches,
Croci, ana drachmas ſex.
Aloes (non lotæ) vncias duodecim ſemis.
Mellis deſpumati libr. quatuor & vncias tres.
Miſce, fiat Electuarium, ſ. a.
Species etiam per ſe reſeruantur in officinis.

HIERA CVM AGARICO.

℞ Specierum Hieræ ſimplicis ſine Aloe,
Agarici trochiſcati, ana vnciam dimidiam.
Aloes non lotæ, vnciam vnam.
Mellis deſpumati vncias ſex.
Miſce, fiat Electuarium ſ. a.

HIERA LOGADII, *NIC. MYREPS.*

℞ Pulpæ Colocynthidos.
Polypodij, ana drachmas duas.
Euphorbij,
Polij montani,

Sem. Thymelææ, ana drachmam vnam ſemis & grana ſex.
Abſinthij,
Myrrhæ, ana drachmam vnam & grana duodecim.
Centaurij minoris,
Agarici,
Gum. Ammoniaci,
Folij, ſeu Macis,
Spicæ Nardi,
Scillæ præparatæ,
Diagrydij, ana drachmã vnam.
Aloes,
Comarum Thymi,
Chamædryos,
Caſiæ ligneæ,
Bdellij,
Marrubij, ana ſcrupulum vnũ & grana quatuordecim.
Cinnamomi,
Opopanacis,
Caſtorei,
Ariſtolochiæ longæ,
Trium Piperum,
Croci,
Sagapeni,
Petroſelini, ana drachmam ſemis.
Hellebori nigri, & albi, ana grana ſex.
Mellis deſpumati libram vnã ſemis.
Miſce, fiat Electuarium, ſ. a.
Species etiam per ſe reſeruantur officinis.

HIERA PACHII,
Seu
DIACOLOCYNTHIDOS,
NICOL. ALEX.

℞ Colocynthidos,
Agarici,
Chamædryos,
Marrubij,
Stœchados, ana drach. decem.
Opopanacis,
Sagapeni,
Sem. Petroſelini,
Rad. Ariſtolochiæ rotundæ,
Piperis albi, an. drachmas quinque.
Spicæ Nardi,
Cinnamomi,
Myrrhæ,
Folij,
Croci, ana drachmas quatuor.
Gũmi trita mortario, cribrata cætera, excipiantur Mellis deſpumati libris tribus, vnciis tribus, & drachmis quinque, vt fiat Electuarium ſ. a.

TRYPHERA MINOR,
FOENON. MES.

℞ Myrobal. { Chebularum, Belliricarum, Indarum, Emblicarum,
Nucis Moſchatæ, ana drachmas quinque.
Sem. Naſturtij,

Rad. Aſari,
Origani Perſici, ſeu Cretici Dictamni,
Piperis nigri,
Olibani,
Ammeos,
Zingiberis,
Tamariſci ſatiuæ,
Nardi Indicæ,
Schœnanthûs,
Cyperi rad. ana ſemunciam.
Limaturæ Chalybis præparat. drachmas viginti,

Myrobalani aſſentur modicùm butyro non ſalito: pulueriſata reliqua amygdalino dulci oleo inuoluantur: demùm adjicito
Moſchi electi drachmam vnam.
Mellis deſpumati triplex pondus.

Fiat Electuarium debitâ conſiſtentiâ, ſecundùm artem.

TRYPHERA SOLVTIVA, *RENODAEI.*

℞ Diagrydij drachmas decem.
Turpeti optimi ſeſquivnciam.
Cardamomi minoris,
Caryophyllorum,
Cinnamomi,
Macis, ana drachmas tres.
Santali citrini,
Glycyrrhizæ raſæ,
Sem. Fœniculi dulcis, ana ſemunciam.
Acori,
Schœnanthûs, ana drachmam.
Cortic. Citri condîti,
Roſarum, ana drachmas tres.
Violarum drachmas duas.
Penidiorum vncias quatuor.
Sacchari tabarzet ſelibram.
Mellis albiſſimi in ſucco Pomorum bene deſpumati libram vnam.

Fiat Electuarium ſ. a.

PILVLÆ

PILVLÆ.

PILVLÆ ALEPHANGINÆ SIVE AROMATICÆ, *MES. iuxtà RENOD.*

℞ Cinnamomi,
Caryophyllorum,
Cardamomi,
Nucis Moſchatæ,
Macis,
Calami Aromatici,
Carpobalſami, aut ſem. Angelicæ,
Schœnanthûs,
Ligni Aloes,
Santali Citrini,
Roſarum rubrarum,
Abſinthij ſicci, ana vnciam dimidiam.

Hæc craſſiuſculè trita, macerentur per horas duodecim in aquæ libris quatuor: Deinde igne lento bulliant ad tertiæ partis abſumptionem, In colatura nutriatur
Aloes libra vna.
Tum abſumptâ aqueâ humiditate ſuper cineres calidos, aut in hypocauſto, adde
Myrrhæ,
Maſtiches, ana vnciam dimidiam.
Croci drachmas duas.
Syrupi de Abſinthio q.ſ.
fiat Maſſa ſ. a.

ALOE ROSATA, *Hier. Fabr. ab Aquap.*

℞ Aloes Succotrinæ lucid. puluериz. vncias quatuor.
Succi Roſarum Damaſc. depurati libram vnam.

Miſce, digere ad Solem vel in Balneo, dùm exhalauerit omnis humiditas: id quater repetatur, paribus euaporatione, formâ, doſi. Maſſa in pyxidem repoſita, in pilulas ſit reducenda.

PILVLÆ DE ALOE, LOTA.
AVG.

℞ Aloes lotæ cum ſucco Roſarum pallidarum vnciam vnam.
Agarici Trochiſcati drachmas tres.
Maſtiches drachmas duas.
Specierum Diamoſchi dulcis drachmam dimidiam.
Syrupi è roſis pallidis q. ſ.
fiat Maſſa ſ. a.

PILVLÆ ASSAIRETH, AVICEN.

℞ Specierum Hieræ picræ Galeni vnciam vnam.
Aloes vncias duas.
Maſtiches,
Myrobalanorum Citrinarum, ana vnciam dimidiam.
Cum Syrupo de Stœchade q. ſ.
Miſce, fiat Maſſa ſ. a.

PILVLÆ DE BDELLIO, MES.

℞ Bdellij drachmas decem.
Myrobalan. { Belliricarum, Emblicarum, Nigrarum, ana drach. quinque.
Scoriæ ferri,
Sem. Porri, ana drachmas tres.
Conchulæ (Veneris) aduſtæ,
Corallij vſti,
Charabes, ana ſeſquidrachmā.
Margaritarum ſemunciam.
Infunde Bdellium in ſucco Porri.
Fiant Pilulæ, ſ. a. Cum Syrupo è ſucco Porri.

PILVLÆ DE EVPATORIO, MES.

℞ Myrobalanorum Citrinarum,
Succi Eupatorij, i. Agerati,
Abſinthij, ana drachmas tres.
Rhabarbari drachmas tres ſemis.
Maſtiches drachmam vnam.
Croci, drachmam dimidiam.
Aloes optimæ drachmas quinque.
Syrupi è ſucco Endiuiæ q. ſ.
fiat Maſſa ſ. a.

PILVLÆ DE HIERA CVM AGARICO EX AVGVST. MES.

℞ Specierum Hieræ Picræ Galeni,
Agarici Trochiſcati, ana vnciam dimidiam.
Aloes optimæ vnciam vnam.
Mellis roſati q. ſ.
fingantur in Maſſam ſ. a.

PILVLÆ IMPERIALES, FERNELII.

℞ Aloes optimæ vncias duas.

Rha-

Rhabarbari electi vnciam vnã ſemis.
Agarici trochiſcati,
Folior. Sennæ mundatorum, ana vnciam vnam.
Cinnamomi drachmas tres.
Zingiberis drachmas duas.
Nucis Moſchatæ,
Caryophyllorum,
Spicæ Nardi,
Maſtiches, ana drachmã vnam.
Cum Syrupo Violato ſubacta cogantur in Maſſam ſ.a.

PILVLÆ MASTICHINÆ, *FERNELII.*

℞ Maſtiches vncias duas.
Aloes vncias quatuor.
Agarici trochiſcati,
Pulueris Hieræ ſimplicis, ana vnciam vnam ſemis.
Cum vino Maluatico cogantur in Maſſam ſ. a.

PILVLÆ PESTILENTIALES. *RVFFI.*

℞ Aloes optimæ vncias duas.
Myrrhæ electæ,
Croci, ana vnciam vnam.
Excipiantur Syrupo ex ſucco Limonum. fiat Maſſa ſ.a.

PILVLÆ STOMACHICÆ, *MES.*

℞ Aloes drachmas ſex.
Maſtiches,
Roſarum rubrarum, ana drachmas duas.
Cum Syrupo Abſinthij cogantur in Maſſam, ſ. a.

PILVLÆ DE SVCCINO, *ANDREAE AVRIFABRI,*

℞ Succini albi,
Maſtiches, ana drachmas duas.
Aloes drachmas quinque.
Agarici drachmam vnam ſemis.
Ariſtolochiæ longæ drach. ſemis.
Syrupi ex Abſinthio q. ſ.
Fiat Maſſa ſ. a.

PILVLÆ DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas tres.
Myrobal. Citrinarum,
Trochiſ.Diarhodon, an. drach. tres ſemi.
Succi Glycyrrhizæ,
Abſinthij,
Maſtiches, ana drachmam vnam.
Sem. Fœniculi,
Apij, ana ſemidrachmam.
Spec. Hieræ picræ ſimpl. Galeni drach. decem.
Excipe ſucco Fœniculi non depurato, & Melle q. ſ.
Fiat Maſſa.

PILVLÆ EX TRIBVS, *FERNELII.*

℞ Maſtiches vncias duas.
Aloes vncias quatuor,
Agarici trochiſcati,
Pulueris Hieræ ſimplicis, ana vnciam vnam ſemis.
Rhabarbari electi vncias duas.
Cinnamomi vnciam dimidiam.
Cum Syrupo è Cichorio fiat Maſſa ſ. a.

PILVLÆ DE AGARICO, *MES.*

℞ Agarici drachmas tres.
Radic. Ireos,
Maſtiches,
Marrhubij, ana drachmam vnam.
Turpeti drachmas quinque.
Specierum Hieræ Picræ Galeni vnciam dimidiam.
Colocynthidos,
Sarcocollæ, ana drachm. duas.
Myrrhæ drachmam vnam.
Sapæ q. ſ.
Fiat Maſſa ſ. a.

PILVLÆ AGGREGATIVÆ SIVE POLYCHRESTÆ, *MES.*

℞ Myrobalanorum Citrinarum,
Rhabarbari optimi, ana vnciã dimidiam.
Succ. Eupatorij, i. Agerati, & Abſinthij inſpiſſatorum, ana drachmas duas.
Diagrydij drachmas quinque.
Myrobal. { Chebularum, Indarum,
Agarici,
Colocynthidos,
Polypodij, ana drachmas duas.
Turpeti optimi,
Aloes, ana drachmas ſex.
Maſtiches,
Roſarum,
Salis gemmei,
Epithymi,
Aniſi,
Zingiberis, ana drachm. vnã.
Cum Syrupo Roſarum pallidarum q. ſ. fiat Maſſa ſ. a.

PILVLÆ ARABICÆ *NICOLAI.*

℞ Aloes optimæ vncias quatuor.
Radic. Bryoniæ,
Myrobal. { Citrinarum, Chebularum, Indarum, Belliricarum, Emblicarum,
Maſtiches,
Diagrydij,
Aſari,
Roſarum, ana vnciam vnam.
Caſtorei drachmas tres.
Croci drachmam vnam.
Cum Syrupo Abſinthij, fiat Maſſa

ſecundùm artem.

PILVLÆ ARTHRITICÆ, *NICOLAI.*

℞ Hermodactylorum,
Turpeti,
Agarici, ana vnciam dimidiam.
Caſiæ ligneæ,
Spicæ Indicæ,
Caryophyllorum,
Xylobalſami, vel ligni Aloes,
Carpobalſami, vel Cubebarũ,
Macis,
Galangæ,
Zingiberis,
Maſtiches,
Aſæ fœtidæ,
Sem. Aniſi,
Fœniculi,
Saxifragiæ,
Aſparagi,
Ruſci,
Roſarum,
Milij Solis,
Salis gemmei, ana drachmas duas.
Scammonij vnciam vnam.
Aloes optimæ ad pondus omnium,
Succi ex Iua Arthritica inſpiſſati cum Sacchari q. ſ. vel Syrupi ex ſucco eiuſdem q. ſ. fiat Maſſa.

PILVLÆ AVREÆ, *NICOLAI.*

℞ Aloes,
Diagrydij, ana drachmas quinque.
Roſarum rubrarum,
Sem. Apij, ana drachmas duas ſemis.
Fœniculi,
Aniſi, ana drachmam vnam ſemis.
Maſtiches,
Croci,
Trochiſcorum Alhandal, ana drachmam vnam.
Trita excipiantur Mellis Roſacei colati q. ſ. fiat Maſſa ſecundùm artem.

PILVLÆ COCHIÆ, *RHASIS.*

℞ Specierum Hieræ Picræ Galeni drachmas decem.
Pulpæ Colocynthidos drachmas tres, & ſcrupulum vnum,
Diagrydij drachm. duas ſemis.
Turpeti,
Stœchados, ana drachm. quinque.
Syrupi de Stœchade q. ſ. fiat Maſſa ſ. a.

PILVLÆ COCHIÆ, CVM HELLEBORO.

℞ Species Pilularum Cochiarum,
Pul. Cort. Rad. Hellebori nigri vnciam vnam.
Cum Syrupo de Stœchade fiat Maſſa ſ. a.

Euphragiæ drachmas ſex.
Aloes Succotrinæ ad pondus omnium; confice cum Syrupo de ſucco Fœniculi, ſ. a.

PILVLÆ MECHOACANÆ, *RENODAEI.*

℞ Mechoacanæ vnciam dimidiã.
Turpeti drachmas tres.
Folior. Thymelææ in aceto maceratorũ & ſiccatorum.
Semin. Ebuli,
Agarici trochiſcati, ana drachmas duas.
Radic. Eſulæ præparatæ,
Maſtiches, ana drachmam vnam ſemis.
Macis,
Cinnamomi,
Salis gemmei, ana ſcrupulos duos.

Fiat omnium puluis; & cum Syrupo facto cum Saccharo & ſucco radicum Iridis fiat Maſſa pro Pilulis ſecundùm artem.

PILVLÆ RVDII.

℞ Colocynthidis drachmas ſex.
Agarici optimi,
Diagrydij,
Elebori nigri,
Turpeti, ana drachm. quatuor.
Aloes ſucco Citrini, vnciam vnam.
Specier. Diarhodon.
Abbatis vnciam ſemis.

Contundantur omnia (exceptis ſpecieb. Diarhod. Abbatis) craſſo modo, & infundantur ad Solem in aqua vitæ opt. per octo dies, ita vt aqua vitæ ſuperemineat octo digit: Deinde infundantur quoq; ſpecies Diarhod. Abbat. in aqua vitæ ſimili modo per quatuor dies, & facta colatura atque expreſſione forti, vtriuſq; miſceantur illæ colaturæ, & (ferè abiecta) ponatur liquor in Alembicum vitreum, vt ſeparata (per diſtillationem) humiditate, remaneat materia denſa, vti mel ex quâ Pilulæ.

PILVLÆ SINE QVIBVS ESSE NOLO, *NICOLAI.*

℞ Aloes lotæ drachmas quatuordecim.
Myrobal. { Citrinarum, Chebularum, Belliricarum, Emblicarum, Indarum,
Rhabarbari,
Maſtiches,
Abſinthij,
Roſarum rubrarum,
Violarum,
Sennæ,
Agarici,
Caſſuthæ, ana drachmã vnam.
Diagrydii drachmas ſex ſemis.

Cum Syrupo ex ſucco Fœniculi facto

ᶜto cum Melle, fiat Maſſa ſecundùm artem.

PILVLÆ EX ESVLA, *FERNELII.*

℞ Cortic. Radic. Eſulæ minoris maceratæ horis viginti quatuor in aceto & ſucco Portulacæ, drachmas duas.
Grana Ricini expurgata, torrefacta, numero quadraginta.
Myrobalanorum citrinarum ſeſquidrachmam.
Chamædryos,
Chamæpityos,
Spicæ Nardi,
Cinnamomi, ana ſcrup. duos.
Trita tenuiſſimè excipiatur vnciâ vna Tragacanthæ aquâ Roſarum ſolutæ, Addito ſyr. Roſarum q. ſ. vt cogantur in maſſam ſ.a.

PILVLÆ EX EVPHORBIO, *MES.*

℞ Euphorbij,
Colocinthydos,
Agarici,
Bdellij,
Sagapeni, ana drach. duas.
Aloes drachmas quinque.
Cum Syrupo ex Succo Porri fiat maſſa ſ. a.

PILVLÆ DE OPOPANACE, *MES.*

℞ Opopanacis,
Hermodactylorum,
Sagapeni,
Bdellij,
Ammoniaci,
Colocynthidos, ana drachmas quinque.
Croci,
Caſtorei,
Myrrhæ,
Zingiberis,
Piperis nigri,
longi,
Caſiæ ligneæ,
Myrobal. Citrinarum,
Belliricarum,
Emblicarum, ana drachmam vnam.
Scammonij drachmas duas.
Turpeti ſemunciam.
Aloes drachmas duodecim.
Infuſis lachrymis in aqua Cauliũ, formetur maſſa ſ. a. cum Syrupo ex Succo Caulium.

PILVLÆ TVRPETI AVREÆ, *MES.*

℞ Turpeti gummoſi drachmas ſedecim.
Aloes ſeſquiunciam.
Myrobalanorum citrinarum drachmas decem.
Roſarum rubrarum,
Maſtiches, ana drachmas ſex.
Croci drachmas tres.
E pulueriżatis cum Syrupo Abſinthij q. ſ. fiat maſſa.

PILV-

PILVLÆ DE CYNOGLOSSO, *FERNELII.*

℞ Myrrhæ drachmas ſex.
Thuris maſculi drachm. quinque.
Opij,
Sem. Hioſcyami,
Radic. Cynogloſſi aridarum, ana vnciam dimidiam.
Croci,
Caſtorei, ana drachmam vnam ſemis.
Cum Syrupo ex Stœchade fiat Maſſa ſecundùm artem.

LAVDANVM.

℞ Opij Thebaici extracti in ſpiritu Vini vnciam vnam.
Croci ſimiliter extracti drachmam vnam ſemis.
Caſtorei drachmam vnam.
Excipiātur tincturâ ſemivnciæ ſpecierum Diambræ recentium in ſpiritu vini factâ.
Addendo (ex gratia) Ambræ griſeæ & Moſchi, ana grana ſex.
Olei Nucis Moſchatæ guttas decem.
Tum euaporatione factâ ad balnei calorem tepidum fiat Maſſa.

PILVLÆ SCRIBONII.

℞ Sagapeni,
Myrrhæ, ana drachmas duas.
Opij,
Cardamomi,
Caſtorei, ana vnciam dimidiam.
Piperis albi drachmam dimidiam.
Sapæ quantum ſufficit.
Fiat Maſſa ſecundùm artem.

PILVLÆ è STYRACE, *MES.*

℞ Styrācis liquidæ,
Thuris,
Myrrhæ,
Succi Glycyrrhizæ,
Opij, ana partes æquales:
Miſce, fiat maſſa pro pilulis cum ſufficienti quantitate Syrupi de Papauere ſecundùm artem.

TROCHIS-

TROCHISCI.

TROCHISCI DE ABSINTHIO, *MES.*

℞ Roſarum rubrarum,
Abſinthij Pontici,
Aniſi, ana drachmas duas,
Rhabarbari,
Succi Eupatorij, i. Agerati,
Aſari,
Sem. Apij,
Amygdalarum amararum.
Spicæ Nardi Indicæ,
Maſtiches,
Folii, vel Macis, ana drachmam vnam.
Succi Cichorij, q.ſ. fiant Trochiſci ſecundùm artem.

TROCHISCI ALEXITERII, *RENODAEI.*

℞ Radic. Gentianæ,
Tormentillæ,
Ireos Florentinæ,
Zedoariæ, an. drac. duas.
Cinnamomi,
Caryophyllorum,
Macis, ana drachmam dimidiam.
Zingiberis drachmam vnam.
Radic. Angelicæ drachm. tres.
Sem. Coriandri præparatorum,
Roſarum, ana drachm. vnam.
Corticis Citri ſicci drachmas duas.
Fiat omnium puluis ſubtiliſſimus & cum Succi Glycyrrhizæ vino Hippocratico parùm emolliti, & liquefacti, vnciis ſex,
fiat paſta mollis, de qua formentur Trochiſci, vel potiùs Bacilli oblongi ſ. a.

TROCHISCI ALIPTÆ MOSCHATÆ, *NIC.*

℞ Labdani puriſſ. triti vncias tres.

Styracis Calamitæ vnciam vnam ſemis.
Benzoini vnciam vnam.
Ligni Aloes drachmas duas.
Ambræ griſeæ drachmã vnam.
Camphoræ drachmam dimidiam.
Moſchi ſcrupulum dimidium.
Aquæ Roſarum q. ſ. Miſce, fiant Trochiſci, ſ. a.

TROCHISCI DE ANISO, *MES.*

℞ Aniſi,
Succi Eupatorij, i. agerati inſpiſſati, ana drachmas duas.
Sem. Anethi,
Spicæ Indicæ,
Maſtiches,
Folij, vel Macis,
Folior. Abſinthij,
Aſari,
Apij,
Amygdalarum amararum, ana drachmam dimidiam.
Aloes drachmas duas.
Succi Abſinthij q. ſ. fiant Trochiſci. ſ. a.

TROCHISCI BECHICI ALBI, VEL ROTVLÆ PECTORALES.

℞ Sacchari albiſſimi libram vnã,
Sacchari candi albi,
Penidiorum, ana vncias quatuor.
Glycyrrhizæ drachmas ſex.
Radic. Iridis Florentinæ vnciã dimidiam.
Amyli ſeſquivnciam.
Mucilaginis Tragacanthæ ex aqua Roſarum factæ, q. ſ.
Fiant Trochiſci, & additis Moſchi granis tribus, & Ambræ griſeæ granis quatuor,
poterunt formari in Rotulas, quas vulgò vocant Rotulas Pectorales.
Vel ſi viſum fuerit ſine Moſcho aut Ambra.

TROCHISCI BECHICI NIGRI, *RHASIS.*

℞ Succi Glycyrrhizæ,
Sacchari albi, ana drachmas decem.
Tragacanthi,
Amygdalarum dulc. mundat. ana drachmas ſex.
Mucilaginis Cydoniorum q. ſ.
Miſce: fiant Trochiſci, ſ. a.

TROCHISCI DE BERBERIS, *MES.*

℞ Berberorum Baccharum ſiccarum.
Succi Glycyrrhizæ,
Spodij,
Sem. Portulacæ, ana drachmas tres.
Roſarum rubrarum drach. ſex.
Spicæ Indicæ,
Croci,

Amyli,

Amyli,
Tragacanthi, ana drachmam vnam.
Sem. Citruli drachmas tres ſemis.
Camphoræ drachmam dimidiam.
Confice cum Manna ſucco Berberorum diluta ſ. a.

TROCHISCI DE CAMPHORA,
MES.

℞ Roſarum rubrarum drachmas quatuor.
Spodij,
Glycyrrhizæ, ana drachmas duas.
Sem. quatuor frigidorum maiorum.
Tragacanthæ,
Croci,
Gummi Arabici,
Spicæ Nardi Indicæ, ana drachmam vnam.
Santali Citrini drachmas duas ſemis.
Ligni Aloes,
Cardamomi maioris,
Amyli,
Camphoræ, an. ſcrupul. duos.
Sacchari albiſſimi,
Mannæ, ana drachmas tres.
Mucilaginis Sem. Pſyllij cum aqua Roſarum factæ q. ſ. ad formandos Trochiſcos.

TROCHISCI DE CAPPARIBVS,
MES.

℞ Corticum radicum Capparum.
Sem. Agni Caſti, ana drachmas ſex.
Gum. Ammoniaci,
Sem. Nigellæ,
Calaminthæ,
Acori,
Succi Eupatorij, i. Agerati inſpiſſati,
Amygdalarum amararum,
Folior. Rutæ,
Radic. Ariſtolochiæ rotundæ.
Sem. Naſturtij, ana drachmas duas.
Scolopendrij, id eſt, Ceterach,
Cyperi rotundi, ana drachmam vnam.
Ammoniaco in aceto acerrimo ſoluto pulueres cæteri miſceantur, & formentur Trochiſci ſ. a.

TROCHISCI CYPHEOS,
DAMOCRATIS.

℞ Pulpæ vuarum paſſarum pinguium.
Therebinthinæ coctæ, ana vncias tres.
Myrrhæ,
Schœnanthûs, ana vnciam vnam ſemis.
Calami Aromatici drachmas nouem.
Cinnamomi vnciam dimidiam.

Vnguium Bdellij,
Spicæ Indicæ,
Caſiæ ligneæ,
Cyperi,
Baccarum Iuniperi, ana drachmas tres.
Aſpalathi, ſiue Ligni Aloes drachmas duas ſemis.
Croci drachmam vnam.
Mellis deſpumati q. ſ.
Vini optimi modicum.

Bdellium, Vinum & Myrrha mortario immittantur, benè terantur, donec redierint ad craſſitudinem liquidi Mellis; poſteà Mel addatur, cum Pulpa Paſſul. contritum, poſtremò reliqua omnia læuigata, ſicque fiant Trochiſci ſ. a. ſiccentur in vmbra.

TROCHISCI DIARHODON.

MES.

℞ Folior. Roſarum rubrarum drachmas ſex,
Spicæ,
Ligni Aloes, ana drachmas duas.
Glycyrrhizæ drachmas tres.
Spodij drachmam vnam.
Croci drachmam dimidiam.
Maſtiches drachmas duas.
Cum vino albo fiant Trochiſci ſecundùm artem.

TROCHISCI DE EVPATORIO,

MES.

℞ Mannæ,
Succi Eupatorij, i. Agerati inſpiſſati, ana vnciam vnam.
Roſarum rubrarum vnciam dimidiam.
Spodij ex Ebore drachmas tres ſemis.
Spicæ Indicæ drachmas tres.
Rhabarbari,
Aſari,
Aniſi, ana drachmas duas.
Cum aqua Cuſcutæ fiant Trochiſci.

Manna autem cum ſucco eſt ſoluenda: deinde pulueres cæteri paulatim ſucco adijciantur: in vmbra exiccati reponantur.

TROCHISCI DE GALLIA MOSCHATA, *MES.*

℞ Ligni Aloes crudi drachmas quinque.
Ambræ griſeæ drachmas tres.
Moſchi drachmam vnam.
Cum Mucilagine Tragacanthæ extracta cum ſufficienti quantitate aquæ Roſarum, fiant Trochiſci, ſiccentur in vmbra.

TROCHISCI GORDONII.

℞ Semin. 4. frigidorum, {maiorũ, / minorũ,} mundatorum.

Sem.

Sem. Papaueris albi,
Maluæ,
Bombacis,
Portulacæ,
Cydoniorum,
Myrtillorum,
Gum. Tragacanthi,
Arabici,
Pinearum mundatarum,
Piſtaciarum,
Sacchari Candi,
Penidiorum,
Glycyrrhizæ mundatæ,
Hordei mundati,
Mucilaginis Pſyllij,
Amygdalarum dulcium, ana vnciam vnam.
Boli Armeni,
Sanguinis draconis,
Spodij,
Roſarum,
Myrrhæ, ana vncias duas.
Conficiantur cum Hydromelite.
Fiant Trochiſci ſ. a.

TROCHISCI HEDYCHROI ANDROMACHI EX *GALENO*.

℞ Mari,
Aſari,
Amaraci,
Aſpalathi, ſiue Santali Citrini, ana drachmas duas.
Schœnanthûs,
Calami odorati,
Phu Pontici,
Xylobalſami, aut Ligni Aloes,
Opobalſami, aut olei Nucis Moſchatæ per expreſſionem,
Cinnamomi,
Coſti ana drachmas tres.
Myrrhæ,
Folij Malabathri vel Macis,
Nardi Indicæ,
Croci,
Caſiæ ligneæ, ana drachm. ſex.
Amomi, aut Cardamomi minoris, vnciam vnam ſemis.
Maſtiches drachmam vnam.
Vini Hiſpanici optimi q. ſ.

Primùm Crocus pulueriſatus in pila ſtudioſè teratur cum Vino, deinde Myrrha & Maſtiche probè trita adijciantur, dein Opobalſamum, poſtremò reliqua pulueris formâ inſpergantur, ſimulq; permiſceantur, vino ſubinde affuſo, & tenues Paſtilli formentur ſ. a. & in vmbra ſiccentur.

TROCHISCI HYSTERICI, *RENODAEI*.

℞ Aſæ fœtidæ,
Galbani, ana drachmas duas ſemis.
Myrrhæ drachmas duas.
Caſtorei drachmā vnam ſemis.
Aſari,
Ariſtolochiæ,
Sabinæ,
Matricariæ,
Nepetæ, ana drachmam vnam.
Dictamni drachmam dimidiam.

Cum ſucco aut decocto Rutæ fiant Trochiſci ſ. a.

TROCHISCI DE LACCA, *MES.*

℞ Laccæ mundatæ.
Succorum Glycyrrhizæ,
Eupatorij,(i)Agerati.
Abſinthij.
Berberorum.
Rhabarbari.
Ariſtolochiæ longæ,
Coſti,
Aſari.
Amygdalarum amararum.
Rubiæ tinctorum.
Aniſi,.
Apij.
Schœnanthûs, ana drachmam vnam.

Cum decocto Ariſtolochiæ & Schœnanthûs, vel ſucco Eupatorij aut Abſinthij, fiant Trochiſci ſecundùm artem.

TROCHISCI DE TERRA LEMNIA, *MES. ſec. FERN.*

℞ Sanguinis Draconis,
Gummi Arabici aſſati,
Trochiſcorum Ramich,
Roſarum rubrarum.
Sem. Roſarum,
Amyli aſſati,
Spodij,
Acaciæ,
Hypociſtidis,
Lap. Hæmatitæ,
Balauſtiorum,
Boli Armeni,
Terræ Lemniæ,
Corallij rubri,
Succini,ana drachmas duas.
Margaritarum,
Tragacanthæ,
Sem. Papaueris nigri,an. drachmam vnam ſemis.
Sem. Portulacæ parum toſt.
Cornu Cerui vſti,
Thuris,
Nucum Cupreſſi,
Croci, ana drachmas duas.

Cum ſucco, aut aqua Plantaginis fiant Trochiſci ſ. a.

TROCHISCI è MYRRHA RHASIS.

℞ Myrrhæ drachmas tres.
Farinæ Lupinorum drachmas quinque.
Foliorum Rutæ,
Mentaſtri,
Pulegij,
Sem. Cymini,
Radic. Rubiæ,
Aſæ fœtidæ,
Sagapeni,
Opopanacis, ana drachmas duas.

Diſſoluantur gummi in aceto Scillitico, & cum ſucco Artemiſiæ fiant Trochiſci.

TRO-

TROCHISCI POLYDÆ SPHRAGIS, ANDROMACHI EX *GALENO.*

℞ Florum Mali Punici, id eſt, Balauſtiorum drachmas duodecim.
Aluminis Sciſſilis drach. tres.
Thuris.
Myrrhæ, an. vnciam dimidiam.
Chalcanthi drachmas duas.
Fellis Taurini drachmas ſex.
Aloes vnciam vnam.
Vini auſteri q. ſ. fiant Trochiſci ſecundùm artem.

PASTILLI ANDRONIS, *GALENI.*

℞ Cytinorum Balauſtior. drach. decem.
Chalcanthi drach. duodecim,
Gallæ omphacit,
Ariſtolochiæ,
Thuris, an. vnciam.
Aluminis Sciſſilis,
Myrrhæ ana ſemunciam.
Miſy, drachmas duas.
Cum vini auſteri heminis duabus fiant Trochiſci, ſ. a.

TROCHISCI MVSÆ, *GALEN.*

℞ Aluminis ſciſſi,
Aloes,
Chalcanthi,
Myrrhæ, ana drachmas ſex.
Crocomagmatis,
Croci, ana drachmas tres.
Cytinorum ſemunciam.
Vini odorati.
Mellis, ana q. ſ. vt formentur Paſtilli, ſ. a.

CROCOMAGMA DAMOCRATIS. *GALENI.*

℞ Croci drachmas centum,
Roſarum rubrarum,
Myrrhæ, ana drachmas quinquaginta,
Amyli,
Gummi, ana drachmas triginta.
Vini q. ſ. fiant Trochiſci, ſ. a.

TROCHISCI DE LIGNO ALOES, *MES.*

℞ Xyloaloes,
Roſarum rubr. ana drachmas duas.
Maſtiches,
Cinnamomi,
Caryophyllorum,
Nardi Indicæ,
Nucis Moſchatæ,
Cardamomi maioris,
minoris,
Cubebarum,
Galliæ Moſchatæ,
Paſtinacæ,
Cortic. Citri,

Macis, ana ſeſquidrachmam.
Ambræ griſeæ,
Moſchi, ana ſemiſcrupulum,
Cum Melle Paſſularum fiant Trochiſci.

TROCHISCI RAMICH,
MES.

℞ Succi Acetoſæ vncias ſedecim.
Foliorum Roſarum rubrarum vnciam vnam.
Baccarum Myrti vncias duas.
ſemel feruefiant & colentur, adde colatis
Gallarum recentium accuratè tritarum vncias tres.
Coque iterum aliquantiſper, deinde inſpergatur ſequentium ſpecierum minutiſſimus & optimè commixtus Puluis.

℞ Roſarum rubrarum vnciam vnam.
Santali Citrini drachmas decem.
Gummi Arabici vnciam vnam ſemis.
Sumach,
Spodij, ana vnciam vnam.
Granorum Myrti vncias quatuor.
Ligni Aloes,
Caryophyllorum,
Macis,
Nucis Moſchatæ, ana vnciam dimidiam.
Omphacij ſeu Agreſtæ drachmas ſeptem.

Miſce omnia ſimul, & extende in ſcutella lapidea, dum exiccentur, exiccata rurſus in tenuiſſimum puluerem terantur, & formentur Trochiſci parui cum Camphoræ drachma vna, & q. ſ. aquæ Roſarum, & Trochiſcos hos aromatizant Moſchi grana quindecim.

TROCHISCI DE ROSIS,
MES.

℞ Roſarum rubrarum vnciam dimidiam.
Ligni Aloes drachmas duas.
Maſtiches drachmam vnam ſemis.
Abſinthij Rom.
Cinnamomi,
Nardi Indicæ,
Caſiæ ligneæ,
Schœnanthûs, ana drachmam vnam.
Vini veteris, & decocti quinque radicum aperitiuarum an. q.ſ. fiant Trochiſci ſ. a.

TROCHISCI DE SCILLA,
GALENI.

Scillam initio Iulij collectam mediæ magnitudinis, plenam, candidam, cortice primo detracto, & parte duriore, cui radiculæ adhærent abiecta, farinâ tritici ſubactâ inuolues, & eouſque in clibano coques, donec farina probè ſiccata

cata ſit,& ea perforata,ſtilo ligneo (vel potiùs feſtucâ) tentabis an Scilla vndique tenera ſit. Eâ exemptâ, ipſam in mortario diligenter teres, cui admiſcebis farinæ Erui albi, vel eius loco Ciceris rubri tenuiſſimè cribrati vncias octo ad ſingulas Scillæ libras, & formabis in Trochiſcos ponderis drachmarum duarum (manibus roſaceo inunctis) & ſiccabis in ſuperiore parte ædium meridiem ſpectante, in vmbra,ſæpiùs obvertendo, donec probè ſiccati ſint,deinde repone in vaſe ſtanneo puro,vel vitreo vitatis plumbis.

TROCHISCI DE SPODIO, *MES.*

℞ Roſarum rubrarum drachmas duodecim.
Spodij drachmas decem.
Sem. Acetoſæ drachmas ſex.
Portulacæ.
Coriandri in aceto maceratorũ & torrefactorum.
Pulpæ Sumach, ana drachmas duas ſemis.
Amyli toſti,
Balauſtiorum.
Berber. ana drachmas duas.
Gummi Arabici aſſati drachm. vnam ſemis.
Agreſtæ q. ſ. fiat Trochiſci.

TROCHISCI DE SANTALIS MAI. *MES.*

℞ Santalorum trium, ana vnciam
Sem. Cucumeris,
Cucurbitæ,
Citruli,
Portulacæ,
Spodij, ana ſemunciam.
Roſarum drachmas ſeptem.
Succi Berber. drachmas ſex.
Boli Armeni drachm. quatuor.
Camphoræ drach. vnam.
Cum aqua Portulacæ fiant Trochiſci.

TROCHISCI DE VIPERA ANDROMACHI EX *GALENO.*

℞ Carnis Viperinæ detractâ cute, exemptis interaneis & adipe, abiectis capitibus & caudis, cum Anetho, ſale pauco & aquâ coctæ vnciar octo.
Panis tritici puriſſimi, aut potiùs biſcocti triti & cribrati vncias duas.
Formentur Trochiſci, cum iure in quo decoctæ fuerint carnes Viperinæ,ſi opus ſit liquore,& inungantur Opobalſamo vel Oleo Nucis Moſchatæ per expreſſionẽ. Siccentur loco vmbroſo libero, ventoque perflabili per dies quindecim, aut eo ampliùs, ſæpe autem ſunt conuertendi, donec probè

bè exiccati fuerint, deinde in pyxidem vitream, aut figlinam vitreatam, benè obturatam reponendi. Annũ integrum perſeuerent,quanquam longè meliùs fuerit haud multo poſtquam ipſos confeceris Theriacam adornare. Qui porro diutiùs conſeruare velit, ſubinde eos à puluiſculo abſtergat, qui illis obnaſci conſueuit, qui ſi diutiùs inhæreat Paſtillos perforabit; hoc modo conſeruari poſſunt integri ad tertium annum.

TROCHISCI VITICIS Siue AGNI CASTI, *RENODAEI.*

℞ Sem. Viticis, ſeu Agni caſti,
Lactucæ,
Roſarum,
Balauſtiorum, ana drachmam vnam.
Scobis Eboris,
Electri, ana drachmam vnam ſemis.
Boli Armeni in Aquâ Centinodij loti drachmas duas.
Sem. Plãtaginis ſcrup. quatuor.
Saſſafras ſcrupulos duos.
Cum Mucilagine ſem. Cydoniorum in Aqua Nenupharis extracta fiant Trochiſci ſ. a.

TROCHISCI ALBI, *RHASIS.*

℞ Ceruſſæ aquâ Roſarum lotæ drachmas decem.
Sarcocollæ craſſioris drachmas tres.
Amyli drachmas duas.
Gum. Arabici,
Tragacanthi, ana drachmam vnam.
Caphuræ,
Opij, ana drachm. dimidiam.
Lacte excipiantur ſingula, & fiant Trochiſci ſ. a.

Parari etiam poſſunt hi Trochiſci ſine Opio.

TROCHISCI ALKAKENGI, *MES.*

℞ Baccarũ Alkakengi drach. tres.
Sem. Melonum.
Cucumeris,
Citruli,
Cucurbitæ, ana drachmas tres. ſemis.
Gum. Arabici,
Tragacanthi,
Thuris maſculi,
Sanguinis Draconis,
Pinearum,
Amygdalarum amararum,
Sem. Papaueris albi,
Amyli,
Succi Glycyrrhizæ,
Boli Armeni, ana drachm. ſex.
Sem. Apij,
Hyoſcyami,
Carabes,
Terræ ſigillatæ,
Opij, ana drachmas duas.

Cum ſucco recentium Baccarum Halicacabi, aut decocto earundem fiant Trochiſci ſ. a.

Parantur etiam ſine Opio.

TROCHISCI DE CARABE, *MES.*

℞ Carabes drachmas ſex.
Cornu Cerui vſti,
Gum. Arabici aſſati,
Corallij rubri vſti,
Tragacanthi,
Acaciæ,
Hypociſtidos,
Balauſtiorum,
Maſtiches,
Laccæ lotæ,
Sem. Papaueris nigri aſſat. ana drachmas duas.
Thuris,
Croci,
Opij, ana drachmam vnam ſemis.

Mucilaginis Sem. Pſyllij q. ſ. formentur Trochiſci ſecundum artem.

TROCHISCI DIACORALLIV. *GALENI.*

℞ Boli Orientalis,
Corallij rubri, ana vnciam vnam.
Balauſtiorum,
Amyli,
Terræ Lemniæ, ana vnciam dimidiam.
Hypociſtidos,
Sem. Hyoſcyami,
Opij, ana drachmas duas.

Succi Plantaginis quantitatem ſufficientem: formentur Trochiſci, ſecundùm artem.

TROCHISCI DIASPERMATΩN, *GALENI.*

℞ Sem. Apii,
Ammeos, ana vnciã vnã.
Aniſi,
Fœniculi, ana vnciam dimidiam.
Opii,
Caſiæ ligneæ, ana drachmas duas.

Cum aqua pluuiali fac Paſtillos ſecundùm artem.

HÆMOPTOICI PASTILLI, *GALEN.*

℞ Amyli,
Balauſtiorum,
Terræ Samiæ,
Succi Hypociſtidos,
Gummi,
Croci,
Opii, ana drachmas duas.

Excipe ſucco Plantaginis, fiant Trochiſci ſ. a.

SIEF DE PLVMBO, *MES.*

℞ Plumbi vſti & loti,

Æris

Æris vſti,
Antimonij,
Tutiæ lotæ,
Gum. Arabici,
Tragacanthi, ana vnciam vnā.
Opii drachmam dimidiam.
Aquæ pluuiæ quantitatem ſufficientem. fiant Trochiſci.

TROCHISCI è SVCCINO, *GALENI.*

℞ Iridis Illyricæ,
Ramentorum Succini,
Maſtiches,
Croci, ana drachmas duas.
Opii drachmas quinque.
Excipiantur omnia Mucilagine ex Sem. Pſyllii. fiant Paſtilli.

SIEF DE THVRE RHASIS.

℞ Cadmiæ,
Pompholigos,
Thuris, ana drachmas decem.
Ceruſſæ drachm. quadraginta.
Gum. Arabici,
Opii, ana drachmas ſex.
Aquæ pluvialis q. ſ. fiant Paſtilli, ſiccandi & ſeruandi.

AGARICVS TROCHISCATVS, *MES.*

℞ Agarici electi vncias quatuor.
Infuſionis Zingiberis in vino generoſo factæ, quantitatem ſufficientem. fiant Trochiſci.

TROCHISCI DE AGARICO.

℞ Agarici electi vncias tres.
Salis gem. drachmas ſex.
Zingiberis drachmas duas.
Cum Oxymelite ſimplici q ſ fiant Trochiſci ſecundùm artem.

TROCHISCI ALHANDAL, *MES.*

℞ Pulpæ Colocynthidos albæ, leuis, à ſeminibus repurgatæ vncias decem.
Forcipibus incide & frica aliquoties cum olei roſati vnciâ vnâ, & Trochiſcos finge, cum parte,
Mucilaginis, Gum.
Arabici,
Tragacanthi,
Bdellii, ana drachmis ſex.
Macerentur per quatriduum in aqua Roſarum. Siccati in vmbra denuò terantur, & cum reliqua Mucilagine refingantur ſecundùm artem.

TROCHISCI DE RHABARBARO, *MES.*

℞ Rhabarbari electi drachmas decem.
Succi Eupatorii, i. Agerati condenſati.

Amyg-

Amygdalarum amararum, ana vnciam vnam.
Roſarum drachmas tres.
Spicæ Indicæ,
Abſinthij,
Sem. Aniſi,
Apij,
Rad. Rubiæ tinctorum,
Aſari, ana drachmam vnã.
Cum aqua Cuſcutæ vel eius loco ſucci Eupatorij depurati fiant Trochiſci ſecundùm artem.

TROCHISCI è VIOLIS SOLVTIVI,
MES.

℞ Violarum modicè ſiccatarum drachmas ſex.
Turpeti optimi ſemunciam.
Succi Glycyrrhizæ,
Scammonij,
Mannæ, ana drachmas duas.
Cum Syrupo violarum formentur Trochiſci.

OLEA SIMPLICIA PER EXPRESSIONEM.

OLEVM AMYGDALARVM DVLCIVM.
MES.

℞ Amygdalarum dulcium ſiccarum, ſed non rancidarum confricatarum q. v. terantur optimè, & è prælo exprimatur oleum ſine vi caloris.

OLEVM AMYGDALARVM AMARVM.
MES.

Eodem modo fit, vt Amygdalarum dulcium.

OLEVM AVELLANARVM
MES.

℞ Auellanarum mundatarum quantitatem ſufficientem, terantur optimè, & relinquantur per horas quinque vel ſex in Balneo tepido, deinde torculari exprimatur oleum.

Et eodem modo fiunt,

OLEVM BALANINVM vel DE BEEN,

EX BALANO MYREPSICA,

MES.

Oleum
- Macis,
- Nucis Indicæ,
- Nucis Moſchatæ.
- Nucum Iuglandium Caryinon.
- ex Nucleis
  - Ceraſorum.
  - Mali Armenij, Chryſomelinum.
  - Mali Perſici.
  - Pinearum.
  - Prunorum.
  - Piſtaciarum.
  - Strobylorum.
- ex Seminibus
  - Aurantiorum.
  - Cannabis.
  - Carthami & dicitur Cnicinum.
  - Citri.
  - Cucumeris.
  - Cucurbitæ.
  - Citruli.
  - Ebuli.
  - Hyoſcyami,
  - Lactucæ,
  - Lini,
  - Melonum.
  - Papaueris.
  - Petroſelini,
  - Raphani,
  - Rapi,
  - Ricini, & dicitur Oleum de Cherua Cicinum, Ricininum.
  - Seſami, dicitur Seſaminum.
  - Sinapi,
  - Ex Vuarum acinis.

OLEVM

OLEVM LAVRINVM, *MES.*

℞ Baccarum Lauri maturarum & recentium q. ſ. contundantur, & cum aquæ quantitate ſufficienti coquantur, donec pingue ſupernatauerit, deinde exprimatur torculari, & oleum ſupernatans aquæ ſeparetur ſ. a.

OLEVM OLIVARVM COMMVNE.

Exprimitur ex Oliuis maturis.

OLEVM OLIVARVM OMPHACINVM.

Ex Oliuis immaturis fit per expreſſionem.

OLEVM EX VITELLIS OVORVM, *MES.*

℞ Vitellorum ouorum ad duritiem in aqua coctorum, & poſteà in vaſe vitreato ad lentum ignem probè calefactorum quantum vis. Cauendo ne inter calefaciendum adurantur, è quibus deinde prælo exprimatur oleum.

Obſeruandum, quòd ſi irrorentur aromatico & calido Vino dum caleſiunt & ſubiguntur, commodius elicietur oleum.

OLEA SIMPLICIA PER INFVSIONEM VEL DECOCTIONEM.

OLEVM ROSACEVM OMPHACINVM.

℞ Olei Omphacini libram vnam.
In qua infunde,
Roſarum rubr. immaturarum contuſarum vncias quatuor.

Pone in vaſe vitreo, vel vitreato, & diligenter obtura, & expone Soli per dies ſeptem, & quotidie agita, ita vt vndequaque incaleſcat: deinde leuiter decoque in duplici vaſe: poſteà exprime & illas Roſas abjice, & ſecundò alias Roſas infunde, & vt priùs expone Soli per dies ſeptem, rurſum decoque: iteretur infuſio Roſarum tertiâ vice, & decoquatur leuiter ſecundùm artem, & reponatur oleum & vſui ſeruetur.

OLEVM ROSATVM COMPLETVM,
MES.

Fit eodem modo, ex oleo dulci & maturo ſæpe loto, & Roſis rubris expanſis, contuſis, & Soli expoſitis, & leuiter decoctis in duplici vaſe, ita tamen vt tertia infuſio ſit per quadraginta dies; quibus peractis (ſi placet) reponatur Oleũ cum Roſis ſine expreſſione.

Eodem modo fiunt

Oleum Abſinthites, ex comarum Abſinthij vnciis quatuor & Olei libris tribus, ter repetendo comarum infuſionem, & vltimâ infuſione addendo Succi Abſinthij vncias quatuor, & coquendo leuiter ad Succi conſumptionem.

Oleum Anethinum, ex Olei completi libra vna, florum & frondium Anethi vnciis quatuor, cum triplici infuſione.

Oleum de Caſtoreo, ex Caſtorei vncia vna, Olei libra vna, Vini q. ſ. coctis ad Vini conſumptionem.

Oleum Chamæmelinum, ex oleo completo & floribus q. ſ. per 40. dies inſolentur.

Eodem modo & Oleum è Meliloti Summitatibus.

Oleum Cheirinum, ex floribus Leucoij Lutei i. Keiri, & oleo veteri claro, vt oleum Anethinum.

Oleum Cydoniorum, ex carnis immaturæ cum cortice, & Succi Cydoniorum, ana vnciis ſex. Olei Omphacini libris tribus. Inſolentur in vaſe vitreo per dies quindecim: tum coque vaſe duplici per horas quatuor: poſt fiat permutatio carnis & ſucci eorum ter: demùm cola, & reconde.

Oleum Enulatum, ex Enulæ radicum contuſarum, & Succi eiuſdem, & Olei Amygdalarũ, ana libra dimidia, Vini dulcis vnciis tribus, coctis ad Vini conſumptionem.

Oleum Euphorbij, ex Euphorbij vncia dimidia, Olei Cheirini, Vini odoriferi, ana vnciis quinque, coctis in duplici vaſe ad vini conſumptionem.

Oleum Formicarum *Nic.* ex Formicarum alatarum vnc. ij. & olei vnc. viij. maceratis, inſolatis per dies 40. excolatis, repoſitis.

OLEVM

OLEVM HYPERICI.

℞ Summitatum Hyperici vncias quatuor : Macerentur in Olei Oliuarum veteris libra vna , & Vini odoriferi vnciis ſex, per triduum ad Solem vel in Balnei calore,& exprimantur: Eodem modo renovetur infuſio ſummitatum Hyperici ſecundâ & tertiâ vice : Vltima infuſio coquatur ad vini ferè conſumptionem,& exprimatur; Expreſſioni adde Terebinthinæ vncias tres , Croci ſcrupulum vnum. Parum iterum coquatur & reponatur.

Oleum Iaſminum.
Ex floribus & oleo veteri claro, vt Roſaceum.

OLEVM IRINVM.

℞ Radicum Iridis Flor. libram vnam.
Florum Liliorum alborum libram dimidiam.
Aquæ cui incoctæ ſunt aliæ Iridis Flor. radices q.ſ.
Olei dulcis libras ſex.
In vaſe duplici coque; radices & flores recentes iterum immitte,prioribus expreſſis & abiectis,vt in oleo Roſato.

OLEVM LVMBRICORVM.

℞ Lumbricorum terreſtrium libram dimidiam.
Probè lauentur in vino , deinde adde
Olei Oliuarum libras duas.
Vini vncias octo.
Coque in duplici vaſe ad Vini conſumptionem.

Oleum Sampſuchinum vel Maioranæ ſimplex, Ex herbæ vnciis quatuor , infuſis in Vini vnciis ſex , & olei libra vna, cum inſolatione & duabus aliis infuſionibus repetitis , & tandem euaporatione Vini in Balneo.

OLEVM MASTICHINVM.

℞ Olei Roſati Omphacini libram vnam.
Maſtiches vncias tres.
Vini odoriferi vncias quatuor.
omnia in vaſe vitreato impoſita, coquantur in duplici vaſe ad Vini conſumptionem.

Oleum Menthæ. Ex herbis & oleo Omphacino, vt Roſaceum.

Oleum Myrtillorum , ex Baccarum Myrtillorum confractarũ & vino adſtringẽte aſperſarum libra

libra vna (vt Myrtinũ è foliis)
Olei Omphacini libris tribus.
Macerentur & inſolentur per octiduum; dein coquantur & repetatur tertiò Baccarum noua infuſio, & inſolatio, & coctio in vaſe duplici: tum exprimatur Oleum & reſeruetur vſui.

OLEVM MYRRHÆ.

Aliquot oua recentia coquantur donec induruerint, per mediam longitudinem incidantur, vitelli eximantur, cauitates Myrrhâ tritâ ad medietatem impleantur; & denuò coniungantur albumina, filoque parum conſtringantur, & craticulæ inter duas paropſides collocandæ ſuperponantur. Tum in cella vinaria, vel alio loco ſubterraneo & humido ponantur. Sic enim Myrrhæ liquatus humor in paropſidem inferiorem deſtillabit.

Oleum Narciſſinum, Ex floribus & oleo, vt Roſaceum.

Oleum Nardinum ſimplex, Ex
Spicæ Nardi vnciis tribus.
Olei dulcis libra vna ſemis.
Vini, & aquæ, ana vnciis duabus cum ſemiſſe, coctis in duplici vaſe ad humoris conſumptionem.

Oleum Nenupharinum, ex
Olei Omphacini libra vna.
Florum Nymphææ alb. recent. vnciis quatuor, ter repetitis, vt in oleo Roſato.

Oleum Papaueris, ex floribus, capitibus, & foliis Papaueris ſatiui, & oleo Omphacino, vt Anethinum.

Oleum Rutaceum ſimplex, ex herbis contuſis & oleo maturo, vt Roſatum.

Oleum Sabinæ eodem modo fit vt Roſaceum.

Oleum Sambucinum, ex floribus & oleo, vt Roſatum.

Oleum Scorpionum ſimplex, ex
Scorpionibus numero triginta.
Olei Amygdalarum amararum libris duabus.
Macerentur per dies quadraginta loco calido, in vaſe vitreo inſolentur, colentur, reponantur.

Oleum Sicyonium, ex radicum Cucumeris agreſtis, & ſucci eiuſdem, ana vnciis ſex.

Olei

Olei Oliuarum maturarum libra vna, coctis in duplici vaſe ad ſucci conſumptionem.

Oleum Solani, ex baccarum Solani maturarum vnciis quatuor, coctarum in olei libra vna.

Oleum de Styrace, ex olei Oliuarum libra vna.
Styracis vnciis tribus.
Vini q. ſ. coque poſt ſufficientem macerationem ad vini conſumptionem.

Oleum Verbenaceum, ex herba & oleo, vt oleum Menthæ.

Oleum Violaceum, ex oleo Oliuarum Omphacino, & floribus Violarum, vt Roſatum.

OLEA COMPOSITA.

OLEVM APARICII BENEDICTVM. Hier. Fabr. ab Aq. pentateuch. l. 2. c. 7.

℞ Olei vetuſtiſſimi vncias tres.
Terebinthinæ puræ vncias octo.
Tritici puri ſeſquivnciam.
Flor. Hyperici vncias duas.
Rad. Cardui benedicti.
Valerianæ, ana vnciam.
Thuris puluerizati vncias duas.
Radices & herbæ craſſo modo contundantur, in olla ponantur, tantum Vini albi ſuperfundatur, vt Vino mergantur omnia: factâ per biduum infuſione, Oleum & Triticum adjiciuntur, & coquuntur omnia ad vini conſumptionem. Factâ forti expreſſione additur Terebinthina & Thus; ſinuntur parum bullire iterum; ſeruantur vaſe vitreo.

OLEVM DE CAPPARIBVS.

℞ Corticum Radicum Capparum vnciam vnam.
Cortic. Tamariſci.
Folior. Tamariſci,
Sem. Agni Caſti,
Cetrach ſiue Aſpleni,
Radic. Cyperi, ana drachmas duas.
Rutæ drachmam vnam.
Olei Oliuarum maturi libram vnam.
Aceti albi fortis,
Vini albi, ana vncias duas.
Trita & macerata aliquandiu, leuiter coquantur in duplici vaſe vſque ad conſumptionem Vini & Aceti: exprimantur, colentur, reponantur.

OLEVM

OLEVM DE CASTOREO,
IACOBI de *MANLIIS*.

℞ Caſtorei,
Styracis Calamitæ,
Galbani,
Euphorbij,
Caſiæ ligneæ,
Croci,
Opopanacis,
Carpobalſami, ſive Cubebarũ,
Spicæ Nardi,
Coſti, ana drachmas duas.
Cyperi,
Schœnanthûs,
Piperis longi,
nigri,
Sabinæ,
Pyrethri, ana drachmas duas ſemis.
Olei libras tres.
Vini Hiſpanici libras duas.

Galbanum, & Opopanax in Vino ſeorſim diſſoluantur, deinde reliqua omnia contuſa, cum oleo & vino coquantur in duplici vaſe, poſteà colentur, ac diſſolutum expreſſumq; Galbanum cum Opopanace, oleo affundatur, & iterum coquantur, ſæpiùs miſcendo, vt Galbanum & Opopanax in vaſis fundo ſubſidentia oleo commiſceantur. Styrax autem per ſe diſſoluatur in vino. Adde poſteà Terebinthinæ drachmam vnam ſemis, quò meliùs Styrax oleo commiſceri poſſit.

OLEVM COSTINVM,
MES.

℞ Coſti amari vncias duas.
Caſiæ ligneæ vnciam vnam.
Summitatum Sampſuchi vncias octo.

Trita macerentur biduo in Vini q. ſ. deinde cum olei oliuarum. Vino loti libris tribus coquantur in duplici vaſe ad conſumptionem Vini ſ.a.

OLEVM CROCINVM,
MES.

℞ Croci vnciam vnam.
Myrrhæ puræ vnciam dimidiam.
Cardamomi drachmas nouem.
Calami aromatici vnciam vnã.

Infundatur omnia in aceto, (præter Cardamomũ) diebus quinque, ſexto projiciatur ſuper ea Cardamomum, & ſtent ſimul per diem vnum: mane ſequenti adde libram vnam ſemis olei, & coquantur lento igne ad aceti conſumptionẽ ſecundùm artem. Sunt qui ponunt Vinum loco Aceti.

OLEVM DE EVPHORBIO COMPOS.
NIC.

℞ Staphidis agriæ,
Struthii, vel Saponariæ, ana vnciam

ciam dimidiam.
Pyrethri drachmas ſex.
Calaminthes montanæ ſiccæ vnciam vnam ſemis.
Coſti drachmas decem.
Caſtorei drachmas quinque.

Trita, triduoque macerata in Vini odori libris tribus ſemis coquantur cum olei Leucoij lutei libra vna ſemis, ad Vini ferè conſumptionem, tunc inſperge

Euphorbij recentis & albi tenuiſſimè triti vnciam dimidiam.

& miſcendo coque ad perfectionem.

OLEVM EXCESTRENSE, vulgò EXCETER dictum.

℞ Folior. Abſinthij,
Centaurij minoris,
Eupatorij,
Fœniculi,
Hyſſopi,
Lauri,
Maioranæ,
Meliſſæ,
Nepetæ,
Pulegii,
Sabinæ,
Saluiæ,
Thymi,
Flor. Chamæmeli,
Geniſtæ,
Liliorum alborum,
Sambuci,
Sem. Cymini,
Fœnugræci,
Radicum Hellebori albi,
nigri,
Corticum Fraxini,
Limonũ, ana vncias quatuor.
Foliorum Abrotoni,
Betonicæ,
Iuæ arthriticæ, i. Chamæpityos,
Lauendulæ, ana vncias ſex.
Roriſmarini libram vnam.
Euphorbii,
Sinapeos,
Caſtorii,
Pyrethri, ana vnciam vnam.
Olei libras ſedecim.
Vini libras tres.

Contuſis herbis, floribus & ſeminibus, & Euphorbio, & inciſis radicibus, corticibus & Caſtorio affuſis Vino & Oleo, ſtent per duodecim horas ad Balnei calorem, poſteà coquantur igne lento ad Vini & humoris conſumptionem; Coletur & ſeruetur vſui Oleum.

OLEVM HYRVNDINVM.

℞ Hirundinum integrarum numero ſedecim.

Cha-

Chamæmeli,
Rutæ,
Plantaginis maioris,
minoris,
Folior. Lauri,
Pulegij,
Anethi,
Hyſſopi,
Roriſmarini,
Saluiæ,
Hyperici,
Balſamitæ, ana manipulum vnum.
Olei communis libras quatuor.
Vini Hiſpanici libram vnam.

Confice ſ. a. Si vero tantum Butyri Maialis accipiatur quantum olei, & prædicta cum eo coquantur, Vnguenti & nomen, & conſiſtentiam acquiret.

OLEVM HYPERICI COMP. Seu BALSAMVM MAGISTRALE FLORENT.

℞ Vini albi potentis libras tres.
Summit. Hyperici maturarum manipulos quatuor.

Tere, Macera in vaſe vitreo, obturato eius orificio per duos dies, coque in duplici vaſe, & fortiter exprime; in Colaturam injice alios flores, vt dictum eſt, & tertiò idem facito, dein colato, & ad ſingulas collaturæ libras, adde
Olei veteris libras quatuor.
Terebinthinæ vncias ſex.
Olei Abſinthij vncias tres.
Dictamni,
Gentianæ,
Cardui benedicti,
Tormentillæ,
Carlinæ, vel Cardui Mariæ,
Calami aromatici, ana drachmas duas.
Lumbricorum pluries in Vino lotorum vncias duas.

Terantur craſſiuſculè terenda, & inſolentur triginta aut quadraginta diebus, & benè obturatum reponas.

OLEVM IRINVM COMPOSIT. *NICOL. ALEX.*

℞ Olei veteris libras quindecim.
Aquæ libras quatuor & dimidiam.
Radic. Iridis Flor. libras tres & vncias quatuor.
Flor. Liliorum alborum vncias quindecim.
Radic. Cyperi recentium vncias ſex.
Helenij vncias tres.
Anchuſæ vncias duas.
Cinnamomi,
Spicæ Nardi,

Aſæ

Aſæ odoratæ, ſeu Benzoini, ana vnciam vnam.

Contundantur radices & aliæ ſpecies, & macerentur in oleo & aqua diebus quinque ad Solem vel loco calido, poſteà in duplici vaſe coquito, donec aqua conſumpta fuerit, refrigeſcere ſinito, colato, exprimito, & reponito.

OLEVM MAIORANÆ Seu SAMPSVCHI COMPOS. *ACTVARII.*

℞ Foliorum Sampſuchi manipul. quatuor.
Serpylli manipul. duos.
Fol. Myrti vel Baccarum manipulum vnum.
Abrotoni,
Siſymbrij ſeu Mēthæ aquaticæ, ana manipul. dimidium.
Caſiæ ligneæ veræ vncias duas.
Olei Omphacini libras tres.

Concidantur & contundantur omnia, ac imponantur in vitrum, ac Oleum affundatur: tum obſtructo vaſis orificio, macerentur ad Solem, vel in æſtuario diebus octo. Tandem exprimantur, & Oleo expreſſo infundantur recentes ſpecies, quod tertiò eſt repetendum.

OLEVM MANDRAGORÆ, *NICOLAI.*

℞ Olei communis libras duas.
Succi Pomorum Mandragoræ, vel (eius defectu) foliorum vncias quatuor.
Succi Hyoſciami albi vncias duas.
Succi capitum Papaueris nigri vncias tres.
Succi Violarum,
Cicutæ, ana vnciam vnã.
Opij,
Styracis Calamitæ, ana vnciam dimidiam.

Succi cum Oleo decem diebus ad ſolem macerentur, deinde coquantur in duplici vaſe ad ſuccorum conſumptionem; Cola; Opium diſſoluatur in ſuccis, & Styrax diſſoluatur cum modico Terebinthinæ, probè miſce ſ. a.

OLEVM MOSCHELINVM.

℞ Nuces Moſchatas numero duas.
Moſchi drachmam vnam.
Folij, ſeu Macis,
Spicæ Nardi,
Coſti,
Maſtiches, ana drachmas ſex.
Styracis Calamitæ,
Caſiæ Ligneæ,

Myrrhæ,
Croci,
Cinnamomi,
Caryophyllorum,
Carpobalſami, vel Cubebarũ,
Bdellij, ana drachmas duas.
Olei puri libras tres.
Vini generoſi vncias tres.
Terenda ex arte trita, atque confusè miſta, bulliant ad Vini diſſipationem. Percolatum oleum vſui reſeruetur.

OLEVM NARDINVM, *MES.*

℞ Spicæ Nardi vncias tres.
Sampſuchi vncias duas.
Xyloaloes,
Enulæ,
Folij Indi vel Macis,
Calami aromatici,
Folior. Lauri,
Cyperi,
Schœnanthûs,
Cardamomi, an. vnciam vnam ſemis.
Craſſiuſculè terantur, deinde in Vini & Aquæ ana vnciis quatuordecim, & Olei Seſamini, vel Oliuarum libris quatuor ſemis macerentur per horas viginti quatuor deinde coque in vaſe duplici igne lento horis ſex, perſæpe mouendo.

OLEVM NICODEMI,
Fallop. mat. med. in prim.
Dioſcorid. c. 19.

℞ Sem. (ſeu ſummit.) Hyperici,
Terebinthinæ antiq. ana librã vnam.
Lithargyri drachmas ſex.
Aloes hepaticæ,
Tutiæ Alex. ana drach. tres.
Croci vnciam vnam.
Vini albi optimi libras quatuor.
Olei antiqui libras duas.
Bulliant omnia ſimul in duplice vaſe, donec pars quarta conſumatur, demùm ſepeliantur in arena diebus Canicularibus per dies decem: poſteà per pannum candidum cola, ſepara Vinum ab Oleo, & vtrumque ſeparatim ſerua.

OLEVM NICOTIANÆ.

℞ Succi Peti, ſeu Nicotianæ,
Olei communis, ana libram vnam.
Macerentur, & coquantur ad ſucci conſumptionem.

OLEVM

OLEVM DE PIPERIBVS,
MES.

℞ Piperis longi,
nigri,
albi, ana drachmas tres.
Myrobal. { Chebularum,
Belliricarum,
Emblicarum,
Indarũ, ana drachmas quinque.
Radic. Apij,
Fœniculi, ana drachmas tres.
Sagapeni,
Opopanacis,
Ammoniaci,
Hyoſcyami albi, ana drachmas duas ſemis.
Turpeti drachmas duas.
Zingiberis drachmas tres.
Surculorum Thymi recentium,
Rutæ viridis, ana manipulum vnum.

Macerentur ſecundùm artem in ſ. q. Aquæ vitæ & Olei Cheirini libris duabus, deinde coque ad conſumptionem Aquæ vitæ.

OLEVM POPVLEVM,
NICOL.

℞ Gemmarum Populi recent. libras tres.
Vini libras quatuor.
Olei com. libras ſeptem vncias duas.

Terantur diù Gemmæ Populi; diebus ſeptem in Oleo & Vino macerentur; demùm coquantur vaſe duplici ad Vini conſumptionem: ſi ſecundò & tertiò, eſt efficacius. Tandem exprimatur Oleum & reponatur.

OLEVM VVLPINVM,
MES.

℞ Vulpem (quâ fieri poteſt) pinguem, ætatis mediæ, venatu defatigatam, recenterque occiſam, mox & exenteratam, detractâque pelle, nec non oſſibus diligenter confractis, in partes plures conſciſſam. Decoque in
Vini albi &
Aquæ Fontanæ ana libris ſex
Ad medietatem vſque, nec ſine diligenti deſpumatione in coctura principio: tùm demùm admiſce
Olei antiqui dulciſſimi libras quatuor.
Salis communis vncias tres,
Florum Saluiæ,
Thymi, ana libram vnam.

Procedatque coctio ad totius aquæ ferè conſumptionem, mox affundantur

Aquæ impregnatæ,
(Anethi,
Thymi, an. manipulo vno pleno incocto,) libræ octo.
Denuò inuicem coquantur omnia lento igne ad conſumptionem aquæ: Oleumque ab aquoſitate poſt colaturam, infundibulo ſeparatum, vſui reſeruetur.

VNGVEN-

VNGVENTA SIMPLICIORA.

VNGVENTVM ALBVM *RHASIS.*

℞ Olei Roſacei vncias nouem.
Ceruſſæ bonæ in aqua Roſarũ lotæ vncias tres.
Ceræ albæ vncias duas.
Fiat vnguentum ſecundùm artem.
Adde Camphoræ drachmas duas, & erit Camphoratũ.

VNGVENTVM ÆGYPTIACVM, *MES.*

℞ Æruginis drachmas quinque.
Mellis drachmas quatuordecim.
Aceti fortis drachmas ſeptem.
Coquantur omnia ſimul, donec fiat vnguentum ſpiſſum & colore ſubrubeum.

VNGVENTVM ANODYNVM, EX *CORDO.*

℞ Olei Liliorum alborum vncias ſex.
Anethini,
Chamæmelini, ana vncias duas.
Amygdalarum dulcium vnciã vnam.
Pinguedinis Anatis,
Gallinæ, ana vncias duas.
Ceræ albæ vncias tres.
Miſce ſecundùm artem.

VNGVENTVM Siue LINIMENTVM, *ARCEI.* l. 1. c. 4.

℞ Gummi Elemni,
Terebinthinæ Abietinæ, ana vnciam vnam ſemis.

Seui

Seui Verueciui antiqui,
& liquefacti, vncias duas.
Pinguedinis Porcinæ,
antiquæ, & liquefactæ,
vnciam vnam.
Miſce, fiat Vnguentum ſ. a.

VNGVENTVM AVREVM.

M E S.

℞ Ceræ Citrinæ libram dimidiam.
Olei libras duas ſemis.
Terebinthinæ vncias duas.
Reſinæ pineæ,
Colophoniæ, ana vnciam vnam ſemis.
Thuris,
Maſtiches, ana vnciam vnam.
Croci drachmam vnam.
Confice ſecundùm artem.

VNGVENTVM BASILICON MAIVS,

M E S.

℞ Ceræ albæ,
Reſinæ Pini,
Seui Vaccini,
Picis Græcæ,
Terebinthinæ,
Olibani,
Myrrhæ, ana vnciam vnam.
Olei libram vnam, aut quantitatem ſufficientem.
Miſce, fiat vnguentum.

VNGVENTVM BASILICON MINVS,
Seu
TETRAPHARMACVM.

M E S.

℞ Ceræ flauæ,
Reſinæ pinguis,
Picis Græcæ, ana libram dimidiam.
Olei libras duas, vncias quatuor.
His duntaxat liquatis & permixtis fiat vnguentum iuſtæ conſiſtentiæ.

VNGVENTVM ex BDELLIO.

M E S.

℞ Bdellij drachmas ſex.
Euphorbij,
Sagapeni, ana drachmas quatuor.
Caſtorei drachmas tres.
Ceræ drachmas quindecim.
Olei Sambucini, vel Cheirini drachmas decem.
Bdellium & Sagapenum in aq. Rutæ agreſtis diſſoluantur: cætera cum aq. calida vniantur.
Fiat vnguentum ſ. a.

VNGVENTVM DE CALCE.
FOESII.

℞ Calcis ſepties ſaltem ablutæ ſelibram.
Olei Roſati libram.
Agitentur probè in mortario plumbeo, adde Ceræ tres vncias.

VNGVENTVM DIALTHÆÆ SIMPLEX.
NICOLAI.

℞ Radic. Althææ recentium, & contuſarum libras duas.
Sem. Lini,
Fœnugræci contuſorum, ana libram vnam.
Maceretur in aquæ libris octo.
Deinde leuiter coquantur, & exprimatur Mucilago, cuius
℞ Libras duas, & Olei libras quatuor.
Bulliant ſimul, dum Mucilago ſit abſumpta, ac tum adde
Ceræ libram vnam.
Reſinæ libram dimidiam.
Terebinthinæ vncias duas.
Percoquantur in vnguenti conſiſtentiam.

VNGVENTVM DIALTHÆÆ COMPOSITVM,
NICOLAI.

℞ Radic. Althææ libras duas.
Sem. Lini,
Fœnugræci, ana libram vnã.
Scillæ pulpæ libram dimidiam.
Olei libras quatuor.
Ceræ libram vnam.
Terebinthinæ,
Gum. Hederæ,
Galbani, ana vncias duas.
Colophoniæ,
Reſinæ, ana libram dimidiam.
Radices benè abluantur & terantur; ſimiliter Fœnugrecum, Sem. Lini & Scilla, & cum benè trita fuerint, poſteà in libris octo aquæ per tres dies macerentur, quarto die ſuper ignem bulliant, & extrahatur Mucilago, cuius
℞ Libras duas: & cum oleo ſimul bulliant ad ſucci conſumptionem. Poſteà addatur, Cera, Reſina, & Colophonia, quæ cum liquefacta fuerint, adde Terebinthinam, poſteà Galbanum, & Gum. Hederæ in aceto diſſoluta.
Coque parumper, & ab igne remoueatur, tamdiù agitando donec infrigeſcat, & vt benè incorporentur omnia.

VNGVENTVM ENVLATVM.

℞ Radic. Enulæ, dum emolleſcant in aceto coctarum, tritarum,

tarum, cretarum, libram vnam.

Axungiæ Porcinæ, vet. ſalitæ, libram vnam.

Olei communis vncias quatuor.

Ceræ nouæ vncias duas.

Salis communis vnciam vnam.

Hydrargyri ſaliuâ vel ſuc. limonum extincti,

Terebinthinæ reſiduo coct. Enulæ lotæ, ana vncias duas.

Simul Axungia, Cera, & Oleum liquefiant. His adde pulpam Enulæ, & Salem puluerizatum: tandem Hydrargyrum cum Terebinthina, & pauca Axungia in mortario agitatione multâ re extinctũ. Fiat vnguentum ſ. a.

Parari etiam debet ſine Mercurio.

VNGVENTVM DIAPOMPHOLYGOS NIHILI, NICOLAI.

℞ Olei Roſacei vncias ſedecim.

Succi Solani vncias ſex.

Bulliant ad Succi conſumptionem, adde

Ceræ albæ vncias quinque.

Ceruſſæ lotæ vncias duas.

Plumbi vſti & loti,

Pompholygos præparatæ,

Thuris puri, ana vnciam vnam.

Redigantur in Vnguenti formam ſecundùm artem.

VNGVENTVM REFRIGERANS, GALENI.

Ceratum etiam dicitur.

℞ Ceræ albæ vncias quatuor.

Olei Roſati Omphacini libram vnam.

Liquentur in duplici vaſe, & tranſfuſa in vas aliud, ſenſim affuſâ aquâ frigidiſſimâ, ac ſubinde mutatâ, diù ſubigantur donec albeſcant, poſtremò lauabis in Aqua Roſarum, & addes

Aceti Roſacei & aq. Roſaceæ parùm.

VNGVENTVM DE MINIO Seu RVBRVM CAMPHORATVM.

℞ Olei Roſacei libram vnam ſemis.

Minij vncias tres.

Lithargyri vncias duas.

Ceruſſæ ſeſquivnciam,

Tutiæ drachmas tres,

Camphoræ drachmas duas.

Ceræ in æſtate vncias duas, in Hyeme vnciam vnam.

Fiat Vnguentum in pila plumbea cum piſtillo plumbeo; Cerâ priùs in Oleo liquatâ ad lentum ignem, poſteà reliquis adiectis tenuiſſimè tritis.

VN-

VNGVENTVM NICOTIANÆ ſeu PETI,
IOVBERTI.

℞ Folior. Nicotianæ libras duas.
Axungiæ Porcinæ recentis diligenter lotæ libram vnam.
Herba trita maceretur per noctē in Vino rubro; manè bulliat igne lento cum Axungia ad Vini conſumptionem, Cola & colaturæ adde
Succi Nicotianæ depurati libram dimidiam.
Reſinæ abiegnæ vncias quatuor.
Coquantur ad ſucci conſumptionem, addendo circa finem,
Radic. Ariſtolochiæ rotundæ pulueriſatæ vncias duas.
Ceræ nouæ q.ſ. fiat Vng.

NVTRITVM ſeu CRVDVM, ſeu è LITHARGYRO ſeu TRIPHARMACVM,
MES.

℞ Lithargyri auri tenuiſſimè læuigati libram dimidiam.
Olei Roſati libram vnam.
Aceti vncias quatuor.
Affunde viciſſim modo Oleum, modò Acetum, & agita in mortario tamdiù donec totum liquorem ebiberit Lithargyrus. Fiatque conſiſtentia Vnguenti albidi.

VNGVENTVM OPHTHALMICVM,

℞ Boli Armeni in aqua Roſarum loti vnciam vnam.
Lapidis Calaminaris in aqua Euphragiæ abluti,
Tutiæ præparatæ, ana drachm. duas.
Margaritarum tenuiſſimè læuigatarum drachmam dimidiam.
Caphuræ ſcrupulum dimidiū.
Opij grana quinque.
Vnguenti Roſacei vncias quinque. Et Olei Roſacei q. ſ.
Fiat Vnguentum ſ. a.

LINIMENTVM GVIL. PLACENTINI SIMPLEX.

℞ Ceruſæ lotæ vncias octo.
Ceræ albæ vncias ſeptem.
Lythargyri loti,
Succi Solani, ana vncias quinque.
Thuris puluerisati drachmas decem.
Olei Roſacei pluries in aqua ſimplice loti libras duas.
Miſce, fiat Linimentum.

VN-

VNGVENTVM è PLVMBO, *FOES.*

℞ Plumbi vſti cum Sulphure,
Lythargyri, ana vncias duas.
Ceruſæ,
Antimonij, ana vnciam vnam.
Olei Roſati q. ſ.
Fiat Vnguentum.
Elimatam Plumbi ſcobem in olla Sulphure exurito.

POMATVM, SEVVM CONFECTVM. Amat. Luſitan. ſine Speciebus.

℞ Adipis Ceruini, vel Hædini ad renes, libras duas.
Pinguedinis Suillæ recentis libram ſemis.
Pomorum Camuſiorũ mund. inciſ. numero octo,
Pinguedines membranis purgatas Vino albo abluito, panno lineo exprimito, in olla vitreata aquâ Roſaceâ ſemiplena infundito, prunis lenibus admoueto, bacillis agitato, feruere permittito, aquoſitas dum ferè conſumatur. Reſiduum in vaſe fictili Roſaceâ inſperſo per rarum linteum percolato. Colatis addito
Olei Amygdalarum dulcium vncias ſex.
Ceræ albæ vncias quatuor.
Ad ignem liquefacta recolato; Roſaceâ abluta reſeruato.

VNGVENTVM POTABILE EX *FOES.*

℞ Butyri recentis ſine ſale libram vnam ſemis.
Rubiæ tinctorum,
Caſtorei,
Spermatis Ceti,
Radic. Tormentillæ, ana vnciã dimidiam.
Bulliant ſimul in Vini odorati q. ſ. ad Vini conſumptionem, & fiat Vnguentum.

VNGVENTVM AD PRVRITVM SCABIOSORVM, *RENODAEI.*

℞ Axungiæ Suillæ in ſucco Scabioſæ ſæpiùs lotæ libram dimidiam.
Radicis Oxylapathi in aceto ad putrilaginem coctæ, & per ſetaceum traiectæ,
Sulphuris in ſucco Limonum abluti, ana vnciam vnã ſemis.
Vnguenti Populnei in ſucco Enulæ nutriti vnciam dimidiã.
Omnibus in mortario ſubactis fiat Vnguentum ſ. a.

VNGVENTVM ROSATVM, *MES.*

℞ Axungiæ Porcinæ, membranis expurgatæ, libram vnam, lauetur nouies aquâ calidâ, & deinde toties aquâ frigida, deinde additâ
Roſarum rubrarum recentium contuſarum librâ vnâ,
ſinatur marceſcere per dies ſeptem, deinde coquatur lento igne & coletur : rurſus cum pari admiſtione Roſarum recentium contuſarum totidem dies marceſcat : tum coquatur & coletur vt antè, tandem affunde ſucci roſarum rubrarum vncias ſex.
Coque igne lento ad ſucci conſumptionem: coletur: fiat Vnguentum ſecundùm artem.

VNGVENTVM RVBRVM, DESICCATIVVM, *NICOLAI.*

℞ Olei Roſati Omphacini libram vnam ſemis.
Ceræ albæ vncias quinque.
Liquatis inſperge, in plumbeo mortario
Terræ Lemniæ, vel Boli Armeni,
Lapidis Calaminaris, tritorum exquiſitè, ana vncias quatuor.
Lithargyri auri,
Ceruſſæ, ana vncias tres.
Caphuræ drachmam vnam.
Fiat Vnguentum ſ. a.

VNGVENTVM TVTIÆ VVLGARE.

℞ Tutiæ præparatæ vncias duas.
Lapidis Calaminaris ſæpiùs vſti, & in aqua Plantaginis extincti vnciam vnam.
Pulueriſentur tenuiſſimè, & cum Axungiæ Porcinæ ſæpiùs in aqua roſacea lotæ libra vna ſemis
Fiat Vnguentum.
Paratur etiam cum Vnguento roſaceo, loco Axungiæ.

VNGVENTA MAGIS COMPOSITA.

VNGVENTVM ADSTRINGENS. *FERNELII.*

℞ Olei Roſati in aqua aluminoſa ſæpiùs loti libram vnam ſemis.
Ceræ albæ vncias quatuor.

Gallarum

Gallarum immaturarum.
Nucum cupreſſi,
Baccarum Myrti,
Balauſtiorum,
Malicorij,
Corticum glandium,
Acaciæ,
Rhois,
Maſtiches, ana vnciam vnam.

Omnia exquiſitiſſimè trita macerentur in ſuccis Meſpilorum & Sorborum immaturorum per dies quatuor, deinde ſiccentur igne non acri, ſicque cum Oleo & cera fiat Vnguentum ſecundùm artem.

VNGVENTVM AGRIPPÆ, *NICOLAI.*

℞ Radic. Bryoniæ libras duas.
Radic. Cucumeris Agreſtis libram vnam.
Scillæ laminarum libram dimidiam.
Radic. Ireos recentis vncias tres.
Radic. Filicis maris.
Ebuli,
Tribuli aquatici; vel ari ana vncias duas.

Tuſa omnia recentia macerentur diebus ſex vel octo in Olei albiſſimi non rancidi libris quatuor.

Coquantur deinde igne lento, donec radices incipiant marceſcere, poſteà exprimantur, & in expreſſo oleo, Ceræ albiſſimæ vnciæ quindecim liquefiant, & reducantur in Vnguenti conſiſtentiam.

VNGVENTVM DE ALABASTRO. BEN. VICT. FAVENT.

℞ Succi Chamæmeli vncias quatuor.
Succi { Roſarum rubrarum vncias duas.
Rutæ recentis.
Betonicæ, ana vnciam vnam ſemis. }
Succi. Radic. Althææ vncias duas.
Olei Roſacei Omphacini librã vnam ſemis.
Alabaſtri puri ſubtiliſſimè pulueriſati vncias tres.

Infundantur per noctem, deinde coquantur ad ſuccorum conſumptionem, & cum Ceræ albæ vnciis ſex fiat Vnguentum ſecundùm artem.

VNGVENTVM APOSTOLORVM, *AVICEN.*

℞ Terebinthinæ,
Reſinæ,
Ceræ albæ,
Ammoniaci, ana drachmas quatuordecim.
Radic. Ariſtolochiæ longæ,

Thuris

Thuris maſculi,
Bdellij, ana drachmas ſex.
Myrrhæ,
Galbani, ana vnciam dimidiã.
Opopanacis,
Floris æris, ana drachmas duas.
Lithargyri drachmas nouem.
Olei (ſi æſtas fuerit) libras duas,
(Sin Hyems) libras tres.
Aceti q. ſ. ad Ammoniacum, Opopanacem, & Galbanum diſſoluenda.
Confice ſecundùm artem.

VNGVENTVM ARE GON, ADIVTORIVM.

NICOLAI.

℞ Roriſmarini,
Maioranæ,
Serpylli,
Rutæ,
Radic. Ari,
Radic. Cucumeris Agreſtis, ana vncias quatuor ſemis.
Fol. Lauri;
Saluiæ,
Sabinæ,
Radic. Bryoniæ,
Pulicariæ, i. Conizæ maioris. & minoris, (& in defectu minoris accipe duplũ maioris) ana vncias quatuor.
Laureolæ vncias nouem.
Fol. Cucumeris Aſinini,
Nepetæ, ana libram dimidiam.
Omnia Menſe Maio Collecta & expurgata tundantur recentia, & macerentur diebus ſeptem in olei optimi libris ſex, affuſâ aquæ Vitæ librâ vnâ: deinde coquantur dum contabeſcant, & dum conſumpta ſit aqua. Oleum percoletur, in quo liquentur,
Ceræ vnciæ ſedecim.
Adipis Vrſini,
Olei Laurini, ana vnciæ tres.
Olei Moſchelini vncia dimidia.
Petrolei vncia vna.
Butyri vnciæ quatuor.
Coagitatis demùm hi puluers inſpergantur,
Maſtiches,
Olibani, ana drachmæ ſeptem.
Pyrethri,
Euphorbij,
Zingiberis,
Piperis, ana vncia vna.
Omnia in Vnguenti formam redigantur ſecundùm artem.

VNGVENTVM è SVCCIS APERITIVIS PRIMVM,

FOESII.

℞ Succi Apij,
Endiuiæ,
Menthæ,
Abſinthij,
Petroſelini vulgaris,
Valerianæ, ana vncias tres.
Olei Abſinthij,
Menthæ, ana libram dimidiam.

Q Ceræ

Ceræ Citrinæ vncias tres.
Miſce, & ad ignem fiat Vnguentũ
Additur quandoque Pulueris
Calami Aromatici,
Spicæ Nardi, ana drachma vna.
Olei Capparum aliquid.

VNGVENTVM APERITIVVM SECVNDVM, *FOESII.*

℞ Succi Ebuli vncias octo.
Apij,
Petroſelini, ana vncias quatuor.
Succi Abſinthij,
Ireos, ana vncias quinque.
Olei communis libram dimidiam.
Olei Liliorum alborum vncias decem.
Olei Abſinthij,
Chamæmeli, ana vncias ſex.
Pingued. Anatis,
Gallinæ, ana vncias duas.
Coquantur omnia ſimul ad conſumptionem Succorum; poſteà colentur, & cum Ceræ albæ vnciis ſeptem, & pauxillo Aceti paretur Vnguentum ſ. a.

VNGVENTVM DE ARTANITA MAIVS, *MES.*

℞ Succi Artanitæ, id eſt, Cyclaminis, vel eius defectu decocti radicum fortis libras tres.
Succi Cucumeris agreſtis,
Butyri vaccini, ana libram vnã.
Olei Irini libras duas.
Pulpæ Colocynthidos vncias quatuor.
Polypodij vncias ſex.
Euphorbij vnciam dimidiam.
Contundenda terantur, & macerentur in ſuccis, & oleis per dies octo in vaſe vitreato bene obturato: poſteà coquantur in duplici vaſe ad ſuccorum ferè conſumptionem: Cola, colaturæ adde
Ceræ vncias quinque,
Fellis Taurini drachmas ſeptem ſemis.
Ferueſiant ſimul, donec Cera liqueſcat, & adde
Sagapeni drachmas ſeptem ſemis.
Myrrhæ drachmas tres.
In aceto diſſoluta agitentur ſimul, donec parùm infrigeſcant, & tunc inſperge paulatim puluerem ſubſequentium medicamentorum ſimul mixtorum,
Scammonij,
Aloes,
Colocynthidos,
Mezeræi foliorum, vel baccarũ.
Turpeti, ana drachmas ſeptem ſemis.
Salis gemmæ drachmas quatuor ſemis.
Euphorbij,
Piperis longi,

Zingiberis,
Chamæmeli, ana drachm. tres.
Miſce, fiat Vnguentum ſ. a.

VNGVENTVM CATAPSORAS.

℞ Ceruſſæ, in aqua Portulacæ priùs lotæ, deinde in aceto, radicum Raphani ſyluestris infuſarum ſuccis imprægnato, & ab iiſdem expreſſo:
Lapidis Calaminaris,
Chalciteos, ana drachmas ſex.
Lithargyri plumbi vncias duas.
Plumbi vſti,
Sanguinis Hirci, ana ſemiunciam.
Argenti viui ſublimati vnciam vnam.
Succor. Semperuiui,
Solatri,
Plantaginis, ana vncias duas.
Axungiæ Porcinæ à pelliculis mundatæ libras tres.
Oleorum Violarum,
Papaueris,
Mandragoræ, an. vnciam vnam.
Miſceantur, & benè incorporentur priùs Sublimatū & Axungia, deinde addantur Olea cum Succis, & poſtremò pulueres, vt ex omnibus diligenter inuicem commiſtis, fiat ſ. a. Vnguentum.

VNGVENTVM CITRINVM,
Seu
CITRIVM.
NICOLAI.

℞ Boracis vnciam vnam.
Caphuræ drachmam vnam.
Corallij albi vnciam dimidiam.
Amenti vel Gypſi, vel Aluminis plumoſi vnciam vnam.
Vmbilici marini, ſeu belirici,
Tragacanthæ albiſſ.
Amyli, ana drachmas tres.
Cryſtalli,
Entalis,
Dentalis,
Olibani, i. Thuris albiſſ.
Nitri,
Marmoris albi, ana drachmas duas.
Gerſæ Serpent. ex radic. Dracuntij factæ vnciam vnam.
Ceruſſæ vulgaris vncias ſex.
Adipis Suilli recentis, non ſaliti, mundi, libram vnam ſemis.
Seui Caprini præpar. vnciam vnam ſemis.
Adipis Gallinacei vncias duas ſemis.
Redigantur puluerizanda in puluerem ſubtiliſſimum ſ. a. plurima verò per ſe. Conficiatur Vnguentum ſic: Adipem Suillum & Gallinaceum mundatum, immitte in ollam fictilem vitreatam ſtricti orificij, quibus imponantur Citria mala duo, mediæ magnitudinis, vnà cum pulpa & ſucco interiori

fruſtulatim inciſa: cooperiatur vas & collocetur in Balneo calido per dies ſeptē, deinde excolentur Citria, liquefactoque Seuo Caprino ſenſim inſpergantur pulueres, Caphura verò & Borax vltimo injicienda erunt, probè agitando donec Vnguenti formam acquirat.

VNGVENTVM COMITISSÆ, *VARIGNANAE.*

℞ Cortic. medianorum,
Glandium,
Caſtanearum,
Quercus arboris.
Fabarum,
Baccarum Myrti,
Caudæ Equinæ,
Gallarum,
Acinorum Vuarum,
Sorborum immatur. ſiccorum,
Meſpillorum immaturorū ſicc.
Folior. Pruni ſylueſtris,
Radic. Biſtortæ,
Tormentillæ ana vnciam vnam ſemis.

Terantur craſſiuſcule & coquantur in Aquæ Plantaginis libris octo, donec pars media conſumpta fuerit, colentur. deinde,

℞ Ceræ citrinæ nouæ vncias octo ſemis, diſſolue cum Olei Myrtini ſimplicis libris duabus ſemis, & lauetur nouies cum decoctione prædicta ſemper nouā decoctionem affundendo quotieſcunque laueris. Poſteà inſperge ſequentium, tenuiſſimū puluerem.

℞ Corticum Medianorum,
Glandium,
Caſtanearum,
Quercus arboris,
Gallarum, ana vnciam vnam,
Succi Hypociſtidos,
Cineris oſſium cruris bubuli,
Baccarum Myrti,
Acinorū Vuarū immaturarum.
Sorborum immat. ſiccorum, ana vnciam dimidiam.
Trochiſcorum de Carabe vncias duas.

Miſce & cum prædicta Cera & Oleo Myrtino lotis, addendo Olei Maſtichini non loti q. ſ. fiat Vnguentum bonæ conſiſtentiæ ſ. a.

VNGVENTVM AD HÆMORRHOIDAS,

℞ Amyli albiſſ.
Ceruſſæ lotæ,
Lithargyri præparati,
Plumbi vſti,
Tragacanthæ, ana drachmam vnam & dimidiam.
Opij Thebaici,
Caphoræ, ana ſcrupulum vnū.
Albuminis oui vnius,
Olei Roſacei,
Violacei, ana vnciam vnā & dimidiam.
Ceræ q. ſ. fiat vnguentum.

VN-

VNGVENTVM HÆMORRHOIDALE SAXONIÆ, pag. 154.

℞ Mucilag. è ſem. Pſyllij,
Cydonioru͂,
extractæ aquâ Solani, ana ſemunciam.
Olei Roſacei completi vnciam.
Vitellum vnius Oui.
Agitentur ſimul in mortario plumbeo, piſtillo plumbeo, addendo Ceræ liquatæ parum.
Miſce, fiat Vnguentum ſ. a.

VNGVENTVM LAVRINVM VVLGARE.

℞ Foliorum Lauri libram vnam.
Baccarum Lauri libram dimidiam.
Foliorum Braſſicæ vncias quatuor.
Olei ex pedibus Bouinis libras quinque.
Seui Bouini libras duas.
Contundantur herbæ, & baccæ, & coquantur cum oleo & ſeuo ad humoris conſumptionem, & colentur.

VNGVENTVM MARTIATVM, *NICOLAI.*

℞ Folior. Lauri,
Roriſmarini, ana vncias octo.
Rutæ vncias ſeptem.
Fol. Tamariſci vncias ſex.
Ebuli,
Esbrij, vel Maioranæ,
Sabinæ,
Balſamitæ, vel Menthæ aquaticæ,
Saluiæ,
Ocimi,
Polij Montani,
Calaminthæ,
Artemiſiæ,
Enulæ,
Betonicæ,
Brancæ Vrſinæ,
Spargulæ vel Aparines,
Herbæ venti, i. Anemones ſylueſtris, vel Parietariæ in eius defectu.
Pimpinellæ, i. Sanguiſorbæ,
Agrimoniæ,
Abſinthij,
Herbæ Paralyſeos,
Herbæ ſanctæ Mariæ, i. Coſti hortenſis,
Cymarum Sambuci,
Craſſulæ Maioris, Semperuiui minoris,
Semperuiui, i. Sedi Maioris,
Millefolij,
Chamædryos,
Centaurij minoris,
Quinqueneruiæ, i. Plantaginis maioris,
Fragariæ,
Tetrahit, vel eius loco Virgæ aureæ,
Quinquefolij, ana vncias quatuor ſemis.

Radic. Althææ.
Sem. Cymini,
Myrrhæ, ana vncias tres.
Fœnugræci vnciam vnam ſemis.
Sem. Vrticæ maioris,
Violarum,
Papaueris rubri, i. erratici,
Mentaſtri, ſeu Menthæ agreſtis,
Menthæ ſatiuæ,
Acetoſæ,
Polytrichi, i. Adianthi albi,
Carduncelli, i. Cardui benedicti,
Matriſyluæ, i. Periclymeni,
Maturellæ, i. Valerianæ maioris.
Herbæ Moſchatæ, vel Geranij Moſchati,
Alleluiæ, i. Trifolij acetoſi,
Linguæ Ceruinæ,
Criſpulæ, i. Buphthalmi,
Camphoratæ, i. Abrotoni,
Medullæ Ceruinæ,
Styracis Calamitæ, ana vnciam dimidiam.
Butyri drachmas decem.
Adipis Vrſini,
Gallinacei,
Maſtiches,
Thuris, ana vnciam vnam.
Olei Nardini vncias duas.
Ceræ libras duas.

Herbæ recentes inciſæ Vino odorifero cum Olei libris octo, diebus ſeptem infundantur, octauo die omnia ſimul decoquantur ad vini ferè conſumptionem. Amotum ab igne coletur, atque rurſus in lebetem Oleum injiciatur, cui lento igne parum calefacto injice butyrum, Medullam, Adipes, Oleum Nardinum, & Ceram; deinde Styracem, diſſolutam in Vino & paulo Terebinthinæ mixtam. Maſtichem verò, Myrrham, & Thus, pulueriſata poſtremò inſperge. Cumque fuerint omnia probè mixta, agitatione continuâ in vaſe reconde.

MVNDIFICATIVVM EX APIO. Guid. tr. 7. do. 1. c. 5.

℞ Succi Apij libram vnam.
Mellis vncias nouem.
Farinæ Tritici vncias tres.
Coquantur ad ignem vſque ad ſpiſſitudinem.
Fiat vnguentum ſ. a.

VNGVENTVM NEAPOLITANVM.

RENODÆI.

℞ Axungiæ Suillæ ſucco Saluiæ lot. libram vnam.
Hydrargyri per laneum traiecti, ſaliuâ ritè extincti, vncias quatuor.
Olei Laurini,
Chamæmelini,
Lumbricorum, ana vncias duas,
De Spica ſeſquiunciam.
Aquæ vitæ vnciam vnam.
Ceræ flauæ vncias duas.

Tere-

Terebinthinæ in ſucco Enulæ lot. vncias tres.
Pulueris Chamæpityos,
Saluiæ, ana drachmas duas.
Fiat Vnguentum, vt artis eſt.

VNGVENTVM RESINVM.
Euſt. Rud. Morb. Gall. l. 5. c. 1. f.

℞ Reſinæ Pini optimæ,
Terebinthinæ,
Ceræ citrinæ lotæ,
Olei puri, ana p. æ. Miſce.

VNGVENTVM NERVINVM.

℞ Fol. Paralyſeos, cum flor.
Saluiæ,
Chamæpityos,
Roriſmarini,
Lauendulæ,
Lauri, cum baccis.
Chamæmeli,
Rutæ,
Apij,
Meliloti cum flore,
Abſinthij, ana manipul. vnum.
Menthæ,
Betonicæ,
Pulegij,
Petroſelini,
Centaurij Minoris,
Hyperici, ana manipulum dimidium.
Olei ex pedibus Ouinis, vel Bouinis, libras quinque.
Seui Ouini, vel Bouini, vel Medullæ eiuſdem libras duas.
Olei de Spica vnciam dimidiam.
Contuſis herbis, & coctis cum oleis, & ſeuis, fiat Vnguentum ſ. a.

VNGVENTVM PECTORALE,
NICOLAI.

℞ Butyri recentis aq. Violarum loti vncias ſex.
Olei Amygdalarum dulcium vncias quatuor.
Chamæmelini,
Violacei, ana vncias tres.
Adipis Gallinæ,
Anatis, ana vncias duas.
Radic. Ireos drachmas duas.
Croci drachmam dimidiam.
Ceræ albæ vncias tres.
Ceram & Adipes in Oleis liquato, dein ſæpiùs lauato aquâ Hordei, vel aq. Hyſſopi. His probè lotis adde Iridem & Crocum in tenuiſſ. puluerem redacta, fiat Vnguentum ſ. a.

VNGVENTVM POPVLNEVM.
NICOLAI.

℞ Oculorum Populi arboris recentium libram vnam ſemis.

Axungiæ Porcinæ recentis & inſulſæ libras tres.

Oculi ſeu Gemmæ Populi contundantur & macerentur in Axungia, donec ſequentes herbæ colligi poſſunt.

℞ Folior. Papaueris nigri,
Mandragoræ,
Cymarum Rubi tenerrimarum,
Folior. Hyoſciami,
Solani,
Lactucæ,
Vermicularis (i) Semperuiui minoris, (non illecebræ)
Sedi, ſeu Semperuiui maioris.
Violarum,
Vmbilici Veneris,
Bardanæ, ana vncias tres.

Contuſa omnia permiſceantur Axungiæ, & Oculis Populi: exactis diebus decem, affunde aq. Roſarum libram vnam, coquantur igne lento, dum aqua, omniſq; liquor abſumatur: coletur, exprimatur, & ſi ſit opus recoquatur, dum Vnguenti temperaturam acceperit.

VNGVENTVM RESVMPTIVVM, *NICOLAI.*

℞ Axungiæ Porcinæ recentis vncias tres.
Adipis Gallinæ,
Anſeris,
Anatis, ana vncias duas.
Oeſypi humidæ vnciam dimidiam.
Olei Violati,
Chamæmelini,
Anethini, ana vncias duas.
Butyri recentis libram vnam.
Ceræ albæ vncias ſex.
Mucilaginis Tragacanthi,
Sem. Cydoniorũ,
Lini,
Radic. Biſmaluæ,
Gummi Arabici, ana vnciam dimidiam.

Mucilagines extrahantur aquâ roſaceâ, & additis reliquis, fiat Vnguentum ſ. a.

VNGVENTVM SPLENICVM,

℞ Olei Capparum vnciam vnam.
Olei Liliorum,
Chamæmelini,
Butyri recentis,
Succi Bryoniæ,
Cyclaminis, ana ſemunciam.

Bulliant Olea ad conſumptionem Succorum, addendo
Ammoniaci aceto ſoluti drachmas duas ſemis.
Pinguedinis Gallinæ,
Medullæ cruris Vituli,
Oeſypi, ana ſemiunciam.

Cortic.

Cortic. rad. Tamariſci
Capparum,
Ceterach,
Radic. Filicis, ana drachmam vnam.
Pulueris ſem. Agni caſti,
Geniſtæ, ana ſcrupulum.
Ceræ, q. ſ. Fiat in formam Vnguenti.

VNGVENTVM ALIVD SPLENICVM MAGISTRALE.

℞ Corticis radicum Capparum drachmas ſex.
Radicum Bryoniæ,
Iridis Florentinæ,
Farinæ ſem. Fœniculi dulcis,
Ammoniaci in aceto ſoluti, ana ſemunciam.
Comarum Abſinthij,
Florum Camomillæ, an. drachmam vnam.
Vng. ex ſuccis aperitiuis Fœſij, viz. deſcriptionis ſecundæ,
Vng. ex floribus Aranciorum, ana drachmas ſex.
Olei Irini,
Capparum, ana vnciam vnam cum ſemiſſi.

Trituranda triturentur exactè, vt, per cribrum tranſmiſſa, cæteriſque in mortario calido ſ. a. (elaboratâ contuſione) admixtis, fiat Vng.

Sunt qui vnguenta non admittunt, Emplaſtra verò facile ferunt; His igitur (pro data occaſione) Vnguenti partem in formam Emplaſtri redactam citiſſime coaptare licebit, (quod nec minus intentioni ſatisfacit) ſuperaddendo Ceram, Picem naualem, & Terebinthinæ Cypriæ modicum.

VALENTIA SCABIOSÆ IOANNIS ARDERNII, ex oppido (vulgò) Newark, in Comitatu Nottingham: Chirurgi exercitatiſſimi: qui floruit anno 1370. tempore *Edouardi* tertij Regis Angliæ, ipſiſſimis verbis ex antiquo manuſcripto excerpta.

℞ Succum Scabioſæ, in æſtate per pannum colatum, & cum Axungia Porci à pelliculis mundatâ; in mortario benè tundatur, percutiendo ſed non conterendo, & ſemper paulatim pone de ſucco, ad axungiam, vt bene imbibi poſſit, & vt axungia viridis fiat; Quo facto, accipe illam axungiam, & cum dicto ſucco, in aliquo vaſe ponatur, vt axungia ſucco cooperiatur, & ſic ſtare permittas per nouem dies: poſt nonam diem iterùm accipe prædictã axungiam cum ſucco, & modo prædicto contunde, & aquoſitas quæ de eo exibit tenuis & diſcolorata deponatur, & ſic permitte ſtare per quinque dies, poſt quintum diem iterùm accipe nouum ſuccum Scabioſæ,

& iterùm (vt prædictum eſt) cum dictâ axungiâ contundatur;quo facto,iterum per quindenam in vaſe aliquo cum ſucco quieſcere permittatur; quo verò tempore tranſacto,iterum contundatur (vt prædictũ eſt) & ab aquoſitate purgetur, & in vaſe mundo reponatur, & ſic ſtet in pace per aliam quindenã cum appoſitione noui ſucci; poſt quindenam verò, iterùm contundatur, & ſi fuerit ſatis viridis coloris, poſt bonam contuſionem, in vaſe terreo vel vitreo vſui reſeruetur.

De quantitate vtriuſq; tàm axungiæ quàm ſucci, haud ambigendum: Illius enim pro ſuo arbitrio quantitatem, Pharmacopœus ſibi præparandum ſuſcipiat, quam quidem vſui futuram eſſe conjiciat: Huius autem ſucco frequenter repetito, illam imbuat, donec viridi colore ſaturo axungiam impraægnari conſpexerit. Hæc ſiquidem debet eſſe regula, pro menſura ſucci.

Hoc autem monitum eſſe volumus, quanto viridius, tanto efficacius Vnguentum reddi: ſi ergò primâ vice, vel etiam ſecundâ, copioſa ipſius Scabioſæ folia, poſt vnam vel alteram diem à collectione ſ. a. reſeruata (vt aquoſitatis excrementitiæ aliquid deponant) cum axungiâ contundantur, nec non aliorum ſuccus prælo fortiter expreſſus ſuperaffundatur, vt digitos ad minimum duos ſuperemineat, & in vaſe conuenienti obturato commixta, Soli exponantur, totidem vel pluribus diebus ab authore conſtitutis: deindè poſt fortem expreſſionem, ſucco ſolo fortiter (vt ſuprà) expreſſo, & ab aquoſitate modicè ſeparato, vireſcens axungia repetitis vicibus (haud neglectâ contuſione) imbuatur, colorem authoris ad mentem induci, ſimulque vires Vnguento maiores imprimi, experientia edocti atteſtamur.

TAPSIVALENCIA eiuſdem Authoris.

℞ Tapſibarbati, & cum axungiâ Porci à pelliculis mundatâ, & minutim inſciſsâ, benè in mortario vel in pelui contundantur inuicem, donec axungia benè de ſucco fuerit imbuta, & poſtquàm feceris, permittatur illa axungia cum ſucco ſimiliter ſtare, per nouem dies, aut plus, donec axungia viridis appareat; Quo viſo, iterum cum ſucco nouo benè contundatur, & quandò axungia de ſucco perfectè imbuta fuerit & colorata, quod ſuperfluum eſt de ſucco effundatur, & iterum bene ſine aliquo ſucco contundatur, & in vaſe terreo reponatur, & vſui reſeruetur. Et nota quòd iſta medicina de menſe in menſem debet ſemel contundi, & in contuſione, de Oleo Roſaceo, Violaceo, & Chamæmeli imponere

ponere paulatim, vt Valentia ea competenter poſſit imbibere: Etſi de bono populeone prædictis addatur, efficacius erit medicinæ iuuamentum.

TAPSIMEL eiuſdem.

℞ Succum Chelidoniæ, Tapſi barbati ana: Mellis deſpumati quantum de ſuccis, & inuicem bulliant ad conſumptionem ſucci, poſteà ab igne deponatur, & vſui reſeruetur. Cùm indè contra pruritum vti volueris, accipe de eo quantum volueris, & ei impone, de Puluere Vitrioli combuſti, & Aluminis combuſti, Atramenti, i. arrementi. Et ſi neceſſe fuerit, iterùm bulliant donec Vnguentum ſatis tenax fuerit, & inde in Anum ponatur parùm, contra pruritum, & citò ceſſabit pro certo, & in omni parte corporis, & hoc Vnguentum dicitur Tapſimel, à Tapſi barbato & Melle: Iſtud pro certo eſt nobile vnguentum.

Hæc ad verbum ex veteri Manuſcripto, & ſtylo ſuo.

Caueat Pharmacopœus, ne Mel ex coctione contrahat empyreuma.

VNGVENTVM STOMACHICVM.
NORIMB.

℞ Olei Abſinthini,
Maſtichini,
Nardini, ana vnciam vnã.
Roſarum rubrarum,
Corallij rubri,
Caryophyllorum,
Cinnamomi,
Ligni Aloes,
Maſtiches,
Menthæ,
Schœnanthus, ana drachmam vnam.
Ceræ q. ſ.
fiat Vnguentum ſ. a.

VNGVENTVM AD LVMBRICOS MAIVS.
FOESII.

℞ Olei Rutæ,
Sabinæ,
Menthæ,
Abſinthij,
Amygdalarum amararum ana vnciam vnam ſemis.
Succi florum vel foliorum Perſicæ.
Abſinthij, ana vnciam dimidiam.
Pulueris Rutæ,
Menthæ,
Gentianæ,
Centaurij minoris,

Tor-

Tormentillæ, ana drachmam vnam.
Semin. Caulium.
Pulpæ Colocynthydos, ana drachmas duas.
Aloes hepaticæ drachmas tres.
Farinæ Lupinorum vnciam dimidiam.
Myrrhæ in aq. Graminis lotæ drachmam vnam ſemis.
Fellis Taurini vnciam vnam ſemis.
Cum Succi Limonum q.ſ. & Ceræ vncia vna ſemis, fiat Vnguentum ſecundùm artem.

EMPLASTRA ET CERATA.

EMPLASTRVM EX AMMONIACO.

℞ Ammoniaci vnciam vnam.
Vng. Dialthææ, } ana vnciã
Emplaſtri Meliloti, } dimidiã.
Furfuris frumenti optimè cribrati vnciam vnam.
Pulueris radic. Bryoniæ, & Ireos, ana vnciam dimidiam.
Pingued. Anatis,
Anſeris,
Gallinæ, ana drachmas tres.
Bdellij,
Galbani, ana drachmam vnam ſemis.
Reſinæ Pini,
Ceræ, ana vncias quinque.
Olei Irini,
Terebinthinæ, ana vnciam vnam ſemis.

Bulliant pinguedines, & Oleum cum ſ. q. Mucilaginis ſem. Lini, & Fœnugræci: & vt ad debitam Emplaſtri formam ducantur, addantur Cera & Terebinthina: mox Vng. Dialthææ, & Emplaſtrum de Meliloto, deinde Gummi in aceto diſſoluta: poſtremóq; Pulueres atque reſina Pini puluerizata ſubtiliter, omnia miſcendo bene, & fiat Emplaſtrum ſ.a.

ALBVM COCTVM, DE CERVSSA, *VLMENSE.*

℞ Ceruſſæ ſubtiliſſimè tritæ,
Ceræ Citrinæ,
Olei Oliuarum, ana partes æquales.

Ceruſsâ æneum in cacabum immiſsâ, lentè addatur Oleum, & lento igne bulliant, aſſiduò & agitentur dum ſimul deſideant: dein indatur Cera minutim conciſa ſucceſſiuè, nec ferueat, donec probe liquata: Coquantur demùm omnia ſ. a. dum nigricent, ad iuſtam conſiſtentiam.

EMPLASTRVM DE BACCIS LAVRI.

MES.

℞ Baccarum Lauri vncias duas.
Thuris,
Maſtiches,
Myrrhæ, ana vnciam vnam.
Cyperi,
Coſti, ana vnciam dimidiam.
Terebinthinæ vnciam vnam.
Mellis deſpumati, & leuiter tantum calefacti q. ſ. fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM BARBARVM MAGNVM,

Gal. comp. med. ſec. gen. l. 2. ſ.

℞ Picis ſiccæ libras octo.
Ceræ Citrinæ libras ſex, vncias octo.
Reſinæ Pini libras quinque, vncias quatuor.
Bituminis Iudaici, vel Mumiæ, libras quatuor.
Olei ſeſquilibram.
Æruginis æris,
Lithargyri,
Ceruſſæ, ana vncias tres.
Thuris ſelibram.
Aluminis liquidi, vel Rochæ non vſti ſeſquiunciam.
ſciſſilis, vel Rochæ combuſti vncias quatuor.
Opopanacis,
Squamæ æris,
Galbani, ana drachmas duodecim.
Aloes,
Opij,
Myrrhæ, ana ſemunciam.
Succi Mandragoræ, vel cortic. rad. ſicc. drachmas ſex.
Aceti libras quinque.

Lithargyrus, Ceruſſa, Oleum coquantur ad mellis ſpiſſitudinem: Pix liquefacta, cum Puluere Bituminis, incorporetur: addantur, & coquantur alia ſ. a. donec Acetum conſumatur, nec manus inquinentur. Fall. vuln. gen. c. 15.

EMPLASTRVM DE BETONICA,

ANDERNACI.

℞ Betonicæ viridis,
Pimpinellæ,

Agrimo-

Agrimoniæ,
Saluiæ,
Pulegij,
Millefolij,
Conſolidæ maioris,
Gallitrici, ana vncias ſex.
Thuris,
Maſtiches, ana drachmas tres.
Ireos,
Ariſtolochiæ rotundæ, ana drachmas ſex.
Ceræ albæ,
Terebinthinæ, ana vncias octo.
Gummi Oleæ Æthiopicæ. i. Gummi Elemi vncias duas.
Reſinæ Pini vncias ſex.
Olei Abietini vncias duas.
Vini albi libras tres.

Contuſæ herbæ decoquantur in Vino, deinde colentur, & colaturæ reliqua addantur, & fiat Emplaſtrum ſ. a.

EMPLASTRVM D. *CAESARIS*.

℞ Radic. Biſtortæ,
Nucum Cupreſſi,
Roſarum rubrarum
Santalorum omniũ,
Menthæ,
Semin. Coriandri, ana drachmas tres.
Maſtiches vnciam dimidiam.
Hypociſtidos,
Acaciæ,
Sanguinis Draconis,
Terræ Sigillatæ,
Boli veri,
Corallij rubri, ana drachmas duas.
Terebinthinæ aquâ Plantaginis lotæ vncias quatuor.
Olei Roſacei vncias duodecim.
Succor. Semperuiui,
Plantaginis,
Telephij, ana vnciam vnam.
Ceræ flauæ libram vnam ſemis.

Hypociſtis & Acacia diſſoluantur cum ſuccis, & coquantur lento igne ad conſiſtentiam, deinde commiſceantur reliqua, & fiant Emplaſtrum ſ. a.

EMPLASTRVM CATAGMATICVM, *VIGONIS*.

℞ Succ. Rad. Althææ vncias ſex.
Cort. rad. Fraxini, & folior. eius,
Rad. Conſolidæ maioris:
& minoris, vnà cum foliis, ana vncias duas.
Baccarum Myrti vnciam vnam ſemis.
Folior. Salicis,
Summitat. Hyperici, ana manipul. vnum ſemis.

Contuſis contundendis, bulliant ſimul in vini rubri adſtringentis, & aquæ fabrorum, ana libris duabus,

bus, ad medietatis conſumptionem; colentur, adde
Olei Myrtini,
Roſacei,
Omphacini, ana libram vnam ſemis.
Seui Hircini liquefacti vncias octo.
Lithargiri Auri,&
Argenti,
Minij, ana vncias quatuor.
Ceræ flauæ libram vnam.
Colophoniæ libram dimidiã.
Denuò bulliant ad conſumptionem decocti, addendo ſub finem,
Myrrhæ,
Thuris,
Maſtiches, ana vnciam dimidiam.
Terebinthinæ claræ vncias duas.
Boli Armeni,
Terræ ſigillatæ, ana vnciam vnam.
Baculo optimè agitentur, dum decoquuntur, & fiat Emplaſtrum ſecundùm artem.

CATAGMATICVM, *RENODAEI.*

℞ Rad. Symphyti minoris,
Althææ,
Viſci querni, ana vncias duas.
Plantaginis,
Chamæpityos,
Hyperici, ana manip. vnum.
Fiat decoctio in æquis partibus Vini nigri, & aquæ fabrorum, ad medias: colaturæ adde
Mucilaginis ſem. Cydoniorum in decocto Omazorum extractæ
Olei Maſtichini,
Roſacei, ana vncias quatuor.
Ceræ Virgineæ libram vnam.
Lithargyri auri vncias duas.
Terebinthinæ vncias tres.
Balauſtiorum,
Roſarum,
Myrtillorum,
Acaciæ, ana ſemunciam.
Mumiæ,
Granorum Androſæmi,
Colophoniæ,
Maſtiches,
Succini, ana drachmas ſex.
Picis naualis ſeſquiunciam.
Boli Armeni,
Farinæ volatilis,
Thuris, ana drachmas duodecim.
Sanguinis Draconis vncias duas.
Ad elixatas in percolato Mucilagines, aquoſa humiditas cum exhalauerit, admiſceantur Olea, tum Cera, pòſt Lithargyrus. Coctis, vnitis, agitatis, ab igne ſemotis, addatur Terebinthina, deinde pulueres. Sic demũ miſceantur, agitẽtur, ſubigãtur omnia, vt in Emplaſtrũ coeant conſiſtentiâ legitimum.

EMPLA-

EMPLASTRVM CEPHALICVM.

℞ Reſinæ claræ vncias duas.
Picis nigræ vnciam vnam.
Ladani vnciam dimidiam.
Myrrhæ,
Maſtiches, ana drachmam vnam ſemis.
Gum. Iuniperi drachmas duas.
Terebinthinæ,
Farinæ Fabarum,
Orobi, ana vnciam dimidiam.
Nigellæ odoratæ drachm. tres.
Nucis Moſchatæ drachmas duas.
Stercoris Columbini vnciam dimidiam.

Diſſoluatur Myrrha in Vino Maluatico, & cum reliquis in mortario calido admiſtis fiat Emplaſtrum ſ. a.

Si vis fortius, adde pulueris
Euphorbij,
Pyrethri,
Piperis nigri, ana ſcrupulos duos.

EMPLASTRVM CEROMA Seu CERONEVM.

NICOLAI ALEXANDRINI, Cap. 286.

℞ Picis [naualis, i. ex nauibus vetuſtis deraſæ, quæ multiplicem aquæ marinæ loturam ſunt expertæ.]
Ceræ flauæ illotæ, ana drachmas ſeptem.
Sagapeni drachmas ſex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci, ana drachmas quatuor.
Aloes,
Thuris [maſculi]
Myrrhæ, ana drachmas tres.
Styracis calamitæ,
Maſtiches,
Opopanacis,
Galbani,
Aluminis.
Sem. Fœnugræci, ana drachmas duas.
Confitæ, i. fecis liquidæ Styracis.
Bdellij, ana drachmam vnam.
Lithargyri ſemidrachmam.

EMPLASTRVM EX CICVTA CVM AMMONIACO.

℞ Cicutæ manipulos quatuor.
Ammoniaci ſemilibram, infunde Aceto acerrimo dies octo, dein bulliant, dum Ammoniacum ſoluatur: hinc per pannũ lineum validè exprimatur, iterumque expreſſus liquor ebulliat quinquies, & adiectâ Cerâ & oleo Amygdalino dulci f. Emplaſt.

EMPLASTRVM DE CRVSTA PANIS.

℞ Maſtiches,
Menthæ,
Spodij,
Corallij rubri,
Santalorum omnium, ana drachmam vnam.
Cruſtæ Panis toſtæ, infuſæ in aceto Roſaceo, per mediam horam vncias duas.
Olei Maſtichini,
Cydoniorum, ana vnciã.
Ceræ vncias duas.
Styracis liquidæ,
Ladani, ana drachmas tres.
Farinæ Hordei q.ſ.
Miſce, fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM è CYMINO.

℞ Semin. Cymini,
Baccarum Lauri, ana libram vnam.
Reſinæ Pini libras duas.
Communis libras tres.
Olei Anethini ſelibram.
Ceræ libram vnam.
Miſce, fiat Emplaſtrum.

DIACHYLON SIMPLEX.
MES.

℞ Mucilaginis Fœnugræci,
Sem. Lini,
Radic. Althææ, ana libram vnam.
Olei veteris clari, libras tres.
Lithargyri libram vnam ſemis.
Lithargyrus tenuiſſimè teratur, & cum Oleo ſubigatur, poſteà igne lento coquatur, ſpatha ſemper agitando, donec probè permixta ſint : ab igne depoſita paulatim frigeſcant: poſteà mucilagines affundantur, permiſceantur & decoquantur ad iuſtam craſſitiem ſecundùm artem.

DIACHYLON IREATVM

Adde Pulueris Ireos vnciam vnam ſingulis libris Diachyli ſimp. & erit Ireatum.

DIACHYLON MAGNVM.
MES.

℞ Lithargyri auri tenuiſſimè pulueriſati libram vnam.
Olei Irini,
Anethini,
Chamæmelini, ana vncias octo.
Mucilaginis Radic. Althææ,
Sem.

Sem. Lini,
Fœnugræci,
Vuarum paſſarum,
Caricarum pinguium,
Icthyocollæ,
Succi Ireos,
Scillæ,
Oeſypi, vel Olei ex pedibus Ouillis, ana drachmas duodecim ſemis.
Terebinthinæ vncias tres.
Reſinæ Pini,
Ceræ flauæ, ana vncias duas.
Miſce: fiat Emplaſtrum ſ.a.

DIACHYLON MAGNVM CVM GVMMI EX *RENODAEO*.

℞ Bdellij,
Sagapeni,
Ammoniaci, ana vnciam vnam.
Diachyli magni maſſæ addantur Vino diſſoluta priùs, colata, & ad mellis craſſitiem cocta: & ſic fit Diachylon cum gummi.

DIACHYLON COMPOSITVM, Siue EMPLASTRVM DE MVCILAGINIBVS. *MES.*

℞ Mucilaginis Radic. Althææ,
Sem. Lini.
Fœnugræci,
Cortic. Mediani Vlmi, ana vncias quatuor ſemis.
Olei Chamæmelini,
Liliorum,
Anethini, ana vnciam vnam ſemis.
Ammoniaci,
Galbani,
Opopanacis,
Sagapeni, ana vnciam dimidiam.
Ceræ nouæ vncias viginti.
Terebinthinæ vncias duas.
Croci drachmas duas.
Vino ſoluantur Gummi,
Fiat Emplaſtrum ſ. a.

DIAPALMA Seu DIACHALCITEOS, *GALENI.*

℞ Axungiæ Porcinæ inſulſæ, vetuſtæ, à membranis purgatæ, libras duas.
Olei veteris,
Argenti ſpumæ, (i.) Lithargyri, tritæ, & cretæ, ana libras tres.
Chalcitidis vſtæ, læuigatæ, ſeu Vitrioli albi vſti, & puluериſati vncias quatuor.
Conficitur autem in hunc modum.
Primùm Lithargyrum tenuiſſimè læuigatum lento igne cum oleo, & axungia diutiſſimè coquunt, ac nutriunt ſemper agitando ridicula,

lâ, ſeu ramo Palmæ, vel aliûs arboris aſtringentis, vt Quercus, Buxi, vel Meſpili, qui recenter ſit inciſus, atque vt ſpatulæ vis medicamentoſa meliùs Emplaſtro communicetur, eius extremitatem ſubinde præſcindunt, & ſuperficiem abradunt, ad humiditatem vſque natiuam: mixturæ ſic coctione & agitatione incraſſatæ, & igni ſubſtractæ Vitriolum album, Chalcitidis veræ penuriâ, pulueriſatum injiciunt & ſubigunt, ſicque maſſam habent laudabilem pro Emplaſtro.

EMPLASTRVM DIAPHOENICON CALIDVM,
MES.

℞ Ceræ vncias duas.
Olei Roſacei,
Nardini, ana vncias quatuor.
Simul liquentur, deinde
℞ Dactylorum ſiccorum numero quadraginta.
Panis biſcocti vnciam vnam.
Macerentur in Vino odorato per biduum, deinde
℞ Carnis Cydoniorum in Vino rubro coctorum vnciã vnam.
Contundatur & permiſceatur ſuperioribus; & adde ſequentia in mortario benè contuſa.
℞ Maſtiches.
Thuris,
Abſinthij Romani, ana drachmas duas ſemis.
Ligni Aloes,
Macis,
Myrrhæ,
Aloes lotæ,
Spicæ Nardi,
Acaciæ,
Galliæ Moſchatæ.
Trochiſcorum Ramich,
Calami Aromatici, ana drachmam vnam.
Ladani drachmas duas.
Miſce, & fiat Emplaſtrum ſ. a.

DIAPHOENICON FRIGIDVM,
MES.

℞ Dactylorum maturitati proximorum in Vino auſtero coctorum vncias quinque.
Panis biſcocti vnciam vnam.
Carnis Cydoniorum in Vino auſtero coctorum vnciam vnam.
Styracis Calamitæ,
Maſtiches,
Ladani,
Acaciæ,
Omphacij, id eſt, ſucci Vuarum immaturarum.
Flor. Labruſſæ, vel Vitis ferentis vuas acidas vel auſteras.
Roſarum rubrarum,
Santali Citrini,
Trochiſcorum Ramich,

Myrrhæ

Myrrhæ,
Ligni Aloes, ana vnciam dimidiam.
Ceræ vncias quatuor.
Terebinthinæ aquâ Roſaceâ lotæ vnciam vnam ſemis.
Olei Roſacei vncias decem.
Vini auſteri q. ſ.
Fiat Emplaſtrum ſ. a.

EMPLASTRVM DIVINVM, *NICOLAI.*

℞ Magnetis vncias quatuor.
Ammoniaci vncias tres, & drachmas tres.
Bdellij vncias duas.
Galbani,
Myrrhæ, an. drachmas decem.
Olibani drachmas nouem.
Opopanacis
Maſtiches,
Ariſtolochiæ longæ,
Viridis æris, ana vnciam vnam.
Lithargyri libram vnam ſemis.
Olei communis libram vnam ſemis.
Ceræ nouæ vncias octo.

Miſce ſ. a. Lithargyrus cum Oleo diù agitetur posteà coquantur ad ſpiſſitudinem, tum Cera addatur, ea liquatâ, ab igne auferantur, & adjiciantur Gummi in aceto, aut vino diſſoluta, cocta, & colata, deinde puluis Myrrhæ, Maſtiches, Thuris, Ariſtolochiæ, & Magnetis, poſtremò Æruginis, ne diutiùs cocta Emplaſtrum faciat rubrum, & ſic fiat Emplaſtrum ſecundùm

EMPLASTRVM DE GVMMI ELEMI
Pet. Apon. Conciliat. ſec. Vig. Antid. cap. 16.

℞ Gum. Elemi vncias tres.
Reſinæ Pini,
Ceræ puræ,
Ammoniaci vncias duas.
Terebinthinæ tres vncias & mediam.

Vino Maluatico q. ſ. ad conſumptionem Vini coquantur cætera: tum Ammoniacum aceto diſſolutum adjiciatur.

EMPLASTRVM GRACIA DEI.
NICOLAI.

℞ Terebinthinæ libram dimidiam.
Reſinæ libram vnam.
Ceræ albæ vncias quatuor.
Maſtiches, vnciam vnam.
Betonicæ, Verbenæ, Pimpinellæ } recentium, ana manipul. vnum.

Tuſæ herbæ in vino albo coquantur dum tabeſcant, liquor exprimatur, in quo Cera & Reſina coquantur

quantur ad liquoris conſumptionem: ab igne ſublatis, Terebinthina permiſceatur, & poſtremò Maſtiche in puluerem redacta; & ſic fiat Emplaſtrum, ſ.a.

EMPLASTRVM GRISEVM DE LAPIDE CALAMINARI.

℞ Lapidis Calaminaris præparati vnciam vnam.
Lithargyri vncias duas.
Ceruſſæ vnciam dimidiam.
Tutiæ drachmam vnam.
Terebinthinæ drachmas ſex.
Ceræ albæ vnciam vnam ſemis.
Seui Ceruini vncias duas.
Thuris electi drachmas quinque.
Maſtiches drachmas tres.
Myrrhæ drachmas duas.
Camphoræ drachmam vnam ſemis.
Ceræ, & Seui Ceruini, ana q. ſ.
Confice ſ. a.

EMPLASTRVM AD HERNIAM. *FERNELII.*

℞ Gallarum,
Nucum Cupreſſi,
Pſidiæ, ſiue Malicorij,
Balauſtiorum,
Acaciæ,
Sem. Plantaginis,
Pſyllij,
Naſturtij,
Cupularum Glandium,
Fabarum torrefactarum,
Ariſtolochiæ longæ, & rotundæ,
Myrtyllorum, ana vnciam dimidiam.
Hæc omnia pulueriſentur, & in aceto Roſato macerentur per dies quatuor, deinde torrefiant & exiccentur, tum
℞ Conſolidæ maioris & minoris.
Caudæ equinæ,
Glaſti,
Scolopendrij, i. Ceterach,
Radic. Oſmundæ regalis,
Filicis, ana vnciam vnam.
Thuris,
Myrrhæ,
Maſtiches,
Mummiæ, ana vncias duas.
Boli Armeni loti in aceto,
Lapidis Calaminaris præparati,
Lithargyri Auri,
Sanguinis Draconis, ana vncias tres.
Picis Naualis libras duas.
Terebinthinæ vncias ſex, vel q. ſ.
Vt fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM HYSTERICVM, *NICOLAI.*

Præpar. ſec. *RENODAEVM.*

℞ Radic. Biſtortæ libram vnam.
Ligni Aloes,
Santali Citrini,
Nucis Moſchatæ,
Berberis acinorum,
Antheræ, ana vnciam vnam.
Cinnamomi,
Caryophyllorum,
Schœnanthûs,
Flor. Chamæmeli, ana vnciam dimidiam.
Thuris,
Maſtiches,
Aliptæ Moſchatæ,
Galliæ Moſchatæ,
Styracis Calamitæ rubri, ana drachmam vnam.
Moſchi optimi drachmam dimidiam.
Ceræ libram vnam ſemis.
Terebinthinæ libram dimidiã.
Olei Moſchelini vncias quatuor.
Ladani libras quatuor.
Picis Naualis libras tres.

Cerâ cum Pice liquatâ, Ladanum & Terebinthinæ addantur, dein Styrax, poſtremò reliqua trita & creta, & fingatur Emplaſtrum ſecundùm artem.

EMPLASTRVM DE IANVA. Siue DE BETONICA. *NICOLAI.*

℞ Succi Betonicæ,
Plantaginis,
Apij, ana libram vnam.
Ceræ,
Picis,
Reſinæ,
Terebinthinæ, ana libram dimidiam.

In ſuccis Cera, & Reſina lento igne coquantur, & continenter moueantur ad ſuccorum conſumptionem; poſtremò Terebinthina & Pix addantur bene agitando, & ſic fiat Emplaſtrum ſ. a.

EMPLASTRVM DE MASTICHE, *RENODAEI.*

℞ Maſtiches vncias tres.
Boli Armeni in Vino nigro loti vnciam vnam ſemis.
Roſarum rubrarum drachmas ſex.
Scobis Eboris,
Corallij rubri, ana vnciam dimidiam.
Terebinthinæ vncias duas.
Ceræ flauæ,
Olei Myrtillorum, ana libram dimidiam.

fiat Emplaſtrum ſ. a. addendo
Colophoniæ, vel Tacamahacæ,
Ladani, ana vncias duas.

EMPLASTRVM DE MELILOTO.

MES.

℞ Florum Meliloti vncias ſex.
Flor. Chamæmeli,
Sem. Fœnugræci,
Baccarum Lauri,
Radic. Althææ,
Maioranæ,
Com. Abſinthij, ana drachmas tres.
Sem. Apij,
Cardamomi,
Ireos,
Cyperi,
Spicæ Nardi,
Caſiæ ligneæ,
Sem. Ammeos, ana drachmam vnam ſemis.
Ammoniaci drachmas decem.
Styracis calamitæ,
Bdellij, ana drachmas quinque.
Terebinthinæ vnciam vnam ſemis.
Ficuum pinguium numero duodecim.
Seui Hircini,
Reſinæ, ana vncias duas ſemis.
Ceræ vncias ſex.
Olei Sampſuchini,
Nardini, ana q. ſ.
Tum ℞ Meliloti noui, & Fœnugræci, & Chamæmeli, ana q. ſ. & coquantur in aquæ libris duabus ad medias, deinde in colaturam immiſſis triturandis ſubtiliſſimè pulueriſatis cum radicibus & ficubus coctis & cribratis, rurſum coquantur optime ſemper mouendo, ne comburantur, & additis Oleis, Terebinthinâ, Cerâ, Seuo, & Reſinâ ſimul liquatis, gummiſque in aceto diſſolutis, fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM DE MINIO COMPOSITVM,

VIGONIS.

℞ Olei Roſacei odorati libram vnam ſemis.
Olei Myrtini,
Vnguenti Populei, ana vncias quatuor.
Pinguedinis Gallinæ vncias duas.
Seui Caſtrati, i. Veruecis.
Vaccini, ana libram dimidiam.
Axungiæ Porcinæ vncias ſeptem.
Lithargyri Auri,
Argenti, ana vncias tres ſemis.
Ceruſſæ vncias quatuor.
Minij vncias tres.
Terebinthinæ vncias decem.
Ceræ q. ſ.

fiat

fiat Emplaſtrum ſ. a. tendens ad nigredinem.

ALIVD DE MINIO SIMPLICIVS, LONDINENSIVM.

℞ Minij vncias nouem.
Olei Roſarum rubrarum librā vnam ſemis.
Aceti vini albi vncias ſex.
Coquantur in perfectam Emplaſtri conſiſtentiam.

Paratur etiam ſine aceto in hunc modum.

℞ Minij libram vnam.
Olei Roſacei libram vnam ſemis.
Ceræ libram dimidiam.
fiat Emplaſtrum ſ. a.

EMPLASTRVM ISIS EPIGONI Gal. comp. med. gen. l. 5.

℞ Ceræ luteæ drachmas centum.
Terebinthinæ drachmas ducentas.
Squamæ Æris rubei,
Æruginis raſæ,
Ariſtolochiæ rotundæ,
Thuris,
Salis Ammoniaci,
Guttæ Ammoniacæ,
Æris vſti, ana drachmas octo.
Aluminis combuſti drachmas ſex.
Aloes,
Myrrhæ,
Galbani, ana ſeſquiunciam.
Olei antiqui libram vnam.
Aceti acris q. ſ.

Metallicis Aceto ſub Sole diſſolutis, mox affunduntur liquabilia, deinde pulueres; demum ex omnibus fiunt magdaleones.

EMPLASTRVM DE MASTICHE, *NIC. AL.*

℞ Maſtiches,
Picis naualis,
Sagapeni,
Ceræ, ana drachmas ſex.
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci,
Aloes,
Thuris,
Myrrhæ, ana drachmas tres.
Opopanacis,
Galbani,
Styracis calamitæ,
Aluminis (Rondeletius ſubſtituit, & nos ex eo) Bituminis,
Fœnugræci, ana drachmas duas
Comphittæ, i. fæcis Styracis liquidæ,

 Bdellij,

Bdellij,
Lithargyri, ana ſemidrachmã.

Lithargyrus in puluerem redactus cum ſufficienti aqua decoquatur, deinde Pix, quâ liquefactâ, adde Ceram, Ammoniacum, poſteà Sagapenum; Opopanax, Galbanum infundantur & liquentur, & percolata injiciantur: mox Styracem, Comphittã, Terebinthinam ſpatulâ miſce: poſtremò Colophoniæ, Maſtiches, Thuris, Bdellij, Aluminis, Myrrhæ, Fœnugræci pulueres paulatim inſperge: coquatur: coctum in aqua fundatur, & forma magdaleones.

EMPLASTRVM ΜΗΤΡΟΠΡΟΠΤΩΤΙΚΟΝ.

℞ Maſtiches vnciam vnam cum ſemiſſe,
Galbani purioris in Vino rubro diſſoluti, & à fœcibus poſt colaturam expurgati, drachmas ſex.
Terebinthinæ Cypriæ drachmas duas.
Nucum Cupreſſi,
Gallarum, ana ſeſquidrachmam.
Olei Nucis Moſchatæ per expreſſionem, drach. vnam.
Picis ex nauibus vetuſtis deraſæ drach. duas cum ſemiſſe.
Moſchi grana duo cum ſemiſſe.

Contundantur leuiter Maſtiche, Pix, Galbanum, & Terebinthina, cum calido piſtillo in mortario calido, ſub finem admiſcendo Nucis Moſchatæ Oleum. Tum demum per vices adjiciantur pulueres, nec non Moſchus ſuper marmore cum modico Olei Maſtichini diſſolutus, & poſt exactam miſtionem fiat Emplaſtrum.

EMPLASTRVM NIGRVM, *AVGVSTAN.* STICHPFLASTER.

℞ Colophoniæ,
Reſinæ,
Picis naualis,
Ceræ albæ,
Vitrioli Romani,
Ceruſſæ,
Olibani,
Myrrhæ, ana vncias octo.
Olei Roſacei vncias ſeptem.
Ol. Iuniperi ex granis vncias tres.
Ol. Ouorum vncias duas.
Ol. De Spica vnciam vnam.
Vitrioli albi,
Corallij rubri,
Mumiæ, ana vncias duas.
Terræ ſigillatæ,
Maſtiches,
Sang. Draconis, ana vnciam vnam.
Adipis Ardeæ vnciam vnam.
Thymalli vncias tres.
Lap. Magnetis præpar. vncias duas.
Lumbricorum præparatorum,

Cam-

Camphoræ, ana vnciam vnam.
Fiat Emplaſtrum ſ. a.

EMPLASTRVM NERVINVM, *VIGONIS.*

℞ Olei Chamæmelini,
Roſacei, ana vncias duas.
Olei Maſtichini,
Terebinthini,
Lini, ana vnciam vnam ſemis.
Terebinthinæ coctæ vncias quatuor.
Seui caſtrati Vituli,
Hircini, ana vncias duas ſemis.
Herbarum Roriſmarini,
Betonicæ,
Caudæ Equinæ,
Centaurij minoris, ana manip. vnum.
Vermium terreſtrium lotorũ & purgatorum in vino vncias tres.
Hyperici fol. & ſem. eius, ana manipul. vnum.
Maſtiches puluerifatæ,
Gummi Elemi, ana drachmas decem.
Radicũ Rubiæ tinctorũ drachmas decem.
Picis naualis,
Reſinæ, ana vnciam vnam ſemis.
Lithargyri Auri,
Argenti, an a vncia duas ſemis.
Minij vncias duas.
Galbani,
Sagapeni,
Ammoniaci, ana drachmas tres.
Coquantur Herbæ, Radices, & Vermes in Vini libra vna ſemis ad medietatis conſumptionem, deinde exprimantur, & expreſſum bulliat iterum cum Oleis, Seuis, Lythargyro, & Minio ad Vini conſumptionẽ: deinde adde Gummi in Vino odorifero diſſoluta: poſtremò Terebinthinam, Reſinam, Picem, & Maſtichem in puluerem redacta, & fiat Emplaſtrum ſecundùm artem.

EMPLASTRVM OXYCROCEVM, *NICOLAI.*

℞ Croci,
Picis Naualis,
Colophoniæ,
Ceræ, ana vncias quatuor.
Terebinthinæ,
Galbani,
Ammoniaci,
Myrrhæ,
Olibani,
Maſtiches, ana vnciam vnam drachmas tres.
Modus conficiendi hic ſit; Cera, Colophonia, & Terebinthina ſimul liquentur; auferendo ab

igne: mox Picem puram adde, dũ adhuc feruet; tum Galbanũ, Ammoniacum, Thus, & Myrrham diſſoluta in aceto, injice: poſteà Maſtichem in puluerem redactam & Crocum pulueriſatum in aceto probè humectatum: & ſic fiat Emplaſtrum ſ. a.

VIGONIS OXYCROCEVM
(in quo nil Croci) præſtantius
NOR. AVG.

℞ Ol. Myrtini,
Roſacei,
Omphacini, ana ſeſquilibrã.
Succi Rad. Althææ, libras duas.
Rad. & fol. Fraxini,
Conſolidæ minoris,
Fol. Myrti, ana manipulum.

Omnia priùs aliquantulum contuſa bulliant in Vino nigro, q. ſ. ad conſumptionem medietatis, cum

Myrrhæ,
Thuris, ana ſemunciã.

Colentur inde Fortiter: addantur colaturæ

Seui Hircini ſelibra,
Terebinthinæ vnciæ x,
Maſtiches vncia.

Iterum cum prædictis Oleis bulliant, ad conſumptionem decoctionis. Colentur poſtmodùm addendo

Lithargyri Auri,
Argenti, ana vncias tres.
Boli Armeni,
Terræ Sigillatæ, ana vncias duas.
Minij drachmas decem.

Coquantur igne lento, & cum Cera noua ſufficiente, ſemper agitando, fiat Emplaſtrum.

EMPLASTRVM DE RANIS.
VIGONIS.

℞ Olei Chamæmelini,
Anethini,
Spicæ,
Liliorum, ana vncias duas.
Olei de Croco vnciam vnam, vide pag. 132. col. 2.
Axungiæ Porcinæ libram vnã.
Pinguedinis Vituli libram dimidiam.
Euphorbij drachmas quinque.
Thuris drachmas decem.
Olei Laurini vnciam vnã ſemis.
Adipis viperæ, vel (eius defectu) Colubri, vncias duas ſemis.
Ranarum viuentium numero ſex.
Lumbricorum in vino lotorũ vncias tres ſemis.
Succi Radic. Ebuli,
Enulæ, ana vncias duas.
Schœnanthûs,
Stœchados,
Artemiſiæ, ana manipul. vnum.
Vini odoriferi libras duas.
Lithargyri Auri libram vnam.
Terebinthinæ claræ vncias duas.

Ceræ

Ceræ flauæ q. ſ.
Styracis liquidæ vnciam vnam ſemis.
Argenti viui ſaliuâ hominis ieiuni, vel ſucco Limonum extincti, vncias quatuor.

Modus conficiendi hic ſit.

Coquantur ſimul Ranæ, Lumbrici, & herbæ cum ſuccis, & oleis Chamæmeli, Anethi, Liliorũ, Axungiâ, pinguedine, & librâ vnâ ſemis vini odorati; Colaturæ adde Lithargyrũ, Ceræ vncias quatuor, & reſiduum Vini (i) librã dimidiã. Coquantur ſimul ad conſumptionem totius Vini, & dum digitis non adhæreat, tum adde Oleum de Croco, Laurinum de Spica, & Adipem: poſteà puluerem Thuris & Euphorbij, poſtremò Argẽtum viuum probè commixtum cum Styrace liquidâ, & Terebinthina, ſimul omnia cum ſpatula agitando vt ſimul incorporentur. Cauendum tamen ne imponatur Argentum viuum, cum nimis feruet Maſſa, ne euolet.

EMPLASTRVM SANCTVM
ANDR. à CRVCE.

℞ Reſinæ Pini rec. claræ odor. vncias duodecim.
Olei Laurini puri,
Terebinthinæ optimæ, ana vncias duas.
Gum. Elemi tranſparentis, grauis, vncias quatuor.

Reſina & Gummi in caciola ænea, ſuper ignem clarum debilem, aſſiduò rudiculâ arundineâ, vel ſpatulâ æneâ coagitentur, donec liqueſcant. Inde addantur Laurinum & Terebinthina, iterum parum bulliant, mouendo itidem. Cum incraſſatum, per ſtamineam, aut tamiſium percoletur: quod extillauerit, in vaſe vitreato terreo operto aſſeruetur.

SPARADRAPVM
Seu TELA
GALTERI ex *RENOD.*

℞ Olei Roſacei libram dimidiam.
Seui Arietini vncias quatuor.
Ceræ vncias decem.
Lithargyri,
Reſinæ Pini,
Thuris,
Maſtiches, ana vncias duas.
Boli Armeni,
Farinæ volatilis, ana vnciam vnam.

Coquantur ſimul Oleum, Seuum, & Lithargyrus, donec Lithargyrus ſit incorporatus; deinde ex arte fiat Emplaſtrum, in quod adhuc liquatum, & calidum, tela parùm attrita immergatur.

EMPLASTRVM
ΣΤΕΦΑΝΙΑΙΟΝ.

℞ Ladani ſemunciam.
Styracis calamitæ gummoſæ & colatæ,

Sandaracæ Arabum, i. gummi Iuniperi, ana drachmas duas.
Succini,
Terebinthinæ Cypriæ, ana drachmam vnam.
Coralliorum rub.
Maſtiches, an. ſemidrachmam.
Florum Saluiæ,
Roſarum rubrarum,
Iridis Florentinæ, ana ſcrupulū.
Reſinæ, ex aqua Roſacea lotæ ſemunciam.

Reſina, Ladanum, & Maſtiche, cum Styrace, Sandaracâ & Terebinthinâ, in mortario calido leuitèr contundantur, eò vſque ſ. a. cum piſtillo calido (Vini rub. guttas aliquot aſpergendo) donec inuicem coiuiſſe videantur: Tum demùm Pulueres per vices immittantur, ità vt diligenti agitatione continuò factâ, ex omnibus exactè commixtis fiat Emplaſtrum.

EMPLASTRVM SINE PARI,

ANONYMI ex manuſcripto excerptum.

℞ Thuris Libani,
Bdellij,
Styracis gummoſæ, ana drachmas tres.
Ammoniaci,
Galbani, ana drachmam vnam cum ſemiſſe.
Picis naualis drachmas ſex.
Medullæ Ceruinæ,
Adipis Gallinæ,
Anſeris, ana drachmas duas.
Sulphuris viui ex lacte loti,
Pulueris Hermodactylorum, ana ſeſquidrachmam.

Diſſoluantur Gummi in Vino albo tenui (non autem in aceto, quod neruoſis & membranoſis partibus eſt inuicem) & cum Olei Roſati completi partibus duabus, Olei Ouorum parte vna, & Olei Terebinthinæ modico fiat ſ. a. Emplaſtrum.

STICTICVM PARACELSI.

℞ Olei oliuarum vncias ſex.
Ceræ vnciam vnam ſemis.
Lithargyri triti vncias quatuor ſemis.
Ammoniaci,
Bdellij, ana vnciam dimidiam.
Galbani,
Opopanacis,
Olei Laurini,
Lap. Calaminaris,
Ariſtolochiæ vtriuſque.
Myrrhæ,
Thuris, ana drachmas duas.
Reſinæ abietis, vel Terebinthinæ puræ vnciam vnam.

Oleum, Cera, & Lithargyrus ſimul coquantur, dum digitis non adhæreant; deinde maſſa ab igne remota paulùm frigeſcere ſinatur addendo gummi diſſoluta in aceto Vini albi, quod recoquendo

euaporet,

euaporet; & coletur ſtrenuè, poſtremò pulueres & Terebinthinã & Oleum Laurinum adjice, & fiat Emplaſtrum ſ. a.

EMPLASTRVM STOMACHICVM, *MES.*

℞ Ligni Aloes,
Abſinthij,
Gummi Arabici,
Maſtiches,
Cyperi,
Coſti,
Zingiberis, ana vnciam dimidiam.
Calami Aromatici,
Olibani,
Aloes, ana drachmas tres.
Caryophyllorum,
Macis,
Cinnamomi,
Spicæ Nardi,
Nucis Moſchatæ,
Galliæ Moſchatæ,
Schœnanthûs, ana drachmam vnam ſemis.

Excipe Miuâ Cydoniorum, & fiat Emplaſtrum, vſus tempore extendatur ſuper pannum, & ſuffumigetur ligno Aloes, & ſuperponatur ſtomacho.

EMPLASTRVM STOMACHICVM MAGISTRALE.

℞ Menthæ,
Abſinthij,
Stœchados,
Fol. Lauri, ana drachmam vnam:
Maioranæ,
Roſarum rubrarum,
Santali Citrini, ana drachmas duas.
Calami Aromatici,
Ligni Aloes,
Florum Lauendulæ,
Nucis Moſchatæ,
Cubebarum,
Galangæ,
Piperis longi,
Macis, ana drachmam vnam.
Maſtiches drachmas tres.
Caryophyllorũ drachmas duas ſemis.
Olei Menthæ vnciam vnam ſemis.
Olei Nardini vnciam vnam.
Olei Spicæ drachmam vnam.
Reſinæ,
Ceræ, ana vncias quatuor.
Ladani vncias tres.
Styracis liquidæ vnciam ſemis.

Fiat Emplaſtrum.

DE

DE CERATIS.

CERATVM AMMONIACVM.

℞ Ammoniaci diſſoluti in aceto vnciam vnam.
Vng. Dialthææ,
Empl. de Meliloto, ana ſemunciam.
Furfuris Frumenti optimi cribrati vnciam.
Pulu. radic. Bryoniæ ſicc.
Ireos ſicc. ana ſemunciam.
Pinged. Anatis,
Anſeris,
Gallinæ, ana drachmas tres.
Olei Irini ſeſquiunciam.
Bulliant leuiter in mucilaginibus Sem. Lini.
Fœnugræci, ana q. ſ.
Adde Ceræ vncias quatuor.
Fiat Ceratum ſ. a.

CERATVM DE GALBANO.

℞ Galbani præparati vnciam vnã ſemis.
Aſæ fœtidæ vnciam dimidiam.
Sem. Dauci ſcrupulum vnum.
Myrrhæ rubeæ drachmas duas.
Bdellij drachmam vnam.
Matricariæ,
Artemiſiæ, ana drachmam dimidiam.
Gummi diſſoluantur in aceto, & fiat Ceratum ſ. a. addita Ceræ q. ſ.

CERATVM OESYPATVM, *GALENI.*

℞ Oeſypi vncias decem.
Olei Chamæmelini,
Irini, ana librã dimidiam.
Ceræ flauæ libras duas.
Reſinæ libram vnam.
Maſtiches.
Terebinthinæ, ana vnciam vnam.
Spicæ Nardi drachmas duas ſemis.
Croci drachmam vnam ſemis.
Ammoniaci vnciam vnam.
Styracis Calamithæ vnciam dimidiam.
fiat Ceratum ſ. a.

CERATVM SANTALINVM, *MES.*

℞ Roſarum drachmas duodecim.
Santali rubri drachmas decem.
Santali

Santali albi,
citrini, ana drachmas ſex.
Boli Armeni drachmas ſeptem.
Spodij ex Ebore drachmas quatuor.
Camphoræ drachmas duas.
Ceræ albæ lotæ drachmas triginta.
Olei Roſacei vncias ſex.
fiat Ceratum ſ. a.

CERATVM STOMACHICVM,
GALENI.

℞ Roſarum rubrarum,
Maſtiches, ana drachmas viginti.
Fol. Abſinthij ſicc. drachmas quindecim.
Spicæ Nardi drachmas decem.
Ceræ mundæ vncias quatuor.
Aquæ Roſaceæ q. ſ.
Olei Roſati libram vnã ſemis.
& ſic Vnguenti inſtar liqueſcit & fluit ad extrema. tum adde
Olei Roſati vncias octo.
Ceræ vncias quatuordecim.
Pulueres vt ſupra (præter Maſtichem quæ liquatur Oleo Roſato.)

EMPLASTRVM à NOSTRATIBVS, FLOS VNGVENTORVM DICTVM.

℞ Reſinæ,
Reſinæ Pini,
Ceræ,
Seui ouini, ana libram dimidiã.
Olibani vncias quatuor.
Terebinthinæ vncias duas ſemis.
Myrrhæ,
Maſtiches, ana vnciam vnam.
Caphuræ drachmas duas.
Vini albi libram dimidiam.
Coque ſimul in formam Cerati.

OLEA

OLEA CHYMICA.

OLEA EX HERBIS.

OLEVM ABSINTHII.

℞ Abſinthij ſicci libram vnam.
Aquæ fontanæ libras viginti.
Macerentur per horas viginti quatuor, & fiat diſtillatio per Alembicum magnum cum ſuo Refrigeratorio. Oleum cum aqua extrahes, quod ſeparabis per infundibulum. Aqua, quæ exſtillârit, ab Oleo ſeparata ſeruetur ad nouam diſtillationem.

Eodem modo parantur,

Olea Ex floribus Chamæmeli,
Chelidonij,
Hyſſopi,
Lauendulæ,
Maioranæ,
Menthæ,
Naſturtij,
Origani,
Pulegij,
Roſarum,
Roriſmarini,
Rutæ,
Sabinæ,
Saluiæ,
Satureiæ,
Thymi,
Verbaſci,
Et ex omnibus aliis floribus, & herbis calidis.

OLEA EX SEMINIBVS.

OLEVM SEM. ANETHI.

℞ Semin. Anethi contuſorum libras duas.
Aquæ fontanæ libras ſedecim.

Macerentur

Macerentur per viginti quatuor horas, deinde diſtillentur per Alembicum magnum cum ſuo refrigeratorio, extrahes Oleum, & aquam, quod ſeparabis per infundibulum.

Eodem modo paratur

Oleum ex Seminibus { Aniſi, Carui, Cymini, Dauci, Fœniculi, Frumenti, Petroſelini, Rutæ, Saxifragiæ, &c.

OLEA EX BACCIS.

OLEVM EX BACCIS IVNIPERI.

℞ Baccarum Iuniperi recentium libras quinquaginta.
Contunde & pone in vaſe ligneo cum aquæ libris viginti quatuor. Addendo fermenti acrioris libram vnam: ſtent in Cellario, benè clauſo vaſe, per tres menſes: deinde diſtillentur per Alembicum cum conuenienti quantitate aquæ, poſt ſeparationem Olei, reſerua aquam, ad aliam diſtillationem.

Eodem modo fit,

Oleum ex Baccis { Hederæ, Lauri,

OLEA EX AROMATIBVS.

OLEVM CINNAMOMI.

℞ Cinnamomi contuſi libras quinque.
Aquæ fontanæ libras quinquaginta.
Macerentur per horas viginti quatuor, & diſtillentur per Alembicum magnum cum refrigeratorio.

Eodem modo paratur

Oleum { Caryophyllorum, Macis, Nucis Moſchatæ, Piperis,

OLEA EX CORTICIBVS.

Olea ex Corticibus ſiccis,
Aurantiorum,
Citri,
Limonum,
Parantur eodem modo, quo Olea ex Herbis.

EX

EX LIGNIS.

OLEVM EX GVAIACO.

Oleum ex ligno Guaiaco fit per retortam in reuerberatorio clauſo: ſeparetur tenuior & ſuauior pars à fœtidiore, craſſiore; & rectificetur cum Sale, vel Tartaro calcinato, vel Colcothare, vel arena. Eodem modo fit Oleum è Buxo, Quercu, & aliis lignis ſolidioribus.

EX LIGNO SASSAFRAS.

Oleum Saſſafras fit ſicut Oleum Cinnamomi: Et ſic fit
Oleum ex Ligno Rhodio,
Iuniperi,
Roriſmarini,
Hederæ.

OLEA EX FVSILIBVS.

OLEVM CERÆ.

℞ Ceræ flauæ libram vnam.
Liqua, & adde pulueris Tegularum libras tres.
Miſce, & pone in retortam, & extrahe Oleum igne conuenienti, rectificetur per retortam ſine tegulis, additâ aquâ: Conueniens ignis eſt, qui primò extruitur ſupra retortam vſque dum exibilare deſierit, dein infra retortam: Et hoc modo parantur
Olea ex Pinguedinibus.

OLEA EX GVMMIS ET RESINIS.

OLEVM MYRRHÆ.

℞ Myrrhæ contuſæ libras ſex.
Aquæ fontanæ libras triginta.
Salis nigri libras ſex.
Miſceantur, & diſtillentur per Alembicum.

OLEVM TEREBINTHINÆ.

℞ Terebinthinæ Venetæ libras viginti octo.
Aquæ communis libras nonaginta ſex.
Imponantur in vas cupreum amplum cum ſuo cooperculo, & refrigeratorio: ſic exſtilletur Oleum tenue, & album, & in fundo reſtabit Colophonia, ſi ignis augeatur. Oleum iſtud album, inſtar aquæ, commodè extrahetur ſine empyreumate in B. M. in vaſe vitreo; ſi verò flauum & rubrum velis, opus eſt validiori igne, vt cinerum aut arenæ ſine aqua in vaſe vitreo.

OLEVM

OLEVM BALSAMI
Pet. Apon. Concil.

℞ Myrrhæ,
Aloes,
Spicæ Nardi,
Sanguinis Draconis,
Thuris,
Mumiæ,
Opopanacis,
Carpobalſami, vel cubebarum,
Bdellij,
Ammoniaci,
Sarcocollæ,
Croci,
Maſtiches,
Gummi Arabici,
Styracis liquidæ, ana drachmas duas.
Ladani,
Caſtorei, ana drachmas duas ſemis.
Moſchi ſemidrachmam.
Terebinthinæ ad pondus omnium.

Terenda terantur, miſceantur omnia, & diſtillentur in Alembico ſecundùm artem.

OLEVM LATERICVM, PHILOSOPHORVM
quod dicitur,
DIVINVM SANCTVM, MAGISTERII,
MES.

℞ Lateres è terra rubente antiquatos, in fruſta comminutos ad pomi magnitudinem; quæ fruſtula in prunis ignita tota excandeſcant; exempta extinguantur oleo Roriſmarini, vel claro veteri, dum ſe impleuerint: exempta iterum terantur tenuiſſimè. Puluis in vitream iniiciatur Retortam ſeu Cucurbitam, fornaci ritè adaptatam, luto concluſam chymico, per ſublimationem diſtillandus. Oleum eliciatur prunis, excipiatur phialâ ſubiectis: & quo antiquius, eo valentius obſeratum recondatur.

Oleum Liguſtrinum, Cyprinum, ſeu de Alcanna, Meſuæ, Ex florum Liguſtri vnciis quatuor, Olei veteris vnciis decem.

Oleum Liliorum alborum, Ex floribus, & oleo veteri claro, vt Roſaceum, ſed abijciantur vngues crocei.

Et ſimplex è flor. Liliorum Conuallium adſimile.

OLEVM THVRIS.

℞ Thuris q. ſ. pone in retortam: extrahe Oleum igne conuenienti: poſt rectificetur per ſe, vel addito ſale, vel arenâ.

Eodem modo fiunt

Olea { Ammoniaci,
Benioini,
Carannæ,
Gagatis,
Maſtiches,
Opopanacis,
Sagapeni,
Styracis liquidæ,
Tacamahaccæ, &c.

OLEA EX MINERALIBVS, ET LAPIDOSIS.

OLEVM ANTIMONII.

℞ Antimonij crudi, Mercurij ſublimati, ana libram vnam.

Fiat puluis indendus retortæ vitreæ, cuius collum ſit latum, detur ignis per gradus in reuerberatorio clauſo. Stillabit in vas recipiens pinguedo, cuius pars collo retortæ adhærens ſuppoſito leui igne liquetur. Iſta pinguedo in Alembico paruo rectificetur, vel in retortula, & ſeruetur hoc coagulum; quod ſi liquidum velis, phiala aperta relinquatur in cella, abibit in aquam ſiue oleum diligenter aſſeruandum vaſe probè obturato.

OLEVM ARSENICI.

Cryſtallinum Arſenicum (priùs ſublimatũ cum ſolo Colcothare) commiſce cum æquali pondere Salis Tartari, & Salis Petræ: & inter vrceolos duos (quorum ſuperior ſit perforatus) calcinentur, vſq; dum nullus fumus aſcenderit. Materiam ſic calcinatam in aqua calida ſolues, vt inde Salem extrahere poſſis; puluerem, qui ſubſiderit, imbibe liquore Tartari, & exicca ad ignem; idque ter facias. Rurſus materiam in calida diſſolue, vt Salem eximas; & remanebit puluis candidiſſimus, & fixus; qui in loco humido ſoluetur in oleum pingue butyri inſtar.

OLEVM SALIS.

℞ Salis nigri Gallici (calore Solis, non vi ignis, facti) quantum vis.

Exiccetur ſupra ignem, cui adde

Terræ luteæ calcinatæ tantundem.

Contundantur ſimul in Mortario, priuſquam penitus refrixerint, deinde impleatur retorta cum collo longiori, benè lutata, & ponatur in fornace anemia, cum recipiente capaci benè lutato cum argilla temperata: ignem auge per gradus

gradus, & intra duodecim vel quatuordecim horas habebis Oleum in recipiente: vbi fornax refrixerit, & fumi probè ſedati fuerint, effunde oleum; & ſeruetur in vaſe optimè clauſo, ne aeris vim ſentiat: Et rectificetur à phlegmate.

Melius parabitur Oleum Salis, ſi Sal fuſus diſſoluatur in aqua pluuia, atq; ex his paretur muria, quæ ſupernatās ouum ſuſtineat, deinde Laterum candentium fruſtula in iſta muria extinguantur, donec ſalſus liquor planè abſorbeatur, terantur lateres craſſiuſculè; indatur puluis retortæ luto exactiſſimè obductæ tenaci, & detur ignis apertus ad ſummum gradum vſque & rectificetur à phlegmate.

OLEVM SVCCINI.

℞ Succini flaui vncias duodecim,

Fiat puluis cui in phiala ampla vel retorta affunde tantundem aceti vini albi acerrimi, digerantur in fimo per octiduum, mox addito arenæ ſicciſſimæ vel ſilicum fluuiatilium in puluerem tritorum duplo per retortam fiat diſtillatio in arena ſubdito igne per gradus.

Oleum rectificetur ex arena, vel Sale, vel Tartaro calcinato ſemel, & tandem cum aqua pluuia.

OLEVM SVLPHVRIS.

℞ Campanam vitream ſexdecim ad minus librarum capacem (quò enim largior, eò melior) ponatur ſupra metretam terream, cum tribus, vel quatuor ſuſtentaculis, quibus campana commode aptari poterit; deinde impoſitâ Sulphuris quantitate ſufficienti in ollam terream ſic mutinam, vt poſſit ignis vim ſuſtinere, vratur Sulphur ſub campana, ſuperinjiciendo nouum Sulphur, vbi priùs conſumptum fuerit; fiat autem hæc operatio in cœlo & loco obſcuro, cum nec venti vigent, nec Sol ſplendet.

Maior habetur Olei quantitas, ſi vas Sulphur continens fornaculæ imponatur ſubdito igne, ita vt Sulphur perpetuò ſit in fuſione. Quidam tigillis Sulphur continentibus, ad fundum vſque indunt ellychnia Sulphure fuſo imbuta, quibus accenſis flamma non extinguitur.

Paretur autem loco ſubterraneo, vt in cella, vdo & pluuio cœlo.

Antequam Sulphur accenſum campanæ ſupponatur, ſuffumigetur campana fumo Saluiæ.

OLEVM TARTARI.

℞ Tartari q. v. imponatur in retortam amplam, eâ proportione

vt tertia pars vaſis impleatur, diſtilletur in arena igne forti, pòſt (ſeparato priùs Oleo ab Aqua ſiue ſpiritu Tartari) cum multa aqua rectificetur, cuius fœtor aliquatenus corrigetur, ſi in vaſe aperto ſub dio diù relinquatur, præſertim ad Solem: Quoniam tamen Salis diſſoluti liquor vulgò proſtat, pro Oleo Tartari itá paretur.

LIQVOR TARTARI, vulgò OLEVM TARTARI dictum.

℞ Tartari vini albi q.ſ. imple propemodum eo vas terreum non vitratum, in fornace anemia calcinetur per horas duodecim, vbi refrixerit ponatur in Manicam Hippocratis, quæ ſuſpendatur in cella humidiori vt diſſoluatur, ſuppoſito recipiente conuenienti. Reſiduum quod manicæ poſt ſolutionem adhæſerit, diſſoluatur in aqua communi, deinde filtretur, poſteàque euaporetur, quoad incipiat aſſimilari Alumini.

OLEVM VITRIOLI.

℞ Vitrioli Vngatici, vel etiam Angelici optimi q. v. liquetur in cacabo, mox diuidatur in craſſiora fruſta, quæ impoſita prunis vrantur ad flauum vſque colorem ad rubedinem aliquantulùm accedentem. Fiat Puluis irrorandus optimo ſpiritu vini, ponatur in retortas Wallemburgias, vel ſimiles fictiles ignis patientes, & detur ignis per gradus ad ſummum vſque, per triduum, donec recipientia, quæ antea tumultuantibus fumis obſcurabantur, clara euadant. Liquor ſtillatitius rectificetur; & ſeparentur ab inuicem, Vini ſpiritus, Vitrioli ſpiritus acidulus, & validiſſimum ac valdè ponderoſum Oleum.

AQVA MELLIS.

℞ Mellis puriſſimi libras quatuor.
Arenæ ſicciſſimæ libras duas.

Ponantur in cucurbitam tam capacem, vt materia quintam ſaltem vaſis partem occupet, atque in Balneo phlegma in cineribus paulò intenſiore gradu ignis aqua acida flaua proliciatur.

AQVA FORTIS.

℞ Vitrioli exſiccati libras duas: Satis petiæ repurgati libram vnã: tere ſimul & retortæ optimo Luto Loricatæ impone & colloca in fornace reuerberij, appoſitoq; recipiente amplo diſtilla per gradus, ſpacio viginti horarum: aquam exemptam clarifica cum drachm. 1. argenti ſ: artem.

PRÆ-

PRAEPARATIONES CHYMICÆ MAGIS VSVALES.

CHALYBS PRÆPARATVS PER INSOLATIONEM.

℞ Chalybem per Magnetem à ſordibus repurgatum: humectetur toties aceto vini albi acerrimo, & ſiccetur ad Solem, donec poſſit in porphyrite teri in puluerem impalpabilem, affuſâ paucâ aquâ Cinnamomi. Sufficiet autem duodecies irrorare, & ſiccare, mox in mortario ferreo terere, tandem læuigare, & ſeruetur ad vſum.

CHALYBS PRÆPARATVS PER VSTIONEM.

℞ Chalybem (vt ſuprà) mundatũ: extinguatur candens duodecies in aceto albo acerrimo, & toties in vino Canarino aut Maluatico generoſiſſimo, ſiccetur, & (vt ſupra) tritus in porphyrite cum aqua Cinnamoni læuigetur, & ſeruetur ád vſum.

CREMOR SIVE SAL TARTARI.

℞ Tartari vini albi, aut Rhenani quantum volueris, teratur ſubtiliſſimè, & tranſmittatur per ſetacum, puluis abluatur ter quaterve aqua frigida ad eluendas ſordes, deinde bulliat in aqua fontis clara, in ampla patina, vel olla fictili vitriata, lento ſaltem fremitu; ſpuma prima tollatur. Cruſtæ autem ſupernatantes, quæ ſucceſſiuè concreſcēt in aquæ ſuperficie, poſtquàm totam ſuperficiem occupauerint, colligantur cochleari ligneo perforato, & extendantur in charta bibula, Abluantur denuò aquâ frigidâ, ſiccentur optimè, & in porphyrite leuigentur in Alkool. Seruetur Puluis in ampulla vitrea, & nullum attingat metallum.

CROCVS MARTIS.

℞ Laminas ferri vel Chalybis, quæ candentes aut ſcintillantes condantur Magdaleone, vel fruſto magno Sulphuris, ſubiectâ pelui aquæ plenâ, fluet inſtar ceræ ferrum, quod à ſulphure ſeparatum teratur in mor-

mortario ferreo in puluerem ſubtiliſſimum. Extendatur puluis in quadratis conchis fictilibus, quæ tranſuerſum digitum altitudine non ſuperent: Pone ad flãmam reuerberij, quæ valido flamine materiam lambat per tres vel quatuor dies; commodiſſimè id fiet in fornace vitrariorum; Materia inſtar ſpongiæ eleuabitur rubicundiſſima, cuius ſuperficies inſtrumento ferreo lato colligatur, reliquum (vt ſupra) ignis flammâ vrgeatur, donec totum ferrum ſit conuerſum in pollinem tenuiſſimum, inſtar farinæ volatilis. Poterit etiam parari ex limatura ferri in igne reuerberij ſine Sulphure.

CROCVS METALLORVM.

℞ Antimonij per longas venas ſcintillantis, Salis petræ puriſſimi, ana partes æquales, reducantur in puluerem ſeorſim, mox commiſceantur; Ponantur in mortarium æneum ferreumue, mox iniectâ prunâ materia incendatur, quæ cum fragore & ſtrepitu exuretur; ſuperponatur (relicto tamen triũ digitorum interuallo) tegula, aut patella ferrea, donec ſtridor ceſſauerit: Materia Matellina inſtar vitri fuſi fuſce rubens ſeparetur à cruſta albicante, & ſeruetur ad vſum: deinde dulcoretur aquâ ſimplici deſtillatâ ter affuſâ.

FLORES SVLPHVRIS.

℞ Sulphuris flaui, quod, ſi manibus contrectetur ſtringendo, auribus admotũ crepitat, quantum volueris: teratur cum p. æ. Colcotharis Vitrioli, ex Olei deſtillatione reſidui: ponantur in bocciam oblongam, ſeu veſicam fictilem, ſuperpoſito capitello vitreo ſatis amplo, atque in arena dato igne per gradus, pellantur flores in Alembicum, pede leporino deturbandi.

Subtiliores euadent, ſi denuò cum eadem Colcotharis noui quantitate ſublimentur.

LAPIS INFERNALIS, SEPTICVS.

℞ Lixiuium, è quo Sapo niger coquitur: id ſartagine exceptum, in lapidem vrito. Caueas tamen, ne omnis liquor abſumatur & areſcat. Cum refrixerit, in formam teſſerarum ſcinditur, & vitro rectè obturato ſeruatur.

Aliter.

℞ Vitrioli ad rubedinem calcinati vncias duas.

Salis

Salis Ammoniaci vnciam vnam.
Tartari ad albedinem calcinati,
Calcis viuæ, ana vncias tres.

Tritis affundatur Lixiuium Ficulneum, vel Tithymallinum, vel Saponis, ſæpiúſque tranſcoletur, donec materia tota ferè diſſoluatur. Colatura coquatur in vaſe æneo ad liquoris conſumptionem: quod relinquitur ſeruatur in vitro ad vſum.

LAPIS PRVNELLÆ, Seu NITRVM SVLPHVRE, PVRGARVM.

℞ Salis petræ puriſſimi, & in ſtirias Cryſtallinas coagulati libram vnam. Ponatur in crucibulum, vndique admotis & ſuppoſitis prunis, non accendetur, ſed fluet inſtar metalli: huic fuſo, per fruſtula (inſtar minorum auellanarum) injiciantur vnciæ duæ flor. Sulphuris, quod poſtquam conſumptum fuerit, nitrum inſtar aquæ fluidum effundatur in peluim æneam, & poſtquàm concreuerit, ſeruetur in vaſe vitreo probè clauſo, ne ſubeat aer, cuius appulſu diſſoluitur.

MAGISTERIVM PERLARVM ET CORALLIORVM, IN QVO ETIAM SALES EORVM CONTINENTVR.

℞ Perlarum, vel Coralliorum, quantum volueris, terantur, & læuigentur in puluerem ſubtiliſſimum; Pulueri affundatur ea quantitas ſpiritus aceti radicati, quæ ſupernatet tribus digitis vel quatuor, fiat digeſtio in cineribus, donec fiat diſſolutio; Ceſſante ebullitione decantetur liquor à corpore, & nouus affundatur ad omnimodam vſq; diſſolutionem. Liquor trajiciatur per chartem emporeticam, huic colato affundatur paulatim Oleum Tartari, ex ſale per deliquium paratum. Præcipitabitur puluis albus, per inclinationem à diſſoluente ſeparandus, & ad dulcedinem, ſeu incipiditatem aquâ pluuiâ, tandem aquis cardiacis abluendus.

Acetum radicatum fit, ſi aceti ſpiritus ex ſale marino decrepitato eleuetur in arena.

MERCVRIVS DVLCIS SVBLIMATVS.

℞ Sublimati, præparati cum Sale & Vitriolo vncias duas, Mercurij crudi, purificati cum Sale & Aceto & triti in marmore, ſeſquiunciam. Teratur Sublimatum

matum in puluerem tenuiſſimum, quem crudo pôſt exactè admiſcebis, eodem in marmore. His ità mixtis, puluerem impone phialæ pedalis longitudinis. Locetur phiala (gloſſypio obturata) ad eius medietatem in arena tùm primùm adde ignem lentum; dein paulatim prunis accenſis, per gradus ignis augeatur, per ſex horas. Quod ſublimatum aſcenderit in regionem mediam, id colligatur: quod in ſupremam, venenatæ admodùm eſt qualitatis, vlceribus ſolummodò externis aptum: quod reſidet in ima vaſis parte, nulli eſt vſui. In medio quod ſublimatum ſi dulce ſine acrimoniâ, res rectè habet, ſin minùs, ſecundò opus iteretur, Mercurius (vt anteà) iterum ſublimetur, vt viuum crudum aſcendentem ſepares, & ſic deinceps. Nam quò ſæpiùs reiteratur opus, eò perfectius euadit medicamentum.

MERCVRIVS DVLCIS PRÆCIPITATVS.

℞ Mercurij crudi ex Sale marino per retortam pulſi, vel ex Cinnabari vulgari reuiuificati, partem vnam, Aquæ fortis (ex partibus duabus Vitrioli calcinati, & parte vna Salis Petræ deſiccati paratæ partes duas, fiat diſſolutio in phiala ſuper cineribus tepidulis: Paretur muria ex aqua pluuia, & ſalix marini tanta quantitate, quantam ipſa aqua poterit diſſoluere, filtretur, vel per chartam emporeticam agatur: In hanc muriam, quæ ouum immiſſum ſuſtineat, effundatur Mercurij ſolutio: Illicò præcipitabitur puluis albus, ad inſipiditatem abluendus aquâ pluuiâ tepidulâ, deinde etiam aquis cardiacis, & recondendus poſt exiccationem vaſe vitreo.

MERCVRIVS VITÆ.

℞ Oleum Antimonij ex eius & Mercurij ſublimati æquis partibus deſtillatum in pinguedinem ad aerem in aperto vaſe, diſſolubilem. Projiciatur in aquam puriſſimam, quæ illico lactea euadet, atq; præcipitabitur puluis niueus multiplici ablutione aquæ pluuiæ tepetis dulcorandus, & ſeruandus ad vſum.

SACCHARVM SATVRNI.

℞ Minij quantum volueris cui in phiala affunde tantum aceti diſtillati (ſpiritus videlicet ab omni phlegmate ſeparati) quantum ſatis, vt ſupernatet quatuor digitis: fiat digeſtio in B. vel fimo per horas viginti quatuor

quatuor : ſepara acetum dulce, nouumq; affunde toties, donec nulla dulcedo ampliùs extrahahatur. Liquores omnes mixtos in vaſe fictili lapideo non poroſo, quod ignem ferre valeat : impone igne lento, & fiat exhalatio donec in ſuperficie concreſcat pellicula. Vas relinquatur in cella, & quæ congelabuntur Cryſtalli à reſiduo liquore ſeparentur. Liquor iterum exhalet ad pelliculam, & fiat vt ſuprà, donec nullæ ampliùs Cryſtalli concreſcant. Tandem fiat diſſolutio in aqua pluuia diſtillata, filtratio & coagulatio Sacchari Criſtallini dulciſſimi.

SAL VITRIOLI.

Carneus.

℞ Vitrioli Vngarici, vel Anglici quantum volueris : ponatur in Crucibulum amplum circumpoſito igne, donec fiat puluis violaceus, ſiue obſcurè purpureus. Calx iſta Vitrioli per partes projiciatur in phialam amplam vitream; in qua ſit aqua communis deſtillata, continuò agitando baculo, donec aqua, quæ primò valdè incaleſcit, denuò refrigeſcat. Sinantur omnia per horas viginti quatuor; filtretur liquor per chartam griſeam bibulam : tandem in ſcutella vitrea fiat exhalatio ad ſiccitatem, & ſeruetur Sal roſei ſeu carnei Sal vitrioli albus coloris.

Item Vitriolum album diſſoluatur in aqua diſtillata, diſſolutio agatur per filtrum chartaceum, & vel cryſtallizetur vt Plumbi Saccharum, vel per omnimodam exhalationem reducatur in Salem album, ſeu Vitriolum depuratum.

TVRBITH MINERALE.

℞ Mercurij crudi puriſſimi, Olei Vitrioli ab omni phlegmate ſeparati, ana partes æquales : ponantur in phialam, quæ imponatur primò cineribus calidis; deinde pedetentim ipſis prunis, dato igne per gradus, donec totum Vitrioli Oleum abierit in auras, reſtante in fundo vaſis maſsâ albâ, quæ ſeparata à portiuncula Mercurij crudi, projiciatur in aquam diſtillatam, vel pluuiam. Illico flaueſcit, abluatur ſæpiùs aquâ tepidâ ad dulcedinem, mox etiam aquis cardiacis, & ſiccetur.

VI-

VITRVM ANTIMONII.

℞ Antimonij ſplendidi & ſcintillantis quantum volueris: tritum ſubtiliſſimè conjiciatur in vas fictile amplum, & ſuccenſis carbonibus vrgeatur ſub dio continuò agitando rudiculâ ferreâ, donec in glebas concreſcat: tunc iterum teratur in puluerem, fiatque vt ſuprà donec concreſcat iterum, & tamdiu iteretur labor, donec ſplendor omnis euanuerit, vapor nullus eleuetur, & Stibium ſit inſtar cineris albicantis: nullumque edat fumum, puluis in laminam candentem proiectus.

℞ Huius calcis libram ſemiſſem, Boracis, ſeu Chryſocollæ factitiæ ſemunciam: vel accipe Calcis Antimonij vncias tres, Salis gemmæ ſemidrachmam. Ponantur in fictile vas fuſoriũ aurifabrorum, crucibulum dictum, quod tegulâ tectum igni validiſſimo exponatur, donec materia fluat inſtar aquæ: projiciatur in peluim tonſoris, & vitrum hyacinthinum reſeruetur.

TARTARVM VITRIOLATVM.

℞ Liquoris Tartari (vt priùs) præparati vncias quatuor. Olei Vitrioli optimè rectificati vncias duas; illudque guttatim ſuprà Tartari liquorem in vitro capaci inſtilla: ſic fiet coagulum albiſſimum; humiditas ſupernatans euocetur lento calore ad ſiccitatem Salis: & ſeruetur ad vſum.

NEPENTES OPIATVM.

℞ Tincturæ Opij cum aceto diſtillato primò, deinde cum ſpiritu vini paratæ. Extracti Croci per Vini ſpiritum, ana vnciam vnam.
Salis Perlarum & Coralliorum, ana vnciam dimidiam.
Tincturæ Specierum Diambræ drachmas ſeptem.
Ambræ griſeæ drachmam vnam.
Miſce coagula ad form. pilul. lento balnei calore.

EXTRAC-

EXTRACTORVM CONFICIENDORVM RATIO.

QVoniam multi Extractorum laudes mirificè prædicant, licèt illa effectui, vti continua exploratum habemus experientia, minimè reſpondeant, ne aliorum votis penitùs deeſſe videamur, hîc generalem ipſorum conficiendorum modum & rationem ſubiungere potiùs, quàm futilem & inutilem hinc inde deſumptam Receptorum farraginem congerere, & rudioribus vana oſtentatione imponere viſum eſt.

℞ Maſſæ cuiuſuis pilularum, ſiue ſpecierum, pulueruniue quorumlibet, quantum vis: infundantur iſta, ſiue iſtorum quodlibet, in aquæ ſtillatitiæ intentioni Medici præſcribentis accommodatæ, quantitate ſufficienti: ſtent in calore balnei biduò, aut ſi duriora fuerint triduò, donec omnis materiæ infuſæ tinctura extrahatur: quòd ſi experiri placuerit, ſitne tota educta, primus liquor per manicam Hippocratis tranſeat, aut chartam emporeticam; affundatur reliquijs liquor nouus, rurſus diregendo vt priùs, quo tincto, procedendum eſt vt anteà. Liquores ſic collecti, modo tincti, in balneo M. poſiti lento

lento calore euocentur; materia in fundo ad mellis conſiſtentiam redacta, reſeruetur ad vſum: vt diuturniore tempore maneat humecta. Salis proprij aut alterius idonei momentum adjicere conuenit: videlicet cuilibet vnciæ extracti ſcrupulos duos vel drachmam dimidiam Salis.

Aquis ſtillatitiis addi ſolet, Olei Vitrioli, aut Sulphuris, liquoriſue cuiuſuis acidi vt Olei Salis, ea quantitas, quæ guſtui non futura eſt ingrata, vt altiùs & expeditiùs in partes rerum ſolidarum durarumque intimas penetret, & effrænam medicamenti purgantis vim operationemque retundat: his intentionibus Vini ſpiritus abunde ſatisfacit, ſed eius tum potiſſimùm vſus eſt, cum medicamentorum cordialium humidum radicale & primigenium deſideramus, vel medicamenta purgantiora fortiora, vel opiata, præparare volumus.

SALIVM

SALIVM EX OMNI GENERE VEGETABILIVM CONFICIENDORVM MODVS.

QVI ex plantis elicitur, ſal duplex eſt: vnus volatilis, qui ignis violentia facillimè diſcutitur & euaneſcit, (quem & eſſentialem vocant) alius fixus, qui ignis intentiorem gradum ſuſtinet, & in cineribus relinquitur.

MODVS CONFICIENDI SALIS VOLATILIS Siue ESSENTIALIS.

Sal volatilis ſic paratur,

℞ Plantæ alicuius conuenientis, recentis, & ſucculentæ amplam ſatis quantitatem; contunde in mortario ligneo vel lapideo, & affusâ aqua pluuiali depuratâ vel fontanâ clara, multâ, coquatur ad medietatis conſumptionem. Decoctum exprime fortiter, & cola. Colaturam iterum coque vſque ad ſpiſſitudinem mellis liquidi. Quod reliquum eſt decocti, ponatur in vaſe vitreo vel fictili vitreato in locum frigidum per octiduum ſaltem, & ſal cryſtallinus concreſcet in modum ſalis gemmæ. Effuſo decocto colligitur, & propriâ aquâ abluitur, & ſiccatur. Hoc modo conficitur Sal ex Abſinthio, Carduo benedicto,

Artemiſiâ,& ex aliis etiam herbis amarulentis facillimè ; ex dulcioribus autem non item, vel cum ſummâ difficultate.

MODVS CONFICIENDI SALIS FIXI Siue ELEMENTALIS.

Salis huius præparandi ratio his quatuor conſtat,

Calcinatione,
Solutione,
Filtratione,
Coagulatione,

Vt ritè igitur conficiatur,primò omnium cineres albi calcinatione procurandi ſunt; vbi tamen cautio ſit, ne nimiâ combuſtione vel in vitrum abeant, vel auolet ſubtilior pars ſalis,quod ſæpè accidit in calcinatione Cochleariæ, & aliarum etiam eiuſdem naturæ plantarum. Deinde ex cineribus (affuſâ aquâ clarâ, purâ, ebulliente, donec omnis ſalſedo extracta fuerit) lixiuium fiat. Lixiuium filtra, & in vaſe fictili ad carbones lento igne coque vt aqua exhalet, & ſal relinquatur, cui depuratio vlterior neceſſaria eſt: ſoluatur igitur denuò, filtretur & demùm coaguletur: repetitâ enim,& crebrâ filtratione, ac ſolutione ſal omnem impuritatem deponit, ac planè albus ac mundus euadit: & hic modus generalis eſt. Sic enim parantur ſales ex herbis, fruticibus, & arborum cuiuſcunque generis particulis in cineres albos redactis, quod verum etiam eſt de partibus animalium calcinatis, & aliquibus etiam lapidibus: ſed hæc obiter. Inter ſales fixos excellunt, Sal Abſinthij,Thymi,Roriſmarini, Centaurij minoris, Artemiſiæ, Cardui benedicti, Imperatoriæ, Petroſelini, Ononidis; Fraxini, Ebuli, Guaici,Bucci, Chamæmeli, Hyperici, Cichorij,Chelidoniæ,Cochleariæ, Betonicæ,Eupatorij,Meliſſæ, Ceterach, &c.

MEDI-

MEDICAMENTORVM QVORVNDAM PRÆPARATIONES PHARMACOPOEIS APPRIME NECESSARIÆ.

ÆRIS VSTIO.

AVG.

ÆRis bracteæ in fictile immittantur, interpoſito inter ſingulas lamellas Salis communis, aut Sulphuris puluere, atque ſic ſtratum ſuper ſtratum paretur, quod igne vratur ad ſufficientiã; cinis relictus aquâ calidâ ſæpiùs affuſâ dulcoretur, qui rubicans euadit à Sale vel nitro, Niger ſi per Sulphur præparetur.

ALOEN ABLVENDI MODVS.

℞ ALoes ſubtiliter tritæ q. v. imponatur in ollam vitreatam cum aquæ bullientis quantitate ſufficienti, vt duobus aut tribus digitis ſupernatet aqua ſpatulâ agitando, vt partes Aloes puriores aquæ commiſceantur, quâ effuſâ alia aqua ſuperinjiciatur calida, & ſimiliter agitetur & effundatur, vt ſordes parteſque impuriores ſegregari poſſint, puriſſimæ autem aquæ ſimul collectæ, euaporatione humiditatis redigantur in Maſſam vſui aſſeruandam.

ANTISPODII PRÆPARATIO.

℞ EBoris electi, ſecti in fruſta haud parua q. v. cõburantur in olla vel patina aperta in fornace figulina, donec penitus albeſcant; quæ poſteà, ſubtiliſſimè trita lauentur aqua Roſacea, (ſint libræ duæ ad lib. 1. eboris)

eboris) & denuò ſiccata abluantur eadem quãtitate roſaceæ, & tertiò, cum Cãphoræ drach. quatuor, in libra roſaceæ diſſolutis; tum læuigata in marmore formentur in Trochiſcos vſui aſſeruandos.

Simili modo ex cornu Cerui fieri poteſt.

BOLI ARMENI PRÆPARATIO.

HVius præparatio à multis Aquâ Roſaceâ perficitur, ab alijs verò Aceto, à nonnullis cum Vino; Bolum autem læuigatum ſoluunt toties, dum ſordes & arenulæ auferantur, dein ſiccatus in aere vel Sole, tectus reponitur.

BRYONIÆ FOECVLA.

℞ RAdicum Bryoniæ q. v. cultello abradantur, & ſuccus prælo forti exprimatur, qui in vaſculis ſine motu detentus poſt paucas horas, fœces albiſſimas inſtar Amyli deponet, àqua turbida ſupernatante, qua per inclinationem ſeparata, fœces deſiccentur in vitreatis vaſculis.

BVTYRVM MAIALE.

℞ BVtyrum recens ſine ſale ſub menſis Maij medio vel circa finem collectum, imponatur in vas terreum vitreatum latum, & in Sole collocetur, vt vndiquaque liquetur: quod optimè liquatum, dum Sol eſt feruentiſſimus, tranſcoletur per pannum lineum ſpiſſum, & non exprimatur; quod denuò Soli expoſitum; & tandem album factum rurſus coletur, & reſeruetur per totum annum.

CALCIS VIVÆ ABLVTIO.

TRita Calx in catino copioſâ aquâ dulci miſcetur, potiſſimum tempore Canicularium, & multum agitatur, cumque in fundo reſederit, mutatur aqua, ac commiſcetur denuò, atque id repetitur ſepties vel octies, ſingulis vicibus per filtrum colando: tandem Roſacea affunditur, & Calx ſiccata aſſeruatur.

CANCRORVM FLVVIATILIVM VSTIO.

CAncri fluuiatiles viui aſſentur in ænea patella ad ignẽ temperatum

peratum (haud vehementem) poſitâ, donec in tenuiſſimum puluerem redigi queant: dein pulueriſentur, & pulus recondatur in pyxide munda; & ſeruetur in loco ſicco, & hic puluis durat per annum.

LIMATVRÆ CHALYBIS PRÆPARATIO VVLGARIS.

℞ LImaturæ Chalybis q.v. ab omni immũditie per magnetem depuratæ, deinde lauetur aquâ dulci,& protinùs exiccetur, deinde irroretur aceto vini fortiſſimo, ſæpiùs vndiquaq; inuertendo, exponatur, & exiccetur in vmbra bis terue inſpergendo nouum acetum, ſicq; ſtet per dies triginta, poſteà teratur in puluerem tenuiſſimum,& ſeruetur vſui.

In Chalybe qui præparatur ad ignem cum Sulphure, obſeruandum eſt, vt niſi ſapor Vitriolatus remaneat in Chalybe per vſtionem, vini aperiendi amiſerit, & ſit inutilis.

CORALLIORVM ET LAPIDVM PRETIOSORVM PRÆPARATIO.

COrallia & Lapides pretioſi, eodem modo præparentur, quo Margaritæ, folio ſequente.

CORIANDORVM PRÆPARATIO.

COriandorum ſemina acri Aceto horis viginti quatuor macerentur, deinde ſiccata recondantur. Eodem modo præparentur ſemina Cymini.

ELATERII PRÆPARATIO.

℞ CVcumerum agreſtium iã penè maturorũ q. v. ſcindantur ſupino cultro, & ſuccus leuiſſimè primoribus digitis exprimatur,& trajiciatur per ſataceum tenuiſſimum, deinde reſideat dum craſſiorem depoſuerit partem, tunc tenuior ſupernatans effundatur per inclinationem in aliud vas terreum mundum vitreatum: & linteo coopertum. Soli exponatur dum exaruerit, & ſeruetur ad vſum.

RADIC. ESVLÆ PRÆPARATIO.

COrtices Eſulæ benè mundatos infunde per triduum in Aceto vini acerrimo, deinde exiccentur, & ſeruentur vſui.

Eodem modo præparantur

Folia Lauriolæ,
Mezerei.
Fructus Thymeleæ, i. grani Gnidij.

EVPHORBII PRÆPARATIO.

EVphorbium ſubtiliſſimè pulueriſatum in lapide, cum ſ.q. Olei Amygdalarum dulcium, inſtar Collyrij fricatur, & atteritur; Maſſa poſtmodùm pomo Cydonio excauato, vel Citrio inditur, paſtâque panis obuoluitur, & ſic in clibano coquitur. Euphorbium ſic præparatum vaſe vitreo benè obturato reconditur.

GERSÆ SEV CERVSSÆ SERPENTARIÆ FACIENDÆ MODVS.

℞ RAdicum Ari primo Vere, antequã in folia abeunt, collectarum quantum vis: abluantur & mundentur ab exteriore cortice, deinde in mortario lapideo contundantur, & ſuccus prælo extrahatur, qui linteo tectus Sole exiccetur, poſteâque aquâ Roſaceâ lauetur, rurſuſq; ſiccetur, & reponatur.

HELLEBORI NIGRI PRÆPARATIO.

RAdices Hellebori nigri, prout apud nos habentur, demptâ lignea medullâ, triduo macerentur in ſucco Cydoniorũ, moderato calore, poſteà benè exiccatæ reponantur.

SANGVINIS HIRCINI PRÆPARATIO.

HIrcum mediocris ætatis domi alito per menſem, illi exhibendo Pimpinellã, Apium, Petroſelinum, Maluam, Leuiſticum, & ſimilia; deinde ſanguinem eius, qui ex arteriis apertis fluxerit excipito, & concreſcere ſinito, aqueum ichorem effunde, grumos verò ſanguinis in furno exicca. Mactandus autem eſt Hircus ſub finem æſtatis, circa dies Caniculares.

HIRVNDINVM VSTIO, *AVG.*

PVlli Hirundinũ ità iugulentur, vt ſanguis ſuper alas defluat: hi modico trito Sale aſpergantur, ac in nouo fictili vitreato probè obturato vrantur,

cinis

cinis reſeruetur ad vſum.

Eodem modo comburuntur Erinacei, Bufones, Ranæ, ſed ſine Sale.

LACCÆ PRÆPARATIO.

℞ LAccæ immūdæ (alioquin fruſtraneum eſſet opus, quod ſincerū eſt lauare) parùm fractæ, non in puluerem redactæ, quantum vis, decoquatur in aqua, cui Ariſtolochia & Schœnanthos, ana p. æ. incocta; donec purior pars ſupernatet, ſordeſque in fundo ſubſederint; purior illa pars auferatur, & in Sole tecta, vel vaporario exiccetur, & ſic reſeruetur ad vſum.

LAPIDIS LAZVLI PRÆPARATIO.

LApis Lazuli minutiſſimè confractus aquæ injiciatur, ſæpiùs agitando, deinde vbi ſubſederit, aqua effundatur, idq; toties repetatur, donec aqua pura maneat. Illud vero obſeruandum, quòd hæc præparatio ad pilulas ſatis ſit commoda; ſin verò ad Confectionem Alkermes adhibeant, vſtione præparari debet.

LVMBRICORVM PRÆPARATIO.

LVmbrici fiſſi & mundati q.v. Vino toties lauentur, donec omnem impuritatem depoſuerint; deinde ſiccentur, & reponantur.

MARGARITARVM PRÆPARATIO VVLGARIS.

MArgaritæ in mortario ex Chalybe, vel ex ferro fuſo, comminuantur, & in pollinem tenuiſſimum redigantur, tantillo interim aquæ Roſaceæ affuſo, ne partes ſubtiliores auolent, & ita ſecuriùs conſeruantur, ne earum virtus exhalatione abſumatur.

MILLEPEDVM PRÆPARATIO.

℞ MIllepedum q. v. abluito diligenter Vino albo generoſo, mox in ollam conjicito nouam vitreatam, ac poſteà in furno exiccentur, vt poſſint in puluerem redigi.

OESIPVM FACIENDI MODVS.

LAnæ ſuccidæ, hoc eſt, nondum purgatæ, quæ ex collo, coxis, & alis ouium defatigatarũ fuerit detonſa, affundatur aqua feruens pluries, & lauetur diligenter quouſque omnem pinguedinem in aquam depoſuerit. Poſteà expreſſa lana ſeponatur, & aqua illa pinguis & ſordida ex vaſculo in aliud diutiſſimè ex alto fundatur, & refundatur, donec ſpumoſa fiat, ac tum ſpuma ſinatur ſubſidere & colligatur aquæ innatans pinguedo, iterumque aqua vt priùs refundatur, donec ſpumet, ac innatans pinguedo auferatur, quod tam diù fiat donec non ampliùs appareat ſpuma, & nulla ſuper aquam cõcreſcat pinguedo. Tum collectam pinguedinem cum ſpuma in aqua purâ manu ſubigendo laua, ſordeſque immixtas, ſæpiùs immutando aquam, aufer, donec aqua pura effluat, & pinguedo linguæ admota non mordeat, deinde reponatur in fictili denſo, & mundo, in loco frigido.

PLVMBVM ELOTVM.

DIOSCORID. l. 5. c. 95.

AQua in plumbeũ mortariũ iniecta, piſtillo plumbeo laboriosè agitetur, dum nigreſcat, & limi modo craſſeſcat lutulenta. Linteolo dein coletur, aquâ ſuperaffusâ, vt quicquid diſſolutum incernatur. Id repete, dum ſit ſatis. Lotum vbi ſubſederit, effusâ priore aqua, & affusâ nouâ lauetur vt Cadmeia, nigrities dum extet nulla. Demùm in paſtillos efformatum reponatur. Modos ex illo alios non addimus, quòd iſto hodiè vtantur alij, (Norimbergenſes.)

PLVMBVM VSTVM,

DIOSCOR. l. 5. c. 96.

TEnuiſſimas in Plumbi laminas, recente ſtratas fictili, Sulphur inſpergito; & laminis adiectis aliis, ſed interiecto nouo Sulphure, & rurſum aliis, donec vas impleatur, ignem ſuccendito. Flagrante Plumbo, rude ferrea verſato, prorſus in cinerem dum redigatur, & Plumbi vſtum nihil adhæſerit; Occluſis demùm naribus eximito, ne Sulphuris aut Plumbi halitus ſit noxius. Hinc vt Ceruſſam elue. Ibidem, & aliter, præſcribit idem; ſed hic, qui vrunt hac ætate.

PLVM-

PLVMBI CRVDI PVLVIS. *FERN.* meth.6.c.16.f.

PLumbum in tenuiſſimas ducatur laminas : hæ concidantur minutiſſimè , acerrimo aceto immergantur per triduũ, aceto indies mutato , macerentur:exemptæ, & citrà vſtionem igne ſiccatæ, terantur in mortario laborioſè : in puluerem ſic tenuiſſimum læuiſſimumq; redigantur,puluis vſui reſeruetur.

PVLMONVM VVLPIS PRÆPARATIO.

PVlmones Vulpis recentes,exemptâ priùs aſperâ arteriâ, vino albo cui Hyſſopus & Scabioſa priùs incoctæ , diligenter laua , deinde furno temperatè calido ſicca , itá tamen vt non comburantur,poſtea reponatur inuoluti Abſinthio, Marrubio, vel Hyſſopo ſiccis.

SIMPLEX PRÆPARATIO SCAMMONII.

℞ SCammonij , electi , lacteſcentis , in puluerem redacti libram vnam.

Succi Cydoniorum vncias octo.

Commiſceantur , & poſt macerationem viginti quatuor horarum , lento calore humiditas euaporetur, reſiduum ſeruetur ad vſum. 2ª.

Vel Puluis Scammonij imponi ſolet in Cydonia excauata , quæ poſteà paſta circumlinuntur , & in furno , vel ſub cineribus aſſantur ſ. a.& poſteà eximatur Scammonium , & ſeruetur ad vſum.

SCAMMONII 3ª.

℞ SCammonij pulverizati vncias quatuor.

Imponantur in phialam vitream, addendo Succi Cydoniorum depurati tantum , vt ſupernatet tribus digitis vel quatuor. Stet in Balneo calido, donec lacteſcat : ſeparetur liquor per inclinationem , & repetatur ſuccus alius toties donec ampliùs non lacteſcit. Sinatur hic liquor reſidere,ponatur reſidentia in fictile vitreatum , & ſtet in Sole vel ſtupha.

SCILLÆ PRÆPARATIO AD TROCHISCOS.

Non multùm abſimile pag. 121.col.2.

℞ SCillam magnam recentem abiectis eius exterioribus aridis,

aridis tunicis, inuolue paſtæ panis & aſſato eam in furno cum panibus, donec panes percocti fuerint. Hinc è furno exime Scillam, & ſigillatim omnes tunicas detrahe, & funiculo traiectas (vt ſe inuicem tunicæ non contingant) in calido loco exiccato, ſeruatoque; abjiciatur verò medium Scillæ cor, vnde germen enaſci ſolet. Illud etiam obſeruandam eſt, Scillam non eſſe incidendum ferreo cultro, ſed ligneo, oſſeo, aut eburneo; nam contrahit à ferreo veneno-ſam quandam rubiginem. Ad Acetum & Vinum rectiùs præparetur, laminas ſeparando, & exiccando in vmbra.

TEREBINTHINÆ COQVENDÆ MODVS.

℞ Terebinthinæ Venetæ libram vnam: cui affundatur aquæ ſatis magna quantitas, (ſcilicet libræ viginti quatuor,) in qua tam diù coquatur, donec odorem amittat, inſpiſſetur, indureſcat, & Reſinæ modo friabilis fiat, vitri modo diſſiliat, & albida inter coquendum agitando euadat.

TVTIÆ PRÆPARATIO.

Tvtia Arabũ, ſeu Græcorum Cadmia ter ſaltem in crucibulo candefacta, aquâ Roſarum toties extincta, demùm læuigata, linteo mundo incluſa, in vaſe aquâ limpidâ pleno, huc illuc ducatur & agitetur, vt eius tenuior & vtilior pars in aquam effluat; impurior & craſſior in linteo remaneat: reſidere permittatur, & aqua effundatur, atque aliâ denuò affusâ, idem opus repetatur, donec in linteo nihil vtile remaneat, &c.

INDEX

INDEX COMPOSITORVM.

A.

Acaciæ Subſtitut. 47
Acetum Anthoſatum. 16
Acetum Calendulatum. 16
Acetum Caryophyllatum Tunicæ. 16
Acetum Diſtallatum. 16
Acetum Roſaceum *Meſ.* 16
Acetum Saluiatum. 16
Acetum Sambucinum *Meſ.* 16
Acetum Scilliticum *Meſ.* 16
Acetum Theriacale *Norimb.* 17
Acetum Theriacale. 17
Æris Vſtio. 197
Agaricus Trochiſcatus. 118
Aloe Roſata. 97
Aloen abluendi modus. 197
Antidotum Hæmagogon *Rom.* 77
Antidotus Analeptica *Fern.* 72
Antidotus magna Matthioli. 80
Antimonij Vitrum. 192
Antiſpodij Præparatio. 197
Aquæ Simpliciores. 1,2,3
Aqua Abſinthij Compoſita. 4
Aqua Aluminis Magiſtralis *Fal.* 14
Aqua Angelicæ magis compoſita. 4
Aqua Antepileptica Langij. 9
Aqua Bezoartica breuis Langij. 5
Aqua Bezoartica Matthioli. 5
Aqua Caponis. 6
Aqua Cinnamomi. 6
Aqua Cinnamomi Clareta. 6
Aqua Cinnamomi Matthioli. 6
Aqua Cœleſtis Matthioli. 7
Aqua Compoſita. 13
Aqua Cordialis. 8
Aqua Cordialis Frigida Saxoniæ. 8
Aqua Fortis. 186
Aqua Hyſterica cum Extracto. 9
Aqua Imperialis. 9
Aqua Mariæ. 10
Aqua Meliſſæ magis compoſita. 10
Aqua Mellis. 186
Aqua Mirabilis. 10
Aqua Protheriacalis. 12
Aqua Roris Solis vulgò Roſa Solis. 11
Aqua Doctoris *Stephani.* 11
Aqua Theriacalis Lugdunenſis. 12
Aqua Theriacalis Stillatitia. 12
Aqua Vitæ. 13
Aqua Vſquebach. 14
Aromaticum Caryophyllatum. 56
Aromaticum Roſatum. 56
Athanaſia Mithridatis è *Galeno.* 73

B.

Balſamum Magiſtrale Florent. 134
Benedicta Laxatiua. 87
Boli Armeni Præparatio. 198
Bryeniæ Fæcula. 198
Butyrum Maiale. 198

C.

Calcis viuæ ablutio. 198
Cancrorum fluuiatilium Vſtio. 198
Caryocoſtinum. *Bayr. è Gal.* 87
Caſſia extracta pro Clyſteribus *Aug.* 87
Caſſia extracta cum folijs Sennæ. 89
Caſſia extracta ſine folijs Sennæ. 88
Caules Conditæ. 51
Ceratum Ammoniacum. 178
Ceratum de Galbano. 178
Ceratum Oeſipatum. *Gal.* 178
Ceratum Santalinum. 178
Ceratum Stomachicum. 179
Chalybis limaturæ præparatio. 199
Chalybs præparatus per Inſolationem. 187
Chalybs præparatus per Vſtionem. 187
Condita. 51
Confectio Alkermes. 72
Confectio Hamech *Meſ.* 92
Confectio Humain. *Meſ.* 76
Confectio de Hyacintho. 76
Confectio Liberans. 66
Confectio de Thure. 55
Conſeruæ Florum. 53
Conſeruæ & Sacchara. 53
Coralliorum Præparatio. 199
Coriandrorum Præparatio. 199
Cornu Ceruini Vſtio. 199
Cortices conditi. 51
Cremor ſiue Sal Tartari. 187
Crocomagma *Damocratis.* 113
Crocus Martis. 187
Crocus Metallorum. 188
Cymini Præparatio. 199

D.

Decoctum Carminatiuum. 18
Decoctum commune pro Clyſtere. 18
Decoctum commune pro Medicina. 18
Decoctum Epithymi *Meſ.* 19
Decoctum Florum & Fructuum. 19
Decoctum Pectorale. 19
Decoctum Sennæ *Gereonis.* 20
Diacalaminthes compoſ. *Fern.* 58
Diacalaminthes ſimplex *Gal.* 58
Diacapparis Gilberti. 74
Diacarthamum ſeu Diacnicum Arnoldi. 89
Diacaryon ſeu Dianucum Galeni. 42

Diacaſſia

INDEX.

Diacaſſia cum Manna. 88
Diacatholicon, Nicolai. 90
Diachylon Compoſitum. 165
Diachylon Ireatum. 164
Diachylon Magnum, Meſ. 164
Diachylon Magnum cum Gummi. 165
Diachylon ſimplex, Meſ. 164
Diacinnamomu. 74
Diacodium Galeni. 42
Diacodium Solidum ſiue Tabulatum. 54
Diacodium. 28
Diacorallion vſuale Colon. 74
Diacorum Meſ. 74
Diacrocuma ſiue Species Elect. de Croco. 91
Diacynodium Galeni cum ſpeciebus. 75
Diacydonium Londinenſe Compoſ. 75
Diacydonium ſimplex. 75
Diacyminum Nicolai. 59
Diagalanga, Meſ. 59
Diaireos Salomonis, Nic. 77
Diaireos Simplex, Nic. 61
Dialacca Meſ. 61
Diamargaritôn calidon, Auicen. 61
Diamargaritôn frigidum, Nicol. 62
Diambra Meſ. 62
Diamoron Nicolai. 42
Diamoſchu amarum, Meſ. 63
Diamoſchu dulce, Meſ. 63
Dianiſum, Meſ. 59
Dianthon, Nicolai. 63
Diapalma ſeu Diachalciteos. 165
Diapenidion, Nicol. 64
Diaphœnicon calidum, Meſ. 166
Diaphœnicon frigidum, Meſ. 166
Diaphœnicon, Meſ. iuxta Fern. 89
Diaprunum Simplex, Nicol. 90
Diaprunum Solutiuum. 90
Diarhodon Abbatis. 64
Diaſatyrion, Nicolai. 78
Diaſatyrion magis gratum. 78
Diaſcordium, Fracaſtorij. 82
Diatragacanthum frigidum, Nic. 65
Diatrion Pipereon, Galeni. 65
Diatrion Santalon, Nicolai. 65
Diaturbith cum Rhabarbaro. 71
Diaturbith maius ſine Rhabarbaro. 70
Dioſpoliticum. 64

E.

Eboris Vſtio in Antiſpodium. 197
Eclegma Scilliticum, Meſ. 50
Elaterij Præparatio. 199
Electuarium amarum magiſtrale. 88
Elect. amarum minus. 88
Elect. de Baccis Lauri. 73
Elect. de Citro Solutiuum. 91
Elect. Diaſpermatôn. 79
Elect. Eleſcoph, Meſ. 91
Elect. Indum minus. 92
Elect. Lenitiuum. 93
Elect. de Ouo Maxim. 84
Elect. Paſſulatum. 93
Elect. Pectorale. 79
Elect. Reginæ Colon. 94
Elect. Reſumptiuum. 72
Elect. è Succo Roſarum. 93
Emplaſtrum Album Coctum de Ceruſca. 159
Emplaſt. ex Ammoniaco. 159
Emplaſt. de Baccis Lauri. 160
Emplaſt. Barbarum magnum. 160
Emplaſt. de Betonica. 160
Emplaſt. Cephalicum. 163
Emplaſt. Cæſaris. 161
Emplaſt. Ceroma ſeu Ceroneum. 163
Emplaſt. Catagmaticum, Vigonis. 161
Emplaſt. Catagmaticum, Renod. 162
Emplaſt. ex Cicuta cum Ammoniaco. 163
Emplaſt. de Cruſta Panis. 164
Emplaſt. è Cymino. 164
Emplaſt. Diuinum, Nicol. 167
Emplaſt. Flos Vnguentorum. 173
Emplaſt. Gratia Dei. 167
Emplaſt. Griſeum de Lapide Calaminari. 168
Emplaſt. de Gummi Elemi. 167
Emplaſt. ad Herniam, Fernel. 168
Emplaſt. Hyſtericum. 169
Emplaſt. de Ianua. 169
Emplaſt. Iſis Epigoni. 171
Emplaſt. de Maſtiche, Nic. Alex. 171
Emplaſt. de Maſtiche, Renod. 169
Emplaſt. Μητροπρεστητικόν. 172
Emplaſt. de Meliloto. 170
Emplaſt. de Minio compoſ. 170
Emplaſt. de Minio ſimp. Lond. 171
Emplaſt. Neruinum, Vigonis. 173
Emplaſt. Nigrum, Aug. Stichpflaſter. 172
Emplaſt. Oxycroceum, Vig. 174
Emplaſt. Oxycroceum, Nic. 173
Emplaſt. de Ranis, Vigonis. 174
Emplaſt. Sanctum Andr. à Cruce. 175
Emplaſt. ſine Pari Anonymi. 176
Emplaſt. Στεφανιαῖον. 175
Emplaſt. Stomachicum. 177
Emplaſt. Stomachicum Magiſt. 177
Eſulæ Radicis Pręparatio. 199
Euphorbij Præparatio. 200
Extracta conficiendi ratio. 193
Extractum Antepilepticum. 9
Extractum Hyſtericum. 9
Extractum Theriacale. 13

F.

Ferri Scoria Electuarium. 75
Flores conditi. 51

Florum

Florum Conſeruę. 53
Flores Sulphuris. 188
Flos Vnguentorum. 179
Fructus conditi. 51

G.

Gallia Moſchata, Meſ. 110
Gerſę Serpentarię conficiendę modus. 200

H.

Hęmoptoici Paſtilli. 117
Hedychroon Androm. 111
Hellebori nigri Pręparatio. 200
Hiera cum Agarico. 98
Hiera Logadij. 94
Hiera Pachij, Nicol. Alex. 95
Hiera Picra ſimplex. 94
Hircini Sanguinis Pręparatio. 200
Hirundinum Vſtio. 200
Hyſtericum Emplaſtrum. 169

I.

Iulapium Alexandrinum. 25
Iulepum Roſatum. 25
Iulepum Violatum, Meſ. 25

L.

Laccę Pręparatio. 201
Lac Virgineum. 20
Lapidis Lazuli Præparatio. 201
Lapis Infernalis Septicus. 188
Lapis Prunellæ. 189
Laudanum. 106
Lætificans Galeno adſcriptus. 66
Linimentum Arcei. 139
Linimentum ſimplex Placent. 143
Lithontribon Nic. 67
Liquor Tartari. 186
Lohoch è Caulibus. 48
Lohoch de Papauere, Meſ. 48
Lohoch è Paſſulis, Aug. 48
Lohoch è Pino, Meſ. 49
Lohoch è Pulmone Vulpis. 49
Lohoch Sanum & expertum. 49
Lumbricorum pręparatio. 201

M.

Magiſterium Perlarum & Coralliorum & inde Sales. 189
Manus Chriſti ad Lumbricos. 54
Manus Chriſti ſimplex & Perlata. 54
Margaritarum Præparatio. 201
Mel Anacardinum Azarauij. 45
Mel Anthoſatum, Meſ. 42
Mel Emblicarum, Aug. 45
Mel è Mercuriali. 42
Mel Paſſularum, Nic. 42
Mel Roſarum Nicolai. 43
Mel Roſarum commune. 43
Mel Roſarum ſolutiuum. 43
Mel Violarum. 43
Mercurius Dulcis. 189
Mercurius Dulcis ſecundus. 109
Mercurius Vitæ. 190
Micleta Nic. 79
Millepedum Præparatio. 201
Mithridatium Damocratis. 82
Miua Cydoniorum, Meſ. 47

N.

Nepenthes Opiatum. 192
Nutritum ſeu Crudum. 143

O.

Oeſypum faciendi modus. 202
Oleum Abſinthij Chym. 180
Oleum Abſinthites. 128
Oleum Amygdalarum amararum. 125
Oleum Amygdalarum dulcium. 125
Oleum Anethinum. 128
Oleum Sem. Anethi Chym. 180
Oleum Antimonij. 184
Oleum Aparicij Benedictum. 131
Olea ex Aromatibus. 181
Oleum Arſenici. 184
Oleum Auellanarum. 125
Oleum Balſami. 183
Oleum ex Baccis Iuniperi. 181
Oleum de Capparibus. 181
Oleum de Caſtoreo. 128
Oleum de Caſtoreo Iac. de Manlijs. 132
Oleum Ceræ Chymicum. 182
Oleum Chamæmelinum. 128
Oleum Cheirinum. 128
Oleum Cinnamomi Chym. 181
Olea ex Corticibus. 81
Oleum Coſtinum, Meſ. 132
Oleum Crocinum, Meſ. 132
Oleum Cydoniorum. 128
Oleum Enulatum. 128
Oleum Euphorbij. 128
Oleum de Euphorbio compoſ. 132
Oleum Exceſtrenſe vulgò Exceter. 133
Oleum Formicarum, Nic. 128
Oleum ex Guaiaco Chym. 182
Oleum Hirundinum. 133
Oleum Hyperici. 129
Oleum Hyperici compoſ. 134
Oleum Iaſminum. 129
Oleum Irinum. 129
Oleum Irinum compoſ. 134
Oleum Latericium Philoſop. 183
Oleum Laurinum, Meſ. 127
Oleum ex Lignis. 182
Oleum Chymic. ex ligno Saſſafras. 182
Oleum Liguſtrinum. 183
Oleum Liliorum alborum. 183
Oleum Lumbricorum. 129
Oleum Maioranæ compoſ. 135

Oleum

INDEX.

Oleum Mandragoræ, Nicolai. 135
Oleum Maſtichinum. 129
Oleum Menthæ. 129
Oleum Moſchelinum. 135
Oleum Myrrhæ Chym. 182
Oleum Myrrhæ. 130
Oleum Myrtillorum. 129
Oleum Narciſſinum. 130
Oleum Nardinum, Meſ. 136
Oleum Sardinum Simplex. 130
Oleum Nenupharinum. 130
Oleum Nicodemi. Fallop. 136
Oleum Nicotianæ. 136
Oleum ex Nucleis. 126
Oleum Oliuarum commune. 127
Oleum Oliuarum Omphacinum. 127
Oleum Papaueris. 130
Oleum de Piperibus, Meſ. 137
Oleum Populneum, Nic. 137
Oleum Roſatum Completum. 128
Oleum Roſaceum Omphacinum. 127
Oleum Rutaceum Simplex. 130
Oleum Sabinæ. 130
Oleum Salis. 184
Oleum Sambucinum. 129
Oleum Scorpionum ſimplex. 130
Oleum ex Seminibus. 126
Oleum Sicyonum. 130
Oleum Solani. 131
Oleum de Styrace. 131
Oleum Succini. 185
Oleum Sulphuris. 185
Oleum Tartari. 185
Oleum Terebinthinæ. 182
Oleum Thuris. 183
Oleum Verbenaceum. 131
Oleum Violaceum. 131
Oleum ex vitellis Ouorum. 127
Oleum Vitrioli. 186
Oleum Vulpinum, Meſ. 137
Oxicroceum Vigonis. 174
Oxymel compoſ. Meſ. 43
Oxymel Elleboratum, Geſn. 44
Oxymel Iulianizans. 44
Oxymel Scilliticum Damocratis. 45
Oxymel Scilliticum ſimplex. 45
Oxymel Simplex, Meſ. 43
Oxyſaccharum Simplex, Nic. 25

P.

Paſtilli Andronis, Galen. 113
Penidia. 54
Philonium Perſicum, Meſ. 83
Philonium Romanum, Nicol. 84
Pilulæ de Agarico. 100
Pilulæ Aggregatiuæ ſiue Polychreſtæ. 100
Pilulæ Alephanginæ. 97
Pilulæ de Aloe Lota. 98
Pilulæ Arabicæ, Nic. 100
Pilulæ Arthriticę. 101
Pilulę Aſſaiereth, Auicennę. 98
Pilulę Aureę. 101
Pilulę de Bdellio, Meſ. 98
Pilulę Cochiæ, Rhaſis. 101
Pilulę Chochię cum Helleb. 101
Pilulę de Cynogloſſo. 106
Pilulę ex Eſula. 105
Pilulę ex Eupatorio, Meſ. 98
Pilulę ex Euphorbio, Meſ. 105
Pilulę Fœtidę maiores. 102
Pilulę de Fumaria, Auicen. 102
Pilulę de Hermodactylis mai. 102
Pilulę de Hiera cum Agarico. 98
Pilulę Imperiales, Fern. 98
Pilulę Indæ, Meſ. ex Haly. 102
Pilulę de Lapide Lazuli. 103
Pilulę Lucis Maiores, Meſ. 103
Pilulę Maſtichinæ, Fernel. 99
Pilulę Mechoacanæ, Renod. 104
Pilule de Opopanace, Meſ. 105
Pilulę Peſtilentialis, Ruffi. 99
Pilulę de Rhabarbaro. 99
Pilulę Rudij. 104
Pilulę Scribonij. 106
Pilulę ſine quibus eſſe nolo. 104
Pilulę Stomachicæ, Meſ. 99
Pilulę è Styrace, Meſ. 106
Pilulę de Succino. 99
Pilulę ex Tribus, Fern. 100
Pilulę Turpeti Aureę. 105
Pleres Archonticon. 68
Plumbi crudi puluis, Fern. 203
Plumbum Elotum. 202
Plumbum Vſtum. 202
Pomatum ſeu Seuum Confectum. 144
Poſca. 44
Potio Vulneraria. 21
Pulmonum Vulpis Pręparatio. 203
Pulpę Conditę. 52
Puluis Cardiacus, Fern. 57
Puluis Cardiacus maior. Fernel. 57
Puluis ad Contuſos ex caſu. 57
Puluis Haly. 65
Puluis ad Hemorrhagiam. 69
Puluis ad Lumbricos. 71
Puluis Palmarij. 68
Puluis pręſeruat. à Peſte, Montag. 69
Puluis Saxonicus. 68
Puluis ad Scabiem. 70
Puluis Radulphi Holland. 70
Puluis Sanctus. 70
Puluis Sennę. 70

Radices

INDEX.

R

Radices Conditæ. 52
Requies Nicolai. 85
Rob ſiue Sapa ſimpliciter. 46
Rob de Berberis. 46
Rob de Cornis. 46
Rob de Cydoniorum. 46
Rob Prunorum acidorum. 46
Rob de Ribes. 47
Roſata Nouella. 69
Rotulæ Pectorales. 108

S

Saccharum Roſatum. 55
Saccharum Saturni. 190
Salium conficiendorum modus. 195
Sal Coralliorum. 189
Sal Fixus ſiue Elementalis. 196
Sal Perlarum. 189
Sal Vitrioli. 191
Sal Volatilis ſiue Eſſentialis. 195
Sanguinis Hirci præparatio. 200
Sapæ. 46
Scammonij Præparatio. 203
Scillæ præp. ad Trochiſcos. 203
Semina Condita. 54
Sief de Plumbo, Meſ. 117
Sief de Thure, Rhaſis. 118
Sparadrapum, ſeu Tela Galteri. 175
Species cordiales temperatæ. 58
Spec. Elect. de Gemmis calidi. 60
Spec. Elect. de Gemmis frigidi. 60
Spiritus Caſtorei. 13
Sticticum Paracelſi. 176
Succus Prunellorum. 47
Succus Glycyrrhizæ. 47
Syrupus de Abſinthio, Meſ. 30
Syrup. Acetoſus compoſitus. 32
Syrup. Acetoſus ſimplex, Meſ. 32
Syrup. Acetoſus ſimplex Londin. 32
Syrup. Acetoſitatis Citri. 33
Syrup. de Althæa, Fernel. 30
Syrup. de Artemiſia, Mat. de Grad. 31
Syrup. Auguſtanus, vel de Rhabarbaro Auguſtanorum. 32
Syrup. de Betonica compoſitus. 23
Syrup. de Betonica ſimplex. 23
Syrup. Bizantinus compoſitus. 24
Syrup. Bizantinus ſimplex. 24
Syrup. Capillorum Veneris, Meſ. 25
Syrup. Cardiacus, vel Iulepi. 41
Syrup. de Cichorio cum Rhabarbaro. 32
Syrup. de Cinnamomo. 26
Syrup. è Corallijs compoſitus. 26
Syrup. è Corallijs ſimplex. 26
Syrup. de Corticibus Citri, Meſ. 27
Syrup. Cydoniorum. 24
Syrup. Diaſereos Andernaci. 33
Syrup. de Epithymo, Meſ. 34
Syrup. de Eupatorio, Meſ. 34
Syrup. ex Floribus Perſi[illegible]orum. 29
Syrup. Florum Nymphææ compoſitus. 27
Syrup. Florum Nymphææ ſimplex. 27
Syrup. de Fumaria compoſitus, Fern. 24
Syrup. è Glycyrrhiza. 35
Syrup. de Hyſſopo, Meſ. 35
Syrup. Infuſionis flor. Caryophyllorum. 27
Syrup. ex Iua Arthritica. 36
Syrup. Iuiubinus, Meſ. 35
Syrup. Magiſtralis ad Melancholiam. 36
Syrup. de Meconio, Meſ. 29
Syrup. Meliſſophylli. 37
Syrup. de Mentha maior. 37
Syrup. Myrtinus, Nicolai. 38
Syrup. è Papauere. 28
Syrup. de Papauere compoſitus. 28
Syrup. de Papauere Erratico. 28
Syrup. de Pomis Fern. 38
Syrup. de Pomis Regis Saporis. 38
Syrup. de Portulaca, Meſ. 25
Syrup. de Praſio, Fernel. 39
Syrup. de Quinque Radicibus. 40
Syrup. Raphani, Fern. 39
Syrup. Roſaceus ſolutiuus, Meſ. 29
Syrup. Roſaceus ſolutiuus cum Agarico. 29
Syrup. Roſac. ſolut. Helleboratus. 29
Syrup. Roſac. ſolut. ſine Helleboro. 32
Syrup. de Roſis ſiccis, Meſ. 29
Syrup. Scabioſæ compoſ. Magiſtralis. 40
Syrup. de Scolopendrio, Fern. 40
Syrup. de Stœchade, Meſ. 41
Syrup. de Symphyto. 31
Syrup. de Tuſſilagine compoſitus. 25
Syrup. Violarum. 30
Syrup. è Succo Violarum. 30

T

Tapſimel. 157
Tapſiualentia Ioh. Ardern. 156
Tartarum Vitriolatum. 192
Terebinthinæ coquendæ modus. 204
Theriaca Andromachi. 85
Theriaca Diateſſaron. 80
Theriaca Londinenſis. 87
Trochiſci de Abſinthio, Meſ. 107
Trochiſci de Agarico. 118
Trochiſci albi, Rhaſis. 116
Trochiſci Alexiterij, Renod. 107
Trochiſci Alhandal, Meſ. 118
Trochiſci Aliptæ Moſchatæ. 107
Trochiſci Alkekengi. 116
Trochiſci de Auiſo, Meſ. 108
Trochiſci Bechici albi, vel Rotulæ pectorales. 108

Trochiſci

Trochiſc[i] Bechici nigri Rhaſis.	108
Trochiſci de Berberis, Meſ.	108
Trochiſci de Camphora, Meſ.	109
Trochiſci de Capparibus, Meſ.	109
Trochiſci de Carabe, Meſ.	107
Trochiſci Cypheos, Damocratis.	109
Trochiſci Diacoralliu.	117
Trochiſci Diarhodon, Meſ.	110
Trochiſci Diaſpermaton.	117
Trochiſci de Eupatorio, Meſ.	110
Trochiſci de Gallia Moſchata.	110
Trochiſci Gordonij.	110
Trochiſci Hedychroi, Androm.	111
Trochiſci Hyſterici, Renod.	111
Trochiſci de Lacca, Meſ.	112
Trochiſci de Ligno Aloes, Meſ.	113
Trochiſci Muſæ, Galen.	113
Trochiſci è Myrrha Rhaſis.	112
Trochiſci Polyidæ, Sphragis.	113
Trochiſci Ramich, Meſ.	114
Trochiſci de Rhabarbaro, Meſ.	118
Trochiſci de Roſis, Meſ.	114
Trochiſci de Santalis maiores.	115
Trochiſci dè Scilla, Galeni.	114
Trochiſci de Spodio, Meſ.	115
Trochiſci è Succino.	118
Trochiſci de Terra Lemnia.	112
Trochiſci è Violis ſolutiu.	119
Trochiſci de Vipera.	115
Trochiſci Viticis, ſiue Agni Caſti.	116
Tryphera minor, Meſ.	95
Tryphera Solutiua, Renod.	96
Turkiſh minerale.	191
Tutiæ Præparatio.	204
V.	
Valentia Scabioſa Ioh. Ardern.	155
Vinum Abſinthites.	15
Vinum Anthoſatum.	15
Vinum Scilliticum.	15
Vnguentum Adſtringens.	145
Vng. Ægyptiacum, Meſ.	139
Vng. Agrippæ, Nicolai.	146
Vng. de Alabaſtro.	146
Vng. Album, Rhaſis.	139
Vng. Anodynum ex Cordo.	139
Vng. Apoſtolorum.	146
Vng. è ſuccis Aperitiuis primum Fœſij.	147
ſecundum Fœſij.	148
Vng. Aregon, Nicolai.	147
Vng. de Artanita maius.	148
Vng. Aureum, Meſ.	140
Vng. Baſilicon maius.	140
Vng. Baſilicon minus.	140
Vng. ex Bdellio, Meſ.	140
Vng. de Calce Fœſij.	141
Vng. Catapſoras.	149
Vng. Citrinum, ſeu Citrium.	149
Vng. Comitiſſæ Varign.	150
Vng. Dialthææ compoſ.	141
Vng. Dialthææ ſimplex.	141
Vng. Diapompholygos Nihili.	142
Vng. Enulatum.	141
Vng. ad Hemorrhoidas, Nor.	150
Vng. Hemorrhoidale Saxon.	151
Vng. Laurinum vulgare.	151
Vng. ad Lumbricos.	157
Vng. Martiatum.	151
Vng. de Minio.	142
Vng. Mundificatiuum ex Apio.	152
Vng. Neapolitanum.	152
Vng. Neruinum.	153
Vng. Nicotianæ.	143
Vng. Ophthalmicum, Renod.	143
Vng. Pectorale, Nicolai.	153
Vng. è Plumbo.	144
Vng. Populneum, Nicolai.	153
Vng. Potabile ex Fœſ.	144
Vng. Refrigerans, Gal.	142
Vng. Reſinum.	153
Vng. Reſumptiuum.	154
Vng. Roſatum, Meſ.	145
Vng. Rubrum Deſiccat.	145
Vng. ad pruritum Scabioſorum.	144
Vng. Splenicum.	154
Vng. Splenicum Magiſtrale.	155
Vng. Stomachicum, Norimb.	157
Vng. Tutiæ vulgare.	145

The Printer to the Reader.

Reader, may it pleaſe thee to take notice, that this being the fourth Edition of this Worke, and is now freed from all errors (formerly committed either by the Tranſcriber or Printer) by the great labor, paines, care, and induſtry of that Honourable Society (the Authors of this Worke) and by them (intending onely publike good) diligently and truly corrected and amended, as alſo newly amplified, enlarged, and adorned with ſuch additions as vnto them ſeemed moſt needfull.

No faults haue eſcapedin this Impreſſion (except literall) and ſo not worthy of an Errata. Errors are more ancient then Printing, and therefore I expect them to paſſe the Reader without wonder, as they ſhall doe me without apologie. Thus much I thought needfull to aduertiſe thee of, and to acquaint thee with the beſt and laſt Edition, printed the 8. of April. 1632. Thy friend, I.M.

FINIS.